



# HD 4/10 X CLASSIC \*KAP

Compact HD 4/10 X Classic high-pressure cleaner with automatic pressure relief and integrated hose reel. Very ergonomic and mobile thanks to retractable pull handle and robust wheels.



Order no. 1.520-976.0

## Technical data

EAN code		4054278722979
Power supply	Ph / V / Hz	1 / 220 / 50
Flow rate	l/h	400
Working pressure	bar	100 – max. 145
Weight without accessories	kg	17.5
Weight incl. packaging	kg	20
Dimensions (L × W × H)	mm	335 × 320 × 845

## Equipment

Power nozzle	■
3-piston axial pump	with stainless steel pistons
■ included in the scope of supply.	



## Compact design

- Very easy to transport thanks to its low weight.
- Space saving and easy to store.

## Excellent reliability

- Automatic pressure relief protects hydraulic components.
- Proven high-pressure system and long-life motor.
- The integrated hose reel protects the high-pressure hose well during storage and transportation.

## ACCESSORIES FOR HD 4/10 X CLASSIC \*KAP 1.520-976.0



		Order no.	Description	
<b>TRIGGER GUNS</b>				
<b>Spray guns</b>				
Pistol	1	9.751-376.0		■
<b>SPRAY LANCES</b>				
<b>Spray lance</b>				
600 mm spray lance	2	9.751-140.0	600 mm long, zinc coated spray lance with hand screw connection. Not rotatable.	■
Spray lance 850 mm	3	9.751-146.0	Galvanised spray lance with manual screw fitting for high-pressure cleaners in the Classic range from Kärcher. Not rotatable. Length: 850 mm.	□
<b>NOZZLE UNION / SPACER</b>				
<b>Nozzle union</b>				
Nozzle connector	4	5.401-210.0	For protecting and connecting Kärcher power nozzles to spray lances (M 18 x 1.5 IG).	■
<b>POWER GENERATOR</b>				
PGG 3/1	5	1.042-207.0	Reliable PGG 3/1 synchronous petrol-powered generator with 2.8 kW output, puncture-proof wheels and 15 l tank. For use on the go for up to 12 hours of operation without external power sources.	□
PGG 6/1	6	1.042-208.0	With a power rating of 5 kW, the petrol-operated synchronous generator PGG 6/1 impresses with up to 10 hours of independent power supply in many commercial and municipal applications.	□
<b>ROTARY NOZZLES (DIRT BLASTERS)</b>				
<b>Dirt Blaster, small</b>				
Dirt blaster for replacement 028, small, 028	7	4.747-030.0	Full power against stubborn dirt: the new performance dirt blaster with nozzle size 028 achieves up to 50% higher cleaning and area performance than its predecessor.	□
<b>MULTIPLE-JET NOZZLES</b>				
<b>Triple nozzles</b>				
Triple nozzle, 028	8	4.767-144.0	Triple nozzle with manual nozzle changeover. Convenient spray adjustment. For machines with an injector, the low-pressure flat stream is useful for cleaning agent suction and application. Connection M 18 x 1.5.	□
<b>ECO!BOOSTER</b>				
eco!Booster TR 030	9	2.113-084.0	eco!Booster for cold and hot water high-pressure cleaners (nozzle size 030) with 50% more area performance than the Kärcher power nozzle; ideal for delicate surfaces.	□
<b>SEALS FOR TRAPEZOIDAL THREAD</b>				
Gasket set with 9x O-rings for TR thread	10	2.880-001.0		□
<b>FLOOR AND HARD SURFACE CLEANER</b>				
<b>FR Classic surface cleaner</b>				
FR Classic surface cleaner	11	2.643-476.0	The ideal entry-level model in the Kärcher surface cleaner range for cleaning surfaces indoors and outdoors. With splash guard and up to 150 bar working pressure.	□
<b>Machine-specific nozzle kits for FR Classic</b>				
Nozzle kit for FR Classic, 034	12	2.885-313.0	Nozzle kit specifically for FR Classic surface cleaner.	□
<b>FOAM SYSTEMS</b>				
<b>Cup foam lance</b>				
Cup foam lance, 1200 l/h -	13	6.394-668.0	Short, handy foam lance with adjustable spray angle with 1 litre detergent tank. Ideal for cleaning cars due to its compact design.	□

■ Included in the scope of supply. □ Available accessories.