

NT 30/1 TACT TE H

With a guaranteed filtration efficiency of 99.995%, the 30/1 Tact Te H wet and dry vacuum cleaner is the first choice for removing dusts hazardous to health in dust class H.



Order no. 1.148-237.0

- Complete antistatic system, incl. conductive accessories
- Socket with automatic start-up for electric tools
- Licensed for asbestos abatement

Technical data

EAN code		4054278061306
Current type	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow rate	l/s	74
Vacuum	mbar / kPa	273 / 27.3
Container capacity	l	30
Rated input power	W	max. 1380
Standard nominal width		ID 35
Rubber power cable length	m	7.5
Sound pressure level	dB(A)	69
Colour		anthracite
Weight without accessories	kg	14.4
Weight incl. packaging	kg	19.6
Dimensions (L × W × H)	mm	560 × 370 × 580

Equipment

Safety filter bag	Piece(s)	1
Suction hose	m	4 / electrically conductive
Bend		electrically conductive
Suction Tube	Piece(s) × mm	2 × 550 / Stainless steel
Filter bag		fleece
Wet and dry floor nozzle	mm	360
Crevice nozzle		■
Power tool connection adaptor		■
Automatic on/off switch for power tools		■
Antistatic preparation		■
Flat pleated filter		PTFE HEPA
Sturdy bumper		■
Protection class		I
Steering roller stop		■
Filter cleaning		Tact automatic filter cleaning system
PE plastic bag for dust-free disposal	Piece(s)	1
Container material		plastic

■ Included in delivery.




Filtration system with H filter and Tact filter cleaning system

- Sucks less dangerous dust directly into the container. Filtration efficiency: 99.995 per cent.
- The greatest possible health protection without sacrificing suction power or filter endurance.



Fulfil testing requirements for dust class H, with additional test for "Asbestos" in accordance with TRGS 519

- In Germany, only safety vacuum cleaners with this licence are allowed to be used to vacuum dust that contains asbestos.



Complete antistatic system with conductive accessories

- Users are effectively protected against electric shocks and electrostatic charging.

EQUIPMENT FOR NT 30/1 TACT TE H

1.148-237.0



		Order no.	Description	
FILTER T/ NT				
Flat pleated filter HEPA, dust class H				
Safety/HEPA flat pleated filter	1	6.907-671.0	Safety/HEPA flat pleated filter made from PES/PTFE fibre material with a red label. Certified for dust class H. For vacuuming hazardous dusts, coarse dirt and liquids.	■
HEPA-13 (H13) flat pleated filter made from glass fibre	2	6.904-242.0	HEPA-13 (H13) flat pleated filter for Kärcher wet and dry vacuum cleaners. Suitable for vacuuming hazardous dusts, coarse dirt and liquids.	□
Plastic sacks for dust-free disposal				
Plastic bag for dust-free disposal, 10 x , NT 30/1, NT 40/1, NT 50/1	3	2.889-158.0	PE plastic sack for dust-free disposal.	□
Safety filter sets/bags				
Safety filter bag, 5 x , NT 30/1	4	2.889-183.0	Safety filter set with dust disposal bag, for dust class H safety vacuum cleaners. Guarantees the dust-free disposal of dangerous dust.	□
BENDS				
Bend, plastic				
Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end	5	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	6	2.889-170.0	Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
SUCTION NOZZLES				
Floor nozzles				
Wet/dry floor nozzle, advanced plastic, DN 35	7	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	■
Wet/dry floor nozzle, standard plastic, DN 35	8	2.889-173.0	300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	□
Crevice nozzles				
Crevice nozzle, DN 35, plastic, 225 mm	9	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
Car cleaning nozzles				
Car nozzle, ID 35, 90 mm	10	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□
SUCTION TUBES				
Suction pipes, stainless steel				
Suction tube, 2 x, NT, DN 35, 550 mm long, stainless steel, suitable for: NT 27/1, NT 30/1 Tact, NT 40/1 Ap, NT 48/1, NT 50/1 Tact	11	2.889-192.0	The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 35 and 550 mm long each). For Kärcher wet and dry vacuum cleaners.	■
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	12	2.889-137.0	The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	■
Suction hose, NT, DN 35, length 4 m, clip 2.0, bayonet 2.0	13	2.889-135.0	The suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	□
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	14	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	□

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR NT 30/1 TACT TE H
1.148-237.0



		Order no.	Description	
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Extension hose, T and NT, DN 35, length 2.5 m, clip 2.0, connecting adapter	15	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	☐
CONNECTING SLEEVES				
Connection adapter for electric power tools, clip-on, electrically conductive				
Tool adapter for power tools, DN 35, clip 2.0	16	2.889-151.0	Tool adapter with rubber attachment and false air rotating ring suitable for regulating suction power when working with power tools	☒
OTHER ACCESSORIES NT				
Drilling dust nozzle	17	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	☐

■ Included in delivery. ☐ Available accessories.