

NT 30/1 TACT TE M

The 30/1 Tact Te M safely & reliably removes respirable dusts in dust class M, which are frequently incurred on construction sites. Compact wet & dry vacuum cleaner with a 30L container.



Order no. 1.148-246.0

- Complete antistatic system, incl. conductive accessories
- Socket with automatic start-up for electric tools
- Cooling air filtration

Technical data

| | | |
|----------------------------|-------------|-------------------------|
| EAN code | | 4054278508467 |
| Current type | Ph / V / Hz | 1 / 220 - 240 / 50 - 60 |
| Air flow rate | l/s | 74 |
| Vacuum | mbar / kPa | 273 / 27.3 |
| Container capacity | l | 30 |
| Rated input power | W | max. 1380 |
| Standard nominal width | | ID 35 |
| Rubber power cable length | m | 7.5 |
| Sound pressure level | dB(A) | 69 |
| Colour | | anthracite |
| Weight without accessories | kg | 14.2 |
| Weight incl. packaging | kg | 19 |
| Dimensions (L × W × H) | mm | 560 × 370 × 580 |

Equipment

| | | |
|---|----------|---------------------------------------|
| Suction hose length | m | 4 |
| Suction hose type | | electrically conductive |
| Quantity of suction tubes | Piece(s) | 2 |
| Suction tubes length | mm | 550 |
| Suction tubes material | | Stainless steel |
| Bend | | electrically conductive |
| Quantity of filter bags | Piece(s) | 1 |
| Filter bag material | | fleece |
| Wet/dry floor nozzle width | mm | 360 |
| Crevice nozzle | | ■ |
| Power tool connection adaptor | | ■ |
| Automatic on/off switch for power tools | | ■ |
| Antistatic preparation | | ■ |
| Flat pleated filter | | PES |
| Sturdy bumper | | ■ |
| Protection class | | I |
| Steering roller stop | | ■ |
| Filter cleaning | | Tact automatic filter cleaning system |
| Dust class | | M |
| PE plastic bag for dust-free disposal | Piece(s) | 1 |

■ included in delivery.



Fully automatic filter cleaning

- Sensor-controlled electronics for optimal filter cleaning efficiency and therefore maximum suction power.



Tested filtration efficiency of 99.9 per cent

- The removal of almost all fine dust makes for clean, safe workplaces.



Antistatic Protection

Complete antistatic system with conductive accessories

EQUIPMENT FOR NT 30/1 TACT TE M

1.148-246.0



| | | Order no. | Description | |
|--|----|-------------|--|---|
| FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M | | | | |
| Flat pleated filter, PES | | | | |
| Wet & Dry flat pleated filter | 1 | 6.907-662.0 | Wet & Dry flat pleated filter made from PES fibre material with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes. | ■ |
| Flat pleated filter, PTFE | | | | |
| Ultimate flat pleated filter | 2 | 6.907-455.0 | Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L. | □ |
| BENDS | | | | |
| Bend, plastic | | | | |
| Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end | 3 | 2.889-168.0 | Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. | ■ |
| SUCTION NOZZLES | | | | |
| Floor nozzles | | | | |
| Wet/dry floor nozzle, advanced plastic, DN 35 | 4 | 2.889-152.0 | 360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees. | ■ |
| Crevice nozzles | | | | |
| Crevice nozzle, DN 35, plastic, 225 mm | 5 | 2.889-159.0 | Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm. | ■ |
| Car cleaning nozzles | | | | |
| Car nozzle, ID 35, 90 mm | 6 | 6.906-108.0 | Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm. | □ |
| SUCTION TUBES | | | | |
| Suction pipes, stainless steel | | | | |
| Suction tube, 2 x, NT, DN 35, 550 mm long, stainless steel, suitable for: NT 27/1, NT 30/1 Tact, NT 40/1 Ap, NT 48/1, NT 50/1 Tact | 7 | 2.889-192.0 | The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 35 and 550 mm long each). For Kärcher wet and dry vacuum cleaners. | ■ |
| SUCTION HOSES | | | | |
| Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on) | | | | |
| Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0 | 8 | 2.889-137.0 | The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. | ■ |
| Suction hose, NT, DN 35, length 4 m, clip 2.0, bayonet 2.0 | 9 | 2.889-135.0 | The suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. | □ |
| Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0 | 10 | 2.889-136.0 | The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners. | □ |
| Extension hose, T and NT, DN 35, length 2.5 m, clip 2.0, connecting adapter | 11 | 2.889-145.0 | The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher. | □ |
| CONNECTING SLEEVES | | | | |
| Connection adapter for electric power tools, clip-on, electrically conductive | | | | |
| Tool adapter for power tools, DN 35, clip 2.0 | 12 | 2.889-151.0 | Tool adapter with rubber attachment and false air rotating ring suitable for regulating suction power when working with power tools | ■ |
| FILTER BAGS | | | | |
| Fleece filter bags | | | | |
| Fleece filter bags, 5 Piece(s), NT 30/1 | 13 | 2.889-154.0 | Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack. | □ |
| FILTER T/ NT | | | | |
| Plastic sacks for dust-free disposal | | | | |
| Plastic bag for dust-free disposal, 10 Piece(s), NT 30/1, NT 40/1, NT 50/1 | 14 | 2.889-158.0 | PE plastic sack for dust-free disposal. | □ |

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR NT 30/1 TACT TE M
1.148-246.0



| | | Order no. | Description | |
|---|----|-------------|---|--------------------------|
| FILTER T/ NT | | | | |
| Fabric filter | | | | |
| Candle filter Wood, NT 30/1, NT 40/1, NT 50/1 | 15 | 2.414-000.0 | Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L. | <input type="checkbox"/> |
| OTHER ACCESSORIES NT | | | | |
| Drilling dust nozzle | 16 | 2.679-000.0 | Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher. | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.