

## NT 50/1 TACT TE L

50-litre container with adjustable push handle and drain hose as well as an integrated power outlet.



Order no. 1.148-413.0

- Adjustable push handle
- Drain hose
- Antistatic preparation

### Technical data

EAN code		4054278299952
Current type	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow rate	l/s	74
Vacuum	mbar / kPa	273 / 27.3
Container capacity	l	50
Container material		plastic
Rated input power	W	max. 1380
Standard nominal width		ID 35
Rubber power cable length	m	7.5
Sound pressure level	dB(A)	69
Colour		anthracite
Weight without accessories	kg	18.3
Weight incl. packaging	kg	25
Dimensions (L × W × H)	mm	640 × 370 × 1045

### Equipment

Suction hose length	m	4
Bend		plastic
Quantity of suction tubes	Piece(s)	2
Suction tubes length	mm	550
Suction tubes material		Stainless steel
Quantity of filter bags	Piece(s)	1
Filter bag material		fleece
Dust class		L
Wet/dry floor nozzle width	mm	360
Crevice nozzle		■
Power tool connection adaptor		■
Drain hose (oil-resistant)		■
Automatic switch-off at max. filling quantity		■
Automatic on/off switch for power tools		■
Flat pleated filter		PES
Filter cleaning		Tact automatic filter cleaning system
Sturdy bumper		■
Push handle		■
Protection class		I
Steering roller stop		■

■ included in delivery.



## Adjustable, ergonomic push handle

- Thanks to a quick lock, the adjustable push handle adapts to the size of the operator.
- The push handle can be easily folded away to save space when storing the machine.



## Oil-resistant drain hose

- Oil-resistant, integrated drain hose for easy emptying of liquids.



## Wide floor nozzle with quickly exchangeable inserts

- Floor nozzle with brush strip and squeegee inserts. Effortless switching between wet and dry vacuuming.

## EQUIPMENT FOR NT 50/1 TACT TE L

### 1.148-413.0



		Order no.	Description	
<b>FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M</b>				
<b>Flat pleated filter, PES</b>				
Wet & Dry flat pleated filter	1	6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	■
<b>Flat pleated filter, paper</b>				
Flat filter only for replacement Kaerche	2	6.904-367.0	Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	□
<b>Flat pleated filter, PTFE</b>				
Ultimate flat pleated filter	3	6.907-455.0	Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	□
<b>BENDS</b>				
<b>Bend, plastic</b>				
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	4	2.889-170.0	Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
Bend with air-flow regulator, T, DN 35, plastic, antistatic, clip 2.0 at hose end, cone at accessory end	5	2.889-148.0	Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end	6	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
<b>SUCTION NOZZLES</b>				
<b>Floor nozzles</b>				
Wet/dry floor nozzle, advanced plastic, DN 35	7	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	■
Combi-nozzle (dry)	8	6.906-511.0	Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	□
Floor tool DN35	9	6.906-512.0	Wet/dry floor nozzle made from plastic in DN 35 for wet and dry vacuum cleaners. Fitted with side rollers, brush strips and squeegees. Working width: 300 mm.	□
<b>Crevice nozzles</b>				
Crevice nozzle, DN 35, plastic, 225 mm	10	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
<b>All-purpose brushes</b>				
All-purpose brush	11	6.900-425.0	All-purpose brush PPN_Bristle	□
<b>Car cleaning nozzles</b>				
Car nozzle, ID 35, 90 mm	12	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□
<b>Gangway nozzles</b>				
Squeegee nozzle NT 50/1 Tact Te	13	4.130-029.0	Squeegee nozzle for vacuuming large areas with the NT 50/1 Tact Te.	□
<b>Suction brushes</b>				
Suction brush DN35	14	6.903-862.0	Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 × 45 mm.	□

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR NT 50/1 TACT TE L

### 1.148-413.0



		Order no.	Description	
<b>SUCTION TUBES</b>				
<b>Suction pipes, stainless steel</b>				
Suction tube, 2 x, NT, DN 35, 550 mm long, stainless steel, suitable for: NT 27/1, NT 30/1 Tact, NT 40/1 Ap, NT 48/1, NT 50/1 Tact	15	2.889-192.0	The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 35 and 550 mm long each). For Kärcher wet and dry vacuum cleaners.	■
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>				
Suction hose, NT, DN 35, length 4 m, clip 2.0, bayonet 2.0	16	2.889-135.0	The suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	■
Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0	17	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	□
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	18	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	□
Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	19	2.889-137.0	The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	□
Extension hose, T and NT, DN 35, length 2.5 m, clip 2.0, connecting adapter	20	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	□
<b>CONNECTING SLEEVES</b>				
<b>Connection adapter for electric power tools, clip-on, electrically conductive</b>				
Tool adapter for power tools, DN 35, clip 2.0	21	2.889-151.0	Tool adapter with rubber attachment and false air rotating ring suitable for regulating suction power when working with power tools	■
<b>FILTER BAGS</b>				
<b>Fleece filter bags</b>				
Fleece filter bags, 5 Piece(s), NT 40/1, NT 50/1	22	2.889-155.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	□
<b>FILTER T/ NT</b>				
<b>Flat pleated filter HEPA, dust class H</b>				
HEPA-13 (H13) flat pleated filter made from glass fibre	23	6.904-242.0	HEPA-13 (H13) flat pleated filter for Kärcher wet and dry vacuum cleaners. Suitable for vacuuming hazardous dusts, coarse dirt and liquids.	□
<b>Coarse dirt filter for wet vacuuming</b>				
Coarse dirt filter	24	6.904-287.0	Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	□
<b>Plastic sacks for dust-free disposal</b>				
Plastic bag for dust-free disposal, 10 Piece(s), NT 30/1, NT 40/1, NT 50/1	25	2.889-158.0	PE plastic sack for dust-free disposal.	□
<b>Fabric filter</b>				
Candle filter Wood, NT 30/1, NT 40/1, NT 50/1	26	2.414-000.0	Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L.	□
Membrane filter, NT 30/1, NT 40/1, NT 50/1	27	2.889-281.0	Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused.	□
<b>OTHER ACCESSORIES NT</b>				
Drilling dust nozzle	28	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	□

■ Included in delivery. □ Available accessories.