

T 15/1

The T15/1 dry vacuum cleaner is particularly suitable for noise sensitive areas like hotels, offices and hospitals.



Made in Europe



59 dB(A)

Order no.

1.355-226.0

Technical data

EAN code		4039784723450
Voltage	V	220 - 230
Frequency	Hz	50 - 60
Vacuum	mbar / kPa	244 / 24.4
Air flow rate	l/s	61
Rated performance	W	700
Container capacity	l	15
Standard nominal width		ID 35
Cable length	m	15
Sound pressure level	dB(A)	59
Colour		anthracite
Weight without accessories	kg	8.1
Dimensions (L × W × H)	mm	434 × 316 × 400

Scope of supply

Suction hose length: 2.5 m
Bend: Antistatic, with air-flow regulator
Telescopic suction tube: 615 - 1007 mm
Telescopic suction tube, material: Steel, chromed
Switchable floor nozzle
Upholstery nozzle
Crevice nozzle
Suction brush
Quantity of filter bags: 1 Piece(s)
Filter bag material: fleece
Motor protection filter
Permanent filter basket: fleece

Equipment

Container material: plastic
On-board power cable storage
Cable hook
Integrated accessory storage



Main filter basket

- Large permanent main filter made from washable nylon for optimal dust separation. For use with or without filter bag.



Integrated accessory storage

- Accessory storage at the rear for easy access in any cleaning situation.



HEPA filter (optional)

- The optional HEPA filter ensures particle-free, hygienically pure exhaust air.

EQUIPMENT FOR T 15/1

1.355-226.0



		Order no.	Description	
FILTER T/ NT				
Main filter baskets				
Permanent main filter basket, T 12/1, T 15/1, T 17/1	1	4.731-011.0	Plastic frames with reinforced fleece material, washably to 40°C.	■
Exhaust air filter				
Motor protection filter, 1 Piece(s), T 9/1 Bp, T 7, T 8, T 10, T 11, T 12, T 15	2	6.414-022.0	Motor protection filter, removable fleece, which can be replaced when heavily soiled.	■
Standard exhaust air filter, 3 Piece(s), BV 5/1, BV 5/1 Bp, T 12, T 15, T 17	3	6.414-802.0	Standard exhaust filter and diffusor for reducing filtered air. Made of foam.	□
Motor protection filter, 5 Piece(s), BV 5/1 Bp, T 7, T 9, T 10, T 12, T 15	4	6.414-611.0	Motor protection filter, removable fleece, which can be replaced when heavily soiled.	□
HEPA Filter				
Filter packaged HEPA, H13	5	6.414-080.0	HEPA 13 filter with 99.95% separation degree certified according to test standard DIN EN 1822:2019. For increasing the filter capacity and improving the blower air.	□
Fabric filter bag				
Filter bag cloth	6	6.904-316.0	The fabric filter bag for Kärcher dry vacuum cleaners is made of cotton and can be washed at up to 40 °C.	□
BENDS				
Bend, plastic				
Bend with air-flow regulator, T, DN 35, plastic, antistatic, clip 2.0 at hose end, cone at accessory end	7	2.889-148.0	Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
SUCTION NOZZLES				
Floor nozzles				
Switchable floor nozzle, DN 35, width 280 mm, basalt grey, with parking hook, suitable for textile and hard surfaces	8	2.889-129.0	For cleaning textile and hard surfaces: basalt grey plastic switchable floor nozzle with width of 280 mm and nominal size of DN 35. Features a practical parking hook.	■
Parquet nozzle, DN 32, width 360 mm, with parking hook, suitable for parquet floors and hard surfaces	9	6.905-078.0	For gentle cleaning of parquet floors, delicate wooden floors and other hard surfaces: plastic parquet nozzle with width of 360 mm and nominal size of DN 32. Includes practical parking hook.	□
Crevice nozzles				
Crevice nozzle, DN 35, plastic, length 210 mm	10	2.889-130.0	With the DN 35 plastic crevice nozzle, corners and crevices can be vacuumed quickly and thoroughly. Length: 210 mm.	■
Upholstery nozzles				
Upholstery nozzle complete NW35	11	6.905-998.3	Handy plastic upholstery nozzle in nominal width DN 35. Ideal for gentle cleaning of upholstered furniture such as sofas, armchairs, upholstered chairs and beds.	■
Suction brushes				
Suction brush	12	6.900-697.0	Oval and rotatable suction brush (DN 35) with flexible plastic bristles for deep cleaning.	■
Electric brushes				
ESB 28 electric suction brush	13	2.641-815.0	Electrical suction brush with suction hose, cable and telescopic suction tube. For considerably better dirt pick-up from textile floor coverings. Also for resilient and hard surfaces. For T 201 and T 12/1.	□
Turbo nozzles				
Turbo floor nozzle with parking hook, DN 35/32, 270 mm wide	14	2.860-277.0	Plastic turbo floor nozzle in nominal size of DN 35/32 for cleaning textile and hard floors. With a practical parking hook and DN 35/32 reduction bushing, 270 mm wide.	□

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR T 15/1

1.355-226.0



		Order no.	Description	
SUCTION NOZZLES				
Turbo nozzles				
Upholstery nozzle TURBO	15	2.860-113.0	Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	<input type="checkbox"/>
SUCTION TUBES				
Suction pipes, metal				
Telescopic suction tube, DN 35, 615 - 1007 mm long, chrome-plated steel, suitable for: BV 5/1 Bp, T 9/1 Bp, BV 5/1, T 7/1, T 10/1, T 12/1, T 15/1, NT 30/1, Nt 40/1, NT 50/1NT 65/2	16	2.862-008.0	Practical telescopic suction tube made of chrome-plated steel for Kärcher dry vacuum cleaners, nominal width DN 35 and 615-1007 mm long.	<input checked="" type="checkbox"/>
Suction tube, T, DN 32, length 500 mm, steel, black, suitable for: BV 5/1, T 7/1, T 10/1, T 12/1, T 15/1, T 17/1	17	6.906-618.0	The black steel suction tube is suitable for Kärcher dry vacuum cleaners, nominal width DN 32, length 500 mm.	<input type="checkbox"/>
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Suction hose, T, DN35, length 2.5 m, clip 2.0, click fastener	18	2.889-133.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with dry vacuum cleaners from Kärcher.	<input checked="" type="checkbox"/>
Hose connection				
Adapter, ID 32/35, with internal thread	19	6.902-077.0	Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	<input type="checkbox"/>
MICRO SPRAYER SETS				
Nozzle kit: crevice nozzle, upholstery nozzle, suction brush, ID 35	20	2.860-116.0	Nozzle kit consisting of a crevice nozzle, upholstery nozzle and suction brush. The nozzle kit is suitable for all Kärcher dry vacuum cleaners and wet and dry vacuum cleaners in nominal width DN 35.	<input type="checkbox"/>
FURTHER ACCESSORIES DRY VACUUM CLEANERS				
Repair set Kärcher NW35	21	2.639-329.0	Repair kit for dry vacuum cleaner accessories in DN 35. The kit includes a threaded and clamping ring, a connecting adapter, as well as a seal.	<input type="checkbox"/>
FILTER BAGS				
Fleece filter bags				
Fleece filter bags, 10 Piece(s), T 15/1, T 17/1	22	6.907-017.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher dry vacuum cleaners. Contents: 10-pack.	<input type="checkbox"/>
Paper filter bags				
Paper filter bags, 200 Piece(s), T 15/1, T 17/1	23	6.907-016.0	Premium paper filter bags of dust class M, suitable for Kärcher dry vacuum cleaners. Contents: 200-pack.	<input type="checkbox"/>
Paper filter bags, 10 Piece(s), T 15/1, T 17/1	24	6.907-019.0	Premium paper filter bags of dust class M, suitable for Kärcher dry vacuum cleaners. Contents: 10-pack.	<input type="checkbox"/>
CONNECTING SLEEVES				
Expansion pieces (pipe -> nozzle)				
Adapter	25	6.902-083.0	From DN 32 to DN 35: Plastic adapter (electrically non-conductive). Suitable for BV and T vacuum cleaners.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.