## **B 110 R BP PACK 170AH AGM+R75**

Our battery powered ride-on scrubber dryer B 110 R manages an hourly area performance of up to  $4500 m^2$ . A 170 Ah battery and a battery charger are integrated as standard.













Order no.

1.161-415.0

Technical data		
EAN code		4054278709109
Drive type		Battery
Traction drive		traction motor
Working width, brushes	mm	750
Working width, vacuuming	mm	950
Fresh/dirty water tank	1	110 / 110
Theoretical area performance	m²/h	4500
Practical area performance	m²/h	3150
Battery	V / Ah	24 / 170
Battery runtime	h	max. 2.5
Battery charging time	h	7
Power supply for battery charger	V / Hz	100 - 230 / 50 - 60
Climbing ability	%	10
Brush speed	rpm	1200
Brush contact pressure	kg	75
aisle turning width	mm	1750
Water consumption	l/min	max. 5.7
Sound pressure level	dB(A)	59
Rated input power	W	up to 2350
Permissible total weight	kg	650
Weight without accessories	kg	370
Dimensions (L × W × H)	mm	1695 × 975 × 1315

Equipment Auto Fill  Powerful traction drive Battery and built-in charger included Automatic water stop Parking brake Integrated sweeping mechanism Solenoid valve Squeegee, curved Two-tank system Height-adjustable seat Fresh water level indicator standard daytime driving light Robust front bumper with speed-dependent water dosing software updates and loss assessment can be done remotely
Powerful traction drive Battery and built-in charger included Automatic water stop Parking brake Integrated sweeping mechanism Solenoid valve Squeegee, curved Two-tank system Height-adjustable seat Fresh water level indicator standard daytime driving light Robust front bumper with speed-dependent water dosing software updates and loss
Battery and built-in charger included Automatic water stop Parking brake Integrated sweeping mechanism Solenoid valve Squeegee, curved Two-tank system Height-adjustable seat Fresh water level indicator standard daytime driving light Robust front bumper with speed-dependent water dosing software updates and loss
included Automatic water stop Parking brake Integrated sweeping mechanism Solenoid valve Squeegee, curved Two-tank system Height-adjustable seat Fresh water level indicator standard daytime driving light Robust front bumper with speed-dependent water dosing software updates and loss
Parking brake Integrated sweeping mechanism  Solenoid valve  Squeegee, curved  Two-tank system Height-adjustable seat Fresh water level indicator standard daytime driving light Robust front bumper with speed-dependent water dosing software updates and loss
Integrated sweeping mechanism  Solenoid valve  Squeegee, curved  Two-tank system  Height-adjustable seat  Fresh water level indicator  standard daytime driving light  Robust front bumper with speed-dependent water dosing software updates and loss
Solenoid valve  Squeegee, curved  Two-tank system  Height-adjustable seat  Fresh water level indicator  standard daytime driving light  Robust front bumper with speed-dependent water dosing software updates and loss
Squeegee, curved Two-tank system Height-adjustable seat Fresh water level indicator standard daytime driving light Robust front bumper with speed-dependent water dosing software updates and loss
Two-tank system  Height-adjustable seat  Fresh water level indicator  standard daytime driving light  Robust front bumper with speed-dependent water dosing software updates and loss
Height-adjustable seat  Fresh water level indicator  standard daytime driving light  Robust front bumper  with speed-dependent water dosing software updates and loss
Fresh water level indicator  standard daytime driving light  Robust front bumper  with speed-dependent water dosing software updates and loss
standard daytime driving light  Robust front bumper  with speed-dependent water dosing software updates and loss
Robust front bumper with speed-dependent water dosing software updates and loss
with speed-dependent water dosing software updates and loss
dosing software updates and loss
software updates and loss
via Kärcher fleet management
Kärcher colour and operating
concept
Kärcher Intelligent Key System (KIK) with over 30 user languages
and individual user rights
extremely quiet roller brush head
for noise-sensitive areas
Home Base fastening possibilities for mop or similar
electrical and mechanical float
switch



#### Easy Operation selector switch

■ Included in the scope of supply.


#### This machine requires instruction.





## Roller brush head with integrated sweeping unit

- Made from die-cast aluminium with large bumper wheels.
- Saves time with integrated pre-sweeping of coarse dirt.
- Very smooth running and quiet operation for application in noise-sensitive areas.



### Height-adjustable seat

- Perfect sitting position irrespective of the operator's physical height.
- Superb seating comfort during the journey.
- Allows longer, fatigue-free work intervals.



#### Speed-responsive water dosing

- Reduces the water supply in bends or during slow journeys.
- The water-saving function increases the area performance.
- Faster drying of the ground and lower risk of residual water in bends.

# **ACCESSORIES FOR B 110 R BP PACK 170AH AGM+R75 1.161-415.0**





























				_	
		Order no.	Description		
ROLLER BRUSHES					
Roller brush, medium, red, 700 mm	1	4.035-605.0	Red standard roller brush for maintenance cleaning.		
Roller brush, high / low, orange, 700 mm	2	6.907-730.0	Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.		
Roller brush, hard, green, 700 mm	3	6.907-731.0	Green, abrasive roller brush for deep cleaning and removal of sticky dirt.		
Roller brush, very hard, black, 700 mm	4	6.907-732.0	Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.		
Roller brush white - R75, soft, White, 700 mm	5	6.907-771.0	White roller brush for cleaning sensitive floor coverings.		
BRUSH HEADS					
Brush head R75	6	2.763-047.0	Robust and compact aluminium brush holder with roller brush head, bumper rollers, integrated pre-sweeping function, colour-coded components and an applicator for brushes.		
Brush head D75 S	7	2.763-005.0	Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	е	
Brush-head R65	8	2.763-046.0	Robust, aluminium roller brush head with integrated pre-sweep function. Flat design, low operating noise and easy maintenance with colour coding and insertion aids for brushes.		
Brush head D65 S	9 2.763-003.0 Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 65 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.		2		
WIPING FLAPS					
Lateral squeegee blades, Linard	10	4.037-166.0	Set of tear-resistant squeegee blades made of Linard. They keep the cleaning water in the working area of the brush head and ensure optimum squeegee performance in turning manoeuvres.	•	
Lateral squeegee blades, oil-resistant	11	4.037-167.0	Set of low-wear, oil-proof squeegee blades made of Polyurethane. For optimum cleaning results with curve movements and reliable keeping of the cleaning water in the working area of the brush head.		
SQUEEGEES AND SQUEEGEE BLADES					
Squeegees					
Squeegee, 950 mm, parabolic	12	4.778-007.0	Parabolic, robust squeegee made from aluminium with 950 mm suction width and quick coupling. Delivers excellent suction and drying results. Tool-free change of suction lips.	-	
Squeegee blades					
Squeegee blades, Linatex®, 1039 mm	13	4.039-356.0	Tear-resistant suction lip made from Linatex* with special inlet openings for optimal suction results at crevices and joints. Suitable for parabolic squeegee with 950 mm suction width.	<b>.</b>	
Squeegee blades, oil-resistant, slotted, 1040 mm	14	4.039-357.0	Low-wear, oil-resistant suction lip made from polyurethane. Triple-coated material for high flexibility and optimal peel properties. For parabolic squeegee with 950 mm suction width.		

 $<sup>\</sup>blacksquare$  Included in the scope of supply.  $\qed$  Available accessories.

# **ACCESSORIES FOR B 110 R BP PACK 170AH AGM+R75 1.161-415.0**





























				$\top$
		Order no.	Description	
TRACTION BATTERIES AND CHARGERS				
Batteries				
Battery kit, 24 V, 170 Ah, Maintenance-free	15	2.815-092.0	Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	е 🔳
Battery kit, 24 V, 180 Ah, Maintenance-free	16	2.815-101.0	Battery kit with 24 V voltage and 180 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.	e 🗆
Battery kit, 24 V, 285 Ah, Maintenance-free	17	2.815-095.0	Battery kit with 24 V voltage and 285 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	e 🗆
Accessories for batteries				
Mounting kit battery kit	18	2.638-205.0	Installation kit for installing a battery kit in a machine. Incl. four spacers and three connection cables. Image similar.	
Battery Chargers				
Battery charger, 24 V	19	6.654-419.0	Battery charger 24 V $/$ 50 A: Safe 24 V battery charger for maintenance-free batteries of scrubber driers with a capacity of 285 Ah.	
OTHER ACCESSORIES SCRUBBER DRIERS				
Miscellaneous				
KIK key, yellow	20	5.035-344.0	User key for using the appliance	
KIK key, grey	21	5.035-348.0	Supervisor key for using the appliance	
cover plate complete tank flushing syste	22	4.039-327.0	For machines in the B 110 range with tank cleaning system: tool-free exchangeable dirty water tank cover with integrated spray nozzles.	
KIK key, white	23	4.035-076.0	User key for using the appliance programmable	
Home Base accessories		·		
Set mop Homebase B110R	24	4.039-349.0	Mop holder allows you to carry a mop on the machine. Easy attachment, convenient use.	
Universal hook kit	25	4.070-075.0	Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	
Double hook	26	6.980-077.0	Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	
Holder handhold grey	27	6.980-078.0	Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0	). 🗆
Home Base Box Kit	28	4.035-406.0	The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	

 $<sup>\</sup>blacksquare$  Included in the scope of supply.  $\qed$  Available accessories.

# **ACCESSORIES FOR B 110 R BP PACK 170AH AGM+R75 1.161-415.0**

























				T
		Oudou no	Pagarintian	
DOLLED DADS (DOLLED DAD SUAFES		Order no.	Description	
ROLLER PADS / ROLLER PAD SHAFTS Pad roller shafts				_
	29	4.762-627.0	Aluminium pad roller shaft suitable for holding roller pads or microfibre rollers.	4
Pad roller shaft, 700 mm	29	4.762-627.0	Aluminium pad roller shart suitable for noiding roller pads or microfibre rollers.	_
Roller pads	1	l		,
Roller pad, medium, red	30	6.369-456.0	Red standard roller pad for the maintenance cleaning of non-textured floor coverings.	
Roller pad, hard, green	31	6.369-455.0	Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings.	
Microfibre shaft				Ī
Microfibre roller, 700 mm	32	4.114-007.0	Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze.	
KITS				ľ
Side broom / side scrub deck mounting kit				Ī
Side scrubbing deck B 110 R attachment kit	33	2.644-243.0	For wet cleaning right up to the edge on the right side: Side scrubbing deck with lifting arm. Extends the working width by 10 cm.	
Dose mounting kit				Ī
Set cleaning agents DOSE B110R	34	2.644-245.0	The Dose attachment kit permits the automatic dosing of cleaning agents in amounts between 0.25 and 3% directly from the container. Simple change thanks to close loop system.	
Fleet mounting kit		IL		Ī
Attachment kit Plug-in Connect Module	35	2.644-391.0	The IoT module* is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment management system.	t
Lighting / revolving signal light mounting kit				Ī
Revolving signal light	36	4.039-350.0	Increases safety in the working environment.	
Other attachment kits				Ī
Stacked bumper roller squeegee attachment kit	37	2.644-225.0	Additional non-marking bumper rollers for attaching to the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet.	
Vacuuming attachment kit	38	4.039-361.0	The attachment kit makes it easier to use the machine in hard-to-reach places, such as under shelves or in corners.	
Pre-sweep mop attachment kit, 80 cm	39	4.039-368.0	Attachment kit for attaching a pre-sweep mop. This mop can be attached to the scrubber dryer so that it also picks up dust and particles during operation. Mop included.	
Suction hose accessories	40	4.444-015.0	For vacuuming water out of corners or containers (e.g. freezers).	

 $<sup>\</sup>blacksquare$  Included in the scope of supply.  $\qed$  Available accessories.