



METALL MULTIFUNCTIONAL SPRAY GUN PREMIUM

With the high-quality multi-functional spray gun made from long-lasting metal, different plants can be watered according to requirements. Includes rotatable handle and drip-free spray head.



Order no.

2.645-271.0

Technical data

EAN code		4054278047560
Colour		anthracite
Weight	kg	0.3
Weight incl. packaging	kg	0.4
Dimensions (L × W × H)	mm	250 × 70 × 130

Equipment

Number of spray patterns: 4
Rotatable handle
Locking at handle
Water flow regulation
Self-draining function
Soft plastic elements
Metal
Spraying pattern: spray mist
Spraying pattern: horizontal flat jet
Spraying pattern: aerator jet
Spraying pattern: sprinkler

**Special membrane technology**

- Ensures drip-proof use during spraying pattern change and after water cutout.

Rotatable handle

- Individual operability with trigger handle pointed forward or backwards.

Ergonomic control valve

- Regulation of the flow rate on the nozzle with just one hand.

COMPATIBLE MACHINES

- HBX 4.15 Automatic
- HBX 4.20 Automatic
- HBX 5.25 Automatic
- HBX 5.30 Automatic
- HBX 5.35 Automatic
- HR 2.10 Set
- HR 3
- HR 3.20 Set
- HR 4
- HR 4.30 Set
- HT 2
- HT 2.20 Set
- HT 3
- HT 3.20 Set
- HT 4
- HT 4.20 Set
- HT 5 M
- HT 5.20 M Set
- HT 6 M

ACCESSORIES FOR METALL MULTIFUNCTIONAL SPRAY GUN PREMIUM 2.645-271.0



		Order no.	Description	
HOSES				
PrimoFlex® Premium hose 1/2" - 20 m	1	2.645-150.0	20 m PrimoFlex® Premium quality garden hose (1/2"). With patented dual-reinforcement technology. Contains no substances that are harmful to health. Bursting pressure: 50 bar. High temperature resistance from -20 to 65 °C.	☐
HOSE CONNECTION SYSTEMS				
Premium universal hose coupling	2	2.645-195.0	Premium universal hose coupling made of metal. Comes with a robust hose clamp made of corrosion-free aluminium and soft plastic recessed grips. Compatible with all click systems.	☐
Premium universal hose coupling with Aqua Stop	3	2.645-196.0	Premium universal hose coupling made of metal. Comes with Aqua Stop and a robust hose clamp made of corrosion-free aluminium and soft plastic recessed grips. Compatible with all click systems.	☐
G3/4 tap adaptor with G1/2 reducer	4	2.645-006.0	Extremely tough tap connector 3/4" thread with 1/2" thread reducer. The reducer allows connection to two thread sizes. Compatible with all click systems.	☐

☐ Available accessories.