

makes a difference





ONE MACHINE TO DO IT ALL.

An extractor and interim cleaner conveniently packaged together.

Get acquainted with the faster, simpler solution.

With just the turn of a switch, easily change from extraction to interim cleaning. Clear up some closet space by replacing two machines with one, or improve your cleaning regimen by adding productive interim cleaning to the mix. Interim cleaning extends the time between scheduled deep extractions and improves your carpets appearance. One machine to do it all.



1 Vacuum motor and floating brush

- High performance vacuum motor for faster drying time.
- Extraction is no sweat.
- Perform Alert[™] wear indicators.

2 Control panel

- Intuitive Control Panel for ease of use and training.
- Change from interim to deep cleaning process at the turn of a switch no mechanical changeover needed.

3 Floating brush

Wrap around soft-sided bumper for surface protection.

4 Tank and handle

- Ten gallon solution and recovery tank for home or commercial cleaning.
- Solution tank designed with no-mess splash back protection and protective filter screen to remove debris.
- Comfort grip, adjustable handle with one-button activation and ergonomically positioned handle for balanced lifting.
- Fold-down handle for easy transportation in any vehicle.

5 Large wheels

- 10" non-marking wheels.
- Easy transport and maneuverability.

Technical data and equipment.





| | | CLIPPER™ DUO |
|-------------------------------------|-----------|-------------------|
| TECHNICAL SPECIFICATIONS | | |
| Cleaning path/width | in | 16 |
| Solution/recovery capacity | gal | 10/10 |
| Operating noise level | dBA | 73 |
| Power cord length | ft | 50 |
| Vacuum | hp, stage | 1.5, 3 |
| Water lift | in | 120 |
| Pump pressure - restorative/interim | psi | 100/50 |
| Flow rate - restorative/interim | gpm | 1.0/0.09 |
| Weight | lbs | 166 |
| Dimensions (L x W x H) | in | 30.25 x 21.5 x 49 |

EQUIPMENT

| Order No. | Description |
|-----------|-------------------------------------------------------------|
| 08-048.0 | Clipper™ DUO, ten gallon, 16" dual counter-rotating brushes |

ACCESSORIES

| | Order No. | Description | |
|--|-------------|-----------------------------------------------------------------|--|
| | 8.629-280.0 | 0.8 gpm low flow jet | |
| | 8.600-246.0 | 1.5-inch vac hose coupler, required for accessory tool use | |
| | 8.600-075.0 | Adapter 1/8 to 1/4 quick-disconnect for accessory solution hose | |
| | | | |

■ Included □ Optional

Please contact us for more information:

Kärcher U.S.A.

4555 Airport Way Denver, CO 80239 U.S.A.

Phone888-805-9852Fax800-248-8409

www.karcher.com/us

Kärcher Canada

275 Pendant Drive Mississauga, ON L5T 2W9 Canada

Phone888-705-9444Fax905-672-3155

www.karcher.ca