

# KÄRCHER

makes a difference



## THIS DUO PACKS A ONE-TWO PUNCH.

A multi-use machine that provides deep extraction and interim encapsulation technology in one.

# Innovation in interim and deep carpet extraction.

Several uses from one machine, the Commodore™ DUO is the pragmatic choice. With just the turn of a switch, easily change from extraction to interim cleaning. Make room for more storage by replacing two machines with one, or improve your cleaning process by adding productive interim cleaning to the mix. Interim cleaning extends the time between scheduled deep extractions and improves your carpets appearance. This machine operates at only 63 dBA which is perfect for daytime cleaning.



## 1 The dynamic solution

- Extraction and interim cleaning in one machine
- Change from interim to deep cleaning process at the turn of a switch—no mechanical changeover needed
- With the interim method using the iCapsol encapsulating chemical, the carpet is dry and ready for traffic in approximately 20 minutes
- iCapsol interim cleaning process extends the time between scheduled deep extractions.

## 2 Smart design

- Efficiently designed for maximum maneuverability
- Intuitive Control Panel for ease of use and training
- Built-in storage prevents time-wasting trips to get more supplies
- Ability to connect accessory wand or hand tool for detail work

## 3 Immaculately clean

- Floating dual 20-inch counter-rotating brushes agitate and permeate the cleaners into both sides of the carpet nap for even, thorough cleaning. No operator adjustment needed
- Powerful dual overlapping vac shoes extract soil and solution fast and efficiently in the deep restorative mode; vacuum shoes are equipped with a glide strip to reduce surface friction
- iCapsol Interim cleaning process extends the time before re-soiling occurs and reduces wicking

## 4 Five ways to use DUO technology

- Encapsulation—extends time between deep extractions and reduces re-soiling
- Deep extraction—deep, restorative cleaning
- Pre-spray and rinse—cleaning of surface soiling and extraction of soil in carpet while leaving the carpet free of shampoo or detergent, reducing resoiling
- Pre-spray and extraction—deep, restorative cleaning for very dirty carpet
- Rinse only—surface cleaning of carpet to eliminate detergent and soap build-up, brightening the carpet and reducing resoiling

# Technical Specifications and Order Numbers.



## COMMODORE™ DUO

### TECHNICAL SPECIFICATIONS

Cleaning path/width	in	20
Solution/recovery capacity	gal	19 / 17
Practical productivity - restorative/interim	sq. ft / hr	13,200 / 6,000
Operating noise level	dBA	63 / 71
Max operating speed - restorative / interim	mph	0.63 / 1.25
Transport speed	mph	2.9
Vacuum	hp. stage	.75 HP, 3
Waterlift	in	83.1
Pump pressure	psi	100
Flow rate - restorative / interim	gpm	1.05 / 0.25
Weight without batteries	lbs	340
Dimensions (LxWxH)	in	54 x 27 x 43

### EQUIPMENT

Order No.	Description
9.840-421.0	Commodore™ DUO, 36V 3x12 130 A/H batteries w/ 21A C50 automatic charger
9.840-422.0	Commodore™ DUO, 36V 3x12 195 A/H batteries w/ 21A C50 automatic charger
9.840-423.0	Commodore™ DUO, 36V 3x12 225 A/H batteries w/ 21A C50 automatic charger
9.840-424.0	Commodore™ DUO, 36V 3x12 234 A/H AGM batteries w/ 21A dual mode automatic charger

### PRODUCTIVITY PACKS

Order No.	Description
9.840-426.0	Commodore™ DUO, Two 36V 3x12 195 A/H batteries w/ 21A C175 automatic charger
9.840-427.0	Commodore™ DUO, Two 36V 3x12 225 A/H batteries w/ 21A C175 automatic charger
9.840-428.0	Commodore™ DUO, Two 36V 3x12 234 A/H AGM batteries w/ 21A dual mode automatic charger

### ACCESSORIES

Order No.	Description
<input type="checkbox"/> 8.628-341.0	Battery 12V 225 A/H, 3 required
<input type="checkbox"/> 8.622-843.0	Battery 12V 234 A/H AGM, 3 required
<input type="checkbox"/> 8.622-840.0	Battery 12V 130 A/H, 3 required
<input type="checkbox"/> 8.622-841.0	Battery 12V 205 A/H, 3 required
<input type="checkbox"/> 8.628-409.0	Charger 21A C175 automatic charger
<input type="checkbox"/> 8.601-286.0	Charger 21A C50 automatic charger
<input type="checkbox"/> 8.629-301.0	Charger 21A AGM automatic charger

■ Included    □ Optional

Please contact us for more information:

**North America**

4555 Airport Way  
Denver, CO 80239 U.S.A.

Phone +1 800 444-7654  
Fax +1 866 271-0520

**Canada**

6535 Millcreek Drive  
Unit 67  
Mississauga, ON L5N 2M2 Canada

Phone +1 905 672-8233  
Fax +1 905 672-3155

[www.karcher.com/us](http://www.karcher.com/us)