

# KÄRCHER

makes a difference



## **TOUGH, COMPACT AND DEPENDABLE.**

Gasoline-powered, direct-drive cold water pressure washer.

RENTAL | DG SHARK SERIES

# DG SHARK SERIES



## Compact and dependable.

The DG Shark Series models are tough, gasoline-powered direct-drive cold water machines that deliver cleaning power of up to 4000 PSI. Built on compact sturdy steel frames, each unit features a dependable industrial-grade Honda engine, Kärcher crankcase pump, hose/gun rack, detergent injection, and tubed pneumatic tires. All models are ETL certified.



### 1 Powerful and durable

- Rugged chassis base painted with an epoxy powder coat finish for all-weather protection.
- Reliable Honda GX engine with two-year warranty; low-oil alert and silent-tone muffler.
- Industrial-grade, tri-plunger, oil-bath Kärcher high pressure pump with forged brass head and ceramic pistons; backed by 7-year warranty.
- 50' durable wire-braid hose rated for 3000 or 4500 PSI; with hose guard for burst protection.
- Safety thermal pump saver valve protects against hot-water damage by venting recirculated water.

### 2 Smart features

- Conveniently located gun and hose holder.
- Insulated stainless steel wand with quick-couple connectors for easy attachment of high-pressure nozzles.
- Five conveniently mounted, quick-couple spray nozzles for varying fan spray.
- Insulated, high-pressure trigger gun for hours of fatigue-free cleaning.

### 3 Outstanding mobility

- 10" tubed pneumatic tires for easy maneuvering on all terrains and to absorb vibration.
- Rubber feet to absorb vibration and keep the unit from "walking".
- Convenient front and back 1 1/4" handles to assist in lifting and moving the pressure washer.

# Technical data and equipment.

---

## Technical Data

| Model     | Order No.   | GPM | PSI  | Pump         | Engine      | CC  | Ship Weight (lbs) | Ship Dimensions (in)<br>L x W x H |
|-----------|-------------|-----|------|--------------|-------------|-----|-------------------|-----------------------------------|
| DG-232437 | 1.107-138.0 | 2.3 | 2400 | KP Crankcase | Honda GX160 | 163 | 130               | 35" x 21" x 24"                   |
| DG-252737 | 1.107-139.0 | 2.5 | 2700 | KP Crankcase | Honda GX200 | 196 | 135               | 35" x 21" x 24"                   |
| DG-303037 | 1.107-140.0 | 3.0 | 3000 | KP Crankcase | Honda GX270 | 270 | 175               | 35" x 21" x 24"                   |
| DG-383537 | 1.107-141.0 | 3.8 | 3500 | KS Crankcase | Honda GX390 | 389 | 185               | 35" x 21" x 24"                   |
| DG-354037 | 1.107-225.0 | 3.5 | 4000 | KS Crankcase | Honda GX390 | 389 | 188               | 35" x 21" x 24"                   |

---

## Options (field installed)

| Order No.   | Description                                 |
|-------------|---|
| 9.801-026.0 | 100' EZEE Hose Reel kit (hose not included) |

Please contact us for more information:

**North America**

4555 Airport Way  
Denver, CO 80239  
U.S.A.

Phone 888-805-9852  
Fax 800-248-8409

[www.karcher.com/us](http://www.karcher.com/us)