

KÄRCHER

makes a difference



HEAVY-DUTY HOT WATER CLEANING.

Hot water pressure washer with hand truck design.

HDS HAND TRUCK



Heavy-duty output.

Kärcher's North American hand truck design features heavy-gauge 1 1/4" steel frame with powder coat finish and a high pressure rupture disc rated to 7000 lbs to protect the operator against injury. Units come with belt-drive Kärcher crankcase pumps. All models are ETL certified to UL and CSA safety standards.



1 Powerful and Durable

- Industrial-grade motor with two-year warranty.
- High-output burner with transformer for years of reliable and affordable operation.
- Industrial-grade, tri-plunger, oil-bath, Kärcher pump with 7-year warranty.
- Heavy-gauge 1 1/4" steel frame with powder coat finish for all-weather protection.

2 Smart Features

- Cast iron pulley system with OSHA-compliant, totally enclosed belt guard, and easy-to-adjust belt tension (belt-drive models).
- Water resistant control box with burner on/off switch and adjustable thermostat.
- 50 ft. of wire braided hose with burst guard for added protection.
- High pressure rupture disc rated to 7000 lbs to protect user against injury.
- Options are auto start/stop or time delay shutdown, float tank, steam combination.
- EASY!Force trigger gun with cruise control like technology uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use.

Technical data and equipment.

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches
HDS 3.9/20 Ea	1.575-505.0	3.9	2000	Belt	6	230V / 1ph	29	Kärcher KM	660	49 x 40 x 50
HDS 3.5/30 Ea	1.575-508.0	3.5	3000	Belt	7.5	230V / 1ph	36	Kärcher KM	690	49 x 40 x 50
HDS 3.5/30 Eb	1.575-509.0	3.5	3000	Belt	7.5	230V / 3ph	25	Kärcher KM	605	49 x 40 x 50
HDS 3.5/30 Ec	1.575-510.0	3.5	3000	Belt	7.5	460V / 3ph	13	Kärcher KM	605	49 x 40 x 50

ACCESSORIES

Order No.	Description
<input checked="" type="checkbox"/> 8.756-481.0 <input checked="" type="checkbox"/>	EASY!Force trigger gun (North American Model) - zero force required. Standard 1/4" connection for wand, 3/8" connection for hose.

OPTIONS (FIELD INSTALLED)

Order No.	Description
<input type="checkbox"/> 8.925-163.0	Kärcher hose, 3/8" x 100' R1, 4000 PSI, 250° F
<input type="checkbox"/> 9.801-023.0	100' EZEE hose reel kit (hose not Included)

Please contact us for more information:

North America

4555 Airport Way
Denver, CO 80239
U.S.A.

Phone 800-456-6649
Fax 303-738-2818

www.karcher.com/us

Kärcher Canada

275 Pendant Drive
Mississauga, ON L5T 2W9
Canada

Tel. 905-672-8233
Fax 905-672-3155

www.karcher.ca