

KÄRCHER

makes a difference



THE RACE IS ALWAYS WON IN THE CORNERS.

The extremely agile and mobile compact scrubber.

Extremely agile and mobile.

Thanks to the innovative steerable cylindrical scrub deck, the BR 35/12 C Bp can clean adjacent to the wall at a 90° angle. It can scrub in any direction making it the most practical scrubber for tight and congested areas. The steerable cylindrical scrub deck is an outstanding technical innovation: It can be horizontally rotated 200° in both directions, finally eliminating blind spots when cleaning! The height-adjustable, telescoping and folding steering column allows any operator to set it to their most ergonomic working position. The folding steering column and eyelet tie-down points also makes it easy to secure for transport.



1 Perfect means simple and clean

- Changing and cleaning the squeegee blade is easy

2 You are in control

- Adjust the down pressure with the turn of a knob
- Brush speed is automatically increased with down pressure adjustments

3 Taking efficiency to the next level

- Eco!efficiency mode utilizes energy and resources more efficiently
- Extend run times by 50%, and reducing noise by approximately 40%.

4 Brush replacement made easy

- No tool brush replacement
- Easily change to the appropriate brush stiffness for the job

5 Color coded operator controls

- Yellow signifies daily operation controls
- Light gray highlights service areas

6 Quick disposal

- Dirty water tank easily detaches for quick disposal of dirty solution

Technical data and equipment.



BR 35/12 C BP

TECHNICAL SPECIFICATIONS

Cleaning path/width	in	14
Brush type	cylindrical/disc/pad	cylindrical
Brush quantity	units	1
Brush diameter	in	3.8
Suction bar (squeegee) width	in	18
Drive	pad-assist/traction	brush-assist
Solution/recovery capacity	gal	3/3
Theoretical/practical productivity	sq. ft/hr	11,000/6,600
Operating noise level - std/Eco! mode	dBA	66/62
Battery charger	shelf/on-board	on-board
Battery runtime - std/Eco! mode	min	66/90
Battery charging time	hrs	1-3
Battery lifetime-est charging cycles	x thousands	3
Brush contact pressure	lbs	29
Brush speed	rpm	700-1,050
Vac motor rating	watts	280
Vac motor suction	cfm	42
Waterlift	in of water	32
Weight with batteries	lbs	77
Dimensions (LxWxH)	in	39 x 18 x 51

EQUIPMENT

Order No.	Description
1.783-470.0	BR 35/12 C Bp, fourteen inch scrubber with cylindrical brushes

ACCESSORIES

Order No.	Description
■ 4.037-031.0	Cylindrical Brush, red, medium
□ 4.037-036.0	Cylindrical Brush, white, soft
□ 4.037-037.0	Cylindrical Brush, orange, high/low
□ 4.037-038.0	Cylindrical Brush, green, hard
□ 4.037-039.0	Cylindrical Brush, black, very hard
□ 4.762-009.0	Cylindrical Pad cylindrical shaft
□ 6.369-053.0	Cylindrical Pads on sleeve, yellow, soft
□ 6.369-047.0	Cylindrical Pads on sleeve, red, medium
□ 6.369-052.0	Cylindrical Pads on sleeve, green, hard
□ 4.037-040.0	Cylindrical microfiber pad, for daily cleaning of delicate surfaces including LVT and stone tile
□ 4.037-127.0	Squeegee blade set, optional, Linatex
■ 4.037-035.0	Squeegee blade set, standard, oil-resistant, polyurethane
■ 6.654-294.0	Lithium-ion battery, 21 Ah

■ Included □ Optional

Please contact us for more information:

Kärcher U.S.A.

4555 Airport Way
Denver, CO 80239
U.S.A.

Phone 888-805-9852

Fax 800-248-8409

www.karcher.com/us

Kärcher Canada

275 Pendant Drive
Mississauga, ON L5T 2W9
Canada

Phone 888-705-9444

Fax 905-672-3155

www.karcher.ca