


KÄRCHER

makes a difference



CLEANING TRANSFORMED - CART TO SKID HD SERIES GAS.

Belt or direct drive, Honda powered cold water pressure washers.

HD GAS SERIES




Easily converts from cart to skid.

Corrosion-resistant and light-weight, Kärcher's HD aluminum pressure washers can be utilized as a cart or a skid for maximum cleaning versatility and durability. These reliable Honda powered pressure washers offer a bypass loop for additional pump protection, 7-year pump warranty and flat-free tires.



POWERED by **HONDA**



1 Modular Design

- Can transition from cart to skid (with skid feet accessory) design for versatile cold water cleaning applications.

2 Mobile and Durable

- Low profile handle is easy to push and pull.
- Flat free tires are puncture proof.
- Weld free, corrosion resistant aluminum frame.
- Reliable Honda GX commercial-duty gasoline engines with a 3-year warranty.
- Durable VRT3 unloader with bypass loop diverts water flow when trigger gun is not activated.

3 Adaptable

- Can be fitted to the HD Pallet Skid with a 50 gallon water tank and 100' hose reel or the HD Pallet Skid with two 100' hose reels. Mild steel skid fits within a standard UTV / ATV bed. See optional accessories for more information.

*Electric start available on select models.

TECHNICAL DATA AND EQUIPMENT



Direct Drive Cart and Skid



Belt Drive Cart and Skid



TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	CC	Engine	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches
HD 3.0/27 G	9.807-719.0	3.0	2700	Direct	196	Honda GX200	Crankcase	112	45 x 28 x 29
HD 3.5/35 G	9.807-720.0	3.5	3500	Direct	270	Honda GX270	Crankcase	130	45 x 28 x 29
HD 4.0/40 G	9.807-721.0	4.0	4000	Direct	389	Honda GX390	Crankcase	149	45 x 28 x 29
HD 4.0/40 Ge*	9.807-722.0	4.0	4000	Direct	389	Honda GX390	Crankcase	158	45 x 28 x 29
HD 3.0/27 GB	9.807-723.0	3.0	2700	Belt	196	Honda GX200	Crankcase	123	45 x 28 x 29
HD 3.5/35 GB	9.807-724.0	3.5	3500	Belt	270	Honda GX270	Crankcase	156	45 x 28 x 29
HD 4.0/40 GB	9.807-725.0	4.0	4000	Belt	389	Honda GX390	Crankcase	160	45 x 28 x 29
HD 4.0/40 Ge*	9.807-726.0	4.0	4000	Belt	389	Honda GX390	Crankcase	196	45 x 28 x 29

*Electric start available on select models.

ACCESSORIES

Order No.	Description
<input checked="" type="checkbox"/> 8.750-247.0	Trigger Gun, model M407
<input checked="" type="checkbox"/> 8.925-129.0	Hose, 50' x 3/8", 1w, 4,000 PSI SWXSO
<input checked="" type="checkbox"/> 8.783-039.0	Lance 30" Zinc plated, handle & coupler (for HD 3.0/27 AG, HD 3.0/27 AGB)
<input checked="" type="checkbox"/> 8.783-040.0	Lance 44" Zinc plated, handle & coupler (for HD 3.4/35 G, HD 4.0/41 G, HD 4.0/41 Ge, HD 3.3/35 GB, HD 4.0/40 GB, HD 4.0/40 GeB)
<input checked="" type="checkbox"/> 9.802-216.0	Injector, Chem, NON ADJ, 0.083
<input type="checkbox"/> 8.712-429.0	Nozzle
<input type="checkbox"/> 8.925-229.0	Legacy, 100' x 3/8" ID, 6000 PSI, 2-wire, smooth cover, black high pressure hose
<input type="checkbox"/> 8.753-572.0	A+ Surface Cleaner SC21
<input type="checkbox"/> 8.753-573.0	A+ Surface Cleaner SC24
<input type="checkbox"/> 9.302-243.0	Legacy Turbo Nozzle, 4.0, 4350 PSI
<input type="checkbox"/> 8.710-620.0	Legacy Superlite stainless steel, 72" - 56.0 oz
<input type="checkbox"/> 9.807-754.0	Skid mount feet
<input type="checkbox"/> 9.807-750.0	37.5" long handle
<input type="checkbox"/> 9.807-753.0	Lance holder
<input type="checkbox"/> 9.807-752.0	Hose storage hook
<input type="checkbox"/> 9.807-751.0	Handle with hose reel



HD Pallet Skid with Tank^o

- 9.807-833.0
- Mild steel
- 50 gal water tank and 1 - 100' hose reel
- 180 lbs
- 40" L x 48" W x 35" H



HD Pallet Skid with 2 Hose Reels¹

- 9.807-838.0
- Mild steel
- 2 - 100' hose reels
- 172 lbs
- 40" L x 48" W x 35" H

OPTIONS

Order No.	Description
<input type="checkbox"/> 9.807-833.0	^o HD Pallet Skid with Tank: compatible with pressure washers: 9.807-719.0, 9.807-720.0, 9.807-721.0
<input type="checkbox"/> 9.807-838.0	¹ HD Pallet Skid with 2 Hose Reels: compatible with pressure washers: 9.807-719.0, 9.807-720.0, 9.807-721.0

OPTIONS (FACTORY INSTALLED)

Order No.	Description
<input type="checkbox"/> 8.923-105.0	Rubber feet kit
<input type="checkbox"/> 8.923-107.0	Inlet filter kit
<input type="checkbox"/> 8.923-106.0	Lifting eye bolts kit
<input type="checkbox"/> 8.923-108.0	Three-way valve kit

*Electric start available on select models.

Please contact us for more information:

Kärcher North America

4555 Airport Way
Denver, CO 80239
U.S.A.

Tel. 888-805-9852
Fax 800-248-8409

www.karcher.com/us

Kärcher Canada

275 Pendant Drive
Mississauga, ON L5T 2W9
Canada

Tel. 905-672-8233
Fax 905-672-3155

www.karcher.ca