



ONE MACHINE TO DO IT ALL.

An extractor and interim cleaner conveniently packaged together

Get acquainted with the faster, simpler solution.

With just the turn of a switch, easily change from extraction to interim cleaning. Clear up some closet space by replacing two machines with one, or improve your cleaning regimen by adding productive interim cleaning to the mix. Interim cleaning extends the time between scheduled deep extractions and improves your carpets appearance. One machine to do it all.



1 Vacuum motor and floating brush

- High performance vacuum motor for faster drying time
- Extraction is no sweat
- Perform Alert™ wear indicators.

2 Control panel

- Intuitive Control Panel for ease of use and training
- Change from interim to deep cleaning process at the turn of a switch—no mechanical changeover needed

3 Floating brush

- Wrap around soft-sided bumper for surface protection

4 Tank and handle

- Four gallon solution and recovery tank for home or commercial cleaning
- Solution tank designed with no-mess splash back protection and protective filter screen to remove debris
- Comfort grip, adjustable handle with one-button activation and ergonomically positioned handle for balanced lifting
- Fold-down handle for easy transportation in any vehicle.

5 Large wheels

- 10" non-marking wheels
- Easy transport and maneuverability

Technical Specifications and Order Numbers.

CLIPPER DUO

TECHNICAL SPECIFICATIONS

| | | |
|--|---------------------|-------------------|
| Cleaning path | in | 16 |
| Productivity (practical) (interim/restorative) | ft ² /hr | 10,560/3,850 |
| Brushes (two, cylindrical) | in | 16 |
| Vacuum motor | hp | 1.5 |
| Flow rate (interim/restorative) | gpm | 0.09/1.0 |
| Solution capacity | gal | 10 |
| Recovery capacity | gal | 10 |
| Operating noise level | dB(A) | 73 |
| Detachable power cord | ft | 50 |
| Weight | lbs | 166 |
| Dimensions (L x W x H) | in | 30.25 x 21.5 x 49 |

EQUIPMENT

| Order No. | Description |
|-------------|--|
| 1.008-048.0 | Clipper DUO, ten gallon, 16-inch dual counter-rotating brushes |

ACCESSORIES

| Order No. | Description |
|--------------------------------------|--|
| <input type="checkbox"/> 8.629-280.0 | 0.8 gpm low flow jet |
| <input type="checkbox"/> 8.600-246.0 | 1.5 vac hose coupler, required for accessory tool use |
| <input type="checkbox"/> 8.600-075.0 | Adapter, 1/8 to 1/4 quick disconnect for accessory solution hose |

■ Included □ Optional

Please contact us for more information:

North America

4555 Airport Way
Denver, CO 80239 U.S.A.

Phone +1 800 444-7654
Fax +1 866 271-0520

Canada

6535 Millcreek Drive
Unit 67
Mississauga, ON L5N 2M2 Canada

Phone +1 905 672-8233
Fax +1 905 672-3155

www.windsorkarchergroup.com