

Abrasive blaster

1000-9/16

The Abrasive blaster functions as an injector. The high pressure water – coming out of the three orifices in the Form 98 nozzle at high speed – creates a vacuum which sucks the abrasive media.

Special benefits




- The mix of high pressure water and abrasive media make the abrasive blaster an extremely efficient cleaning tool.

Technical data		
Material no.		9.872-259.0
Operating pressure	max.	1,000 bar
Medium temperature	max.	100 °C
Prescribed nozzle		Form 98
Number of nozzles		3
High pressure connection		9/16"-18 UNF-LH
Length	approx.	183 mm
Height	approx.	100 mm
Width	approx.	57 mm
Weight without hose	approx.	1.4 kg

Accessories		
Material no.	Description	Note
9.886-551.0	Nozzle set 3x nozzle Ø 0,7 (600 bar-28l/min)	Ecotherm 600
9.886-550.0	Nozzle set 3x nozzle Ø 0,6 (800 bar-21l/min)	Ecotherm 800
6.025-257.0	Installation tool for nozzle Form 98	

Overview Accessories



Sample configuration

No.	Description	Material no.
1	High Pressure Gun	(see product data sheet)
2	Abrasive blaster	9.872-259.0
3	Abrasive media tank	9.871-764.0
4	Abrasive suction hose (15 m long, grounding possible)	6.025-308.0
5	Abrasive media grain size 0.5 - 1.0 mm (25 kg)	6.025-309.0
5	Abrasive media grain size 0.7 - 1.4 mm (25 kg)	6.025-310.0
6	Suction lance (made of stainless steel guarantee an optimum suction out of the abrasive tank)	6.025-258.0