




K 4 Classic

The "K4" – for occasional removal of moderate soiling, e.g. on small vehicles, garden fences or bicycles. This high-pressure cleaner features a water-cooled motor.



1 Outstanding performance

- The state-of-the-art water-cooled motor impresses with its long service life and high level of performance.

2 Plug 'n' Clean

- Quick, easy, convenient – thanks to Plug 'n' Clean, the detergent can be replaced with just one simple movement.

3 Quick Connect

- The high-pressure hose is easy to manoeuvre, clicking quickly in and out of the device and spray gun. This saves time and effort.

4 Hooked on tidiness

- Generous cable hook for the tidy storage of the cable directly on the device.



K 4 Classic

Technical data

Order no.		1.180-250.0
EAN code		4054278038780
Pressure	bar / MPa	20-130 / 2-13
Flow rate	l/h	420
Max. inlet temperature	°C	max. 40
Connection load	kW	1.8
Weight without accessories	kg	13.1
Dimensions (L × W × H)	mm	344 × 396 × 875
Current type	V / Hz	230 / 50

Equipment

High-pressure gun		Standard Quick Connect
Vario Power Jet		■
High-pressure hose	m	6
Quick Connect on the side of the device		■
Detergent application via		Plug 'n' Clean system
Water suction		■
Integrated water filter		■
A3/4" garden hose connector adapter		■
Detergent		Universal Cleaner, 1 l
Water-cooled motor		■
■ Included in the scope of supply.		

K 4 CLASSIC

1.180-250.0

KÄRCHER


		Order no.						Price	Description	
Spray lances										
Telescopic spray lance	1	2.642-347.0							Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	<input type="checkbox"/>
Splash guard	2	2.642-706.0							Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	<input type="checkbox"/>
Angled spray lance	3	2.638-817.0							Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	<input type="checkbox"/>
1-step lance extension	4	2.643-240.0							Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	<input type="checkbox"/>
VP 180 S vario power jet short 360° for K 2-K 7	5	2.643-254.0							VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	<input type="checkbox"/>
MP 145 multi power jet for K 3-K 5	6	2.643-239.0							Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet. The suitable jet can be selected by simply twisting.	<input type="checkbox"/>
3-step lance extension	7	2.639-722.0							3-stage lance extension set with four aluminium lances for difficult to reach areas. Variable extension to 90 cm, 1.30 m and 1.70 m.	<input type="checkbox"/>
Splash guard	8	2.640-916.0							Splash guard for dirt blasterProtects against splash back when cleaning corners and edges. Fits all Kärcher dirt blasters (except 4.763-184).	<input type="checkbox"/>
VP 145, Vario Power Jet for K 3-K 4	9	2.643-235.0							Vario-Power spray lance: spray lance with infinitely variable pressure control from low-pressure detergent jet to high-pressure jet.	<input type="checkbox"/>
DB 145, Dirt Blaster for K 2-K 4	10	2.643-244.0							Dirt blaster with powerful rotor nozzle (rotating pencil jet) ideal for removing stubborn dirt. Ideal for moss covered or weathered surfaces.	<input type="checkbox"/>
Vario Power Jet Short 360° VP 145 S for K 2 - K 4	11	2.643-253.0							VP 145 S: The Vario Power Jet Short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	<input type="checkbox"/>
Surface cleaners										
T 7 Plus T-Racer surface cleaner	12	2.644-074.0							Power nozzle for ultimate cleaning power, even in corners and along edges: The T 7 Plus T-Racer surface cleaner with rinse function - for effective and splash-free cleaning of large areas.	<input type="checkbox"/>
T 5 T-Racer surface cleaner	13	2.644-084.0							Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	<input type="checkbox"/>
PS 30 power scrubber surface cleaner	14	2.644-123.0							The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	<input type="checkbox"/>
Replacement nozzles accessories for T 350	15	2.643-335.0							The high-quality replacement nozzles guarantee easy nozzle changing and are suitable for the T-Racer T 300 / T 350 surface cleaners for the pressure washer ranges K 2 to K 7.	<input type="checkbox"/>
Replacement nozzle for T-Racer	16	2.640-727.0							High-quality, grey replacement nozzles for easy replacement of T-Racer nozzles. Suitable for replacing nozzles for the K2-K5 device classes.	<input type="checkbox"/>

☐ Available accessories.

K 4 CLASSIC

1.180-250.0

KÄRCHER


		Order no.						Price	Description	
T-Racer T 250 Surface Cleaner	17	2.642-194.0							T 250 T-Racer for spray-free surface cleaning. With extra handle for cleaning vertical surfaces. The accessories are suitable for Kärcher Home&Garden pressure washers, classes K 2 - K 7.	<input type="checkbox"/>
T 450 T-Racer surface cleaner	18	2.643-214.0							Cleans large surfaces without splashing: T-Racer surface cleaner T 450. Extra power nozzle for corners and edges, handle for vertical cleaning, protection grid for gravel surfaces, cleaning pressure adjustment.	<input type="checkbox"/>
PS 40 power scrubber surface cleaner	19	2.643-245.0							Power Scrubber PS 40 with 3 integrated high-pressure nozzles. Eliminates stubborn dirt from various surfaces powerfully, reliably and in a time-saving manner. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	<input type="checkbox"/>
T 550 T-Racer surface cleaner	20	2.643-251.0							T-Racer surface cleaner T 550 for splash-free cleaning of large surfaces. With detergent application system, power nozzle for corners/edges, protection grid for gravel surfaces, pressure adjustment and handle.	<input type="checkbox"/>
T 350 T-Racer surface cleaner	21	2.643-252.0							With the T-Racer surface cleaner T 350, large surfaces can be cleaned without splashing. Continuous pressure adjustment for hard and sensitive surfaces. Handle for vertical cleaning.	<input type="checkbox"/>
Replacement nozzles accessories	22	2.643-338.0							High-quality replacement nozzles for all T-Racer surface cleaners (except T 350) for unit classes K 2 to K 7, gutter cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for K 2 to K 5.	<input type="checkbox"/>
Brushes										
WB 150 power brush	23	2.643-237.0							WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	<input type="checkbox"/>
WB 120 rotating wash brush	24	2.644-060.0							Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	<input type="checkbox"/>
WB 120 rotating wash brush Car & Bike	25	2.644-129.0							Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	<input type="checkbox"/>
WB 60 soft surface wash brush	26	2.643-233.0							Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm ensures good coverage.	<input type="checkbox"/>
Wheel washing brush	27	2.643-234.0							Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	<input type="checkbox"/>
Garden hose adapter	28	2.640-732.0							Adapter for garden hose connection - suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling system.	<input type="checkbox"/>
Soft universal brush	29	2.640-589.0							Universal soft brush for cleaning all types of surfaces. With soft brushes, outer protector ring, union nut and rubber pad.	<input type="checkbox"/>
Soft surface brush	30	2.640-590.0							Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm ensures good coverage.	<input type="checkbox"/>
Rotary wash brush with joint	31	2.640-907.0							Rotating washing brush with joint for cleaning all smooth surfaces, e.g. paint, glass or plastic. 18° infinitely adjustable joint on handle for cleaning difficult to reach areas.	<input type="checkbox"/>

☐ Available accessories.

K 4 CLASSIC

1.180-250.0

KÄRCHER


		Order no.						Price	Description	
WB 100 rotating wash brush	32	2.643-236.0							Rotating wash brush with joint for cleaning all smooth surfaces, e.g. paint, glass or plastic. 18° infinitely adjustable joint on handle for cleaning difficult to reach areas.	<input type="checkbox"/>
Soft Wash Brush WB 50	33	2.643-246.0							Universal soft brush for cleaning all types of surfaces. With soft brushes, outer protector ring, union nut and rubber pad.	<input type="checkbox"/>
Rotating wash brush	34	2.644-061.0							Ideal for cleaning smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable attachment.	<input type="checkbox"/>
High-pressure replacement hose: system from 2009 with Quick Connect system										
H 9 Q high-pressure hose Quick Connect	35	2.641-721.0							9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	<input type="checkbox"/>
High-Pressure replacement hose kit system from 1992										
Extension hose adapter kit	36	2.643-037.0							Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	<input type="checkbox"/>
High-pressure extension hose: System for devices with Quick Connect system										
XH 10 Q Quick Connect extension hose	37	2.641-710.0							High-pressure hose extension for greater flexibility. 10 m robust DN 8 quality hose for excellent durability. For K 3 to K 7 devices from 2008 or later with Quick Connect adapter.	<input type="checkbox"/>
XH 6 Q extension hose Quick Connect	38	2.641-709.0							High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	<input type="checkbox"/>
XH 10 QR extension hose Quick Connect rubber	39	2.641-708.0							High-pressure extension rubber hose for greater flexibility. 10 m high-quality hose, steel reinforced for durability. For K 3 to K 7 series from 2008 with Quick Connect adapter. Connect between trigger gun and high-pressure hose.	<input type="checkbox"/>
Pipe cleaning										
PC 20 roof gutter and pipe cleaning kit	40	2.642-240.0							The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	<input type="checkbox"/>
PC 15 pipe cleaning kit	41	2.637-767.0							Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
PC 7.5 pipe cleaning kit	42	2.637-729.0							Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
Pipe cleaning kit 7.5 m	43	2.642-790.0							Pipe cleaning kit for clearing blockages in pipes, drains, downpipes, etc.	<input type="checkbox"/>
Foam jet										
FJ 10 C Connect 'n' Clean foam jet + 3-in-1 Ultra Foam Cleaner	44	2.643-143.0							Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	45	2.643-144.0							Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
FJ 10 C foam jet Connect 'n' Clean with stone cleaner 3-in-1	46	2.643-145.0							Stone cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
FJ 3 foam jet	47	2.643-150.0							FJ 3 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	<input type="checkbox"/>

☐ Available accessories.

K 4 CLASSIC

1.180-250.0

KÄRCHER


48




49



50



51



52



53



54



55

		Order no.						Price	Description	
Miscellaneous										
SH 5 suction hose	48	2.643-100.0							Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.	<input type="checkbox"/>
Sand and wet-blasting kit	49	2.638-792.0							Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	<input type="checkbox"/>
Vario joint	50	2.640-733.0							Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	<input type="checkbox"/>
Water filter	51	4.730-059.0							Water filter protects pressure washer pumps against dirt particles from dirty water.	<input type="checkbox"/>
O-ring set	52	2.640-729.0							Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	<input type="checkbox"/>
Organiser	53	2.641-630.0							Kärcher organiser, the practical wall-mounted storage system for Kärcher accessories. With two modules for flexible mounting. Ideal for protecting wash brushes and bristles from bending.	<input type="checkbox"/>
Water filter	54	2.642-794.0							Water filter to protect the high-pressure pump against dirt particles from contaminated water.	<input type="checkbox"/>
SH 3 suction hose	55	2.643-101.0							3 metre suction hose for drawing water from alternative sources such as water butts and barrels.	<input type="checkbox"/>

☐ Available accessories.

K 4 CLASSIC

1.180-250.0

KÄRCHER



		Order no.						Price	Description	
Hose storage and hose trolley										
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0							Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.	<input type="checkbox"/>
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0							Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	<input type="checkbox"/>
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0							Fully equipped watering station. With detachable hose reel, storage for nozzles and sprinklers, large storage box and fixing option for spray lances.	<input type="checkbox"/>
Hoses										
Hose set for pressure washers	4	2.645-156.0							Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex® hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.	<input type="checkbox"/>
Water supply hose set	5	2.645-258.0							Hose set for water supply (pressure washer, garden watering). With 10m PrimoFlex® hose (1/2"), hose connector with and without Aqua Stop, universal connection for taps without thread.	<input type="checkbox"/>
PrimoFlex® hose 1/2" - 20 m	6	2.645-138.0							The robust PrimoFlex® (1/2") garden hose is a 20m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.	<input type="checkbox"/>
PrimoFlex® hose 3/4" - 25 m	7	2.645-142.0							PrimoFlex® quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	<input type="checkbox"/>
Hose Performance Plus 1/2" -20m	8	2.645-318.0								<input type="checkbox"/>
Hose Performance Plus 3/4" -25m	9	2.645-322.0								<input type="checkbox"/>
Performance Premium hose, 1/2" -20 m	10	2.645-324.0								<input type="checkbox"/>
Hose connection systems										
Universal hose coupling Plus	11	2.645-193.0							Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal hose coupling Plus with Aqua Stop	12	2.645-194.0							Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal Hose Connector with Aqua Stop	13	2.645-192.0							Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.	<input type="checkbox"/>
Universal Hose Connector	14	2.645-191.0							Universal hose connector in ergonomic design for comfortable handling.	<input type="checkbox"/>

☐ Available accessories.