





## K 5 Premium

The "K5 Premium" high-pressure cleaner with water-cooled motor and hose reel is designed for ease of use. Ideal for moderate dirt, e.g. large vehicles, stone walls and bicycles.



### 1 Outstanding performance

- The state-of-the-art water-cooled motor impresses with its long service life and high level of performance.

### 2 Clean and tidy

- Everything is kept clean and tidy thanks to a hose reel with convenient hose coiling and large cable hook, which allows for easy storage of the cable directly on the device.

### 3 Plug 'n' Clean

- Quick, simple and convenient – thanks to Plug 'n' Clean, the detergent can be easily changed in just one step.

### 4 Quick Connect

- The high-pressure hose is easy to manoeuvre, clicking quickly in and out of the device and trigger gun. This saves time and effort.



## K 5 Premium

### Technical data

Order no.		1.181-313.0
EAN code		4039784729704
Supply voltage	V / Hz	230 / 50
Pressure	bar / MPa	20 - max. 145 / 2 - max. 14.5
Flow rate	l/h	max. 500
Inlet temperature	°C	max. 40
Connection load	kW	2.1
Weight without accessories	kg	14.5
Dimensions (L x W x H)	mm	349 × 426 × 878

### Equipment

High-pressure gun	Standard Quick Connect	Water-cooled motor	■
Vario Power Jet	■		
Dirt Blaster	■		
High-pressure hose	m	8	
Device-side Quick Connect	■		
Detergent application via	Plug 'n' Clean system		
Water suction	■		
Integrated water filter	■		
Adapter for A3/4" garden hose connector	■		
Detergent	l	Universal cleaner RM 626 1	
Integrated HD hose reel	■		

■ Included in the scope of supply.

# K 5 PREMIUM

## 1.181-313.0

**KÄRCHER**


		Order no.						Price	Description	
<b>Spray lances</b>										
VP 145 vario power jet for K 4-K 5	1	2.642-725.0							Vario power spray lance for pressure washers in classes K 4 to K 5. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance.	■
DB 145 dirt blaster for K 4-K 5	2	2.642-728.0							Dirt blaster with powerful middle rotary nozzle for Kärcher pressure washers in classes K 4 and K 5. For particularly stubborn dirt like that on mossy or weathered surfaces.	■
TLA 4 telescopic spray lance	3	2.644-190.0							Simple cleaning at (almost) every point: The telescopic spray lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge.	□
Façade & glass cleaning kit	4	2.644-249.0							Set comprising the telescopic spray lance TLA 4 and the façade and glass cleaning attachment. For easy cleaning of objects that are difficult to access such as house façades or conservatories.	□
Splash guard	5	2.642-706.0							Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	□
Angled spray lance	6	2.638-817.0							Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle under-bodies.	□
1-step lance extension	7	2.643-240.0							Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	□
VP 180 S vario power jet short 360° for K 2-K 7	8	2.643-254.0							VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	□
MP 145 multi power jet for K 3-K 5	9	2.643-239.0							Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet. The suitable jet can be selected by simply twisting.	□
Telescopic spray lance	10	2.642-347.0							Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	□
<b>Trigger guns</b>										
G 180 Q Quick Connect trigger gun	11	2.642-889.0							The new G 180 Q spray gun with Quick Connect is 13 cm longer and is now even more convenient to use and more ergonomic when cleaning with Kärcher pressure washers.	■
<b>Surface cleaners</b>										
T 7 Plus T-Racer surface cleaner	12	2.644-074.0							Power nozzle for ultimate cleaning power, even in corners and along edges: The T 7 Plus T-Racer surface cleaner with rinse function - for effective and splash-free cleaning of large areas.	□
T 5 T-Racer surface cleaner	13	2.644-084.0							Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	□
PS 30 power scrubber surface cleaner	14	2.644-123.0							The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	□
PS 30 Plus power scrubber surface cleaner	15	2.644-212.0							The PS 30 Plus power scrubber removes stubborn dirt with its three high-pressure nozzles. Thanks to the swivelling side nozzle, all corners and edges are effortlessly cleaned.	□

■ Included in the scope of supply. □ Available accessories.

# K 5 PREMIUM

## 1.181-313.0

**KÄRCHER**



		Order no.						Price	Description	
<b>Brushes</b>										
WB 150 power brush	16	2.643-237.0							WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	<input type="checkbox"/>
WB 120 rotating wash brush	17	2.644-060.0							Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	<input type="checkbox"/>
WB 130 rotating wash brush	18	2.644-286.0							Always in motion: The rotating wash brush with interchangeable attachment cleans smooth surfaces such as paint, glass or plastic. Quick attachment changes thanks to the integrated release lever.	<input type="checkbox"/>
Rotating wash brush	19	2.644-061.0							Ideal for cleaning smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable attachment.	<input type="checkbox"/>
	20	2.644-288.0							Effective cleaning of smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable attachment.	<input type="checkbox"/>
WB 120 rotating wash brush car & bike	21	2.644-129.0							Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	<input type="checkbox"/>
WB 130 rotating wash brush car & bike	22	2.644-287.0							Gentle cleaning of cars and motorbikes: The rotating wash brush with innovative removable microfibre Car & Bike attachment. Machine washable at 60 °C.	<input type="checkbox"/>
WB 60 soft surface wash brush	23	2.643-233.0							Soft flat brush for cleaning larger areas such as car, caravan, boat, conservatory or roller shutters. Good area performance with working width of 248 mm.	<input type="checkbox"/>
Wheel washing brush	24	2.643-234.0							Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	<input type="checkbox"/>
Wash brush	25	6.903-276.0							Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers.	<input type="checkbox"/>
	26	2.642-783.0							Universal brush with ergonomic handle and soft bristles for thorough and gentle cleaning of all surfaces.	<input type="checkbox"/>
Garden hose adapter	27	2.640-732.0							Adapter for garden hose connection - suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling system.	<input type="checkbox"/>
<b>High-pressure replacement hose: system starting 2009 with Quick Connect system</b>										
H 10 Q High-Pressure Hose with Quick Connect and for hose reel devices	28	2.643-633.0							Replacement hose with Quick Connect adapters for quick attachment. For all Kärcher devices in classes K 4-K 7 with hose reel (from 2009 year of manufacture or later). The high-pressure hose is 10 metres long and suitable for temperatures up to 60°C and a pressure up to 180 bar.	<input type="checkbox"/>
<b>High-pressure extension hose: System for devices with Quick Connect system</b>										
XH 10 Q extension hose Quick Connect	29	2.641-710.0							High-pressure hose extension for greater flexibility. 10-m, robust DN 8 quality hose for excellent durability. For K 3-K 7 devices with Quick Connect adapter.	<input type="checkbox"/>
XH 6 Q extension hose Quick Connect	30	2.641-709.0							High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.



# K 5 PREMIUM

## 1.181-313.0

**KÄRCHER**



		Order no.						Price	Description	
<b>Pipe cleaning</b>										
PC 20 roof gutter and pipe cleaning kit	31	2.642-240.0							The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	<input type="checkbox"/>
PC 15 pipe cleaning kit	32	2.637-767.0							Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
PC 7.5 pipe cleaning kit	33	2.637-729.0							Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
<b>Foam jet</b>										
FJ 6 foam jet	34	2.643-147.0							FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	<input type="checkbox"/>
FJ 3 foam jet	35	2.643-150.0							FJ 3 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	<input type="checkbox"/>
FJ 10 C Connect 'n' Clean foam jet + Ultra Foam Cleaner	36	2.643-143.0							Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	37	2.643-144.0							Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
<b>Miscellaneous</b>										
SH 5 suction hose	38	2.643-100.0							Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.	<input type="checkbox"/>
SH 3 suction hose	39	2.643-101.0							3 metre suction hose for drawing water from alternative sources such as water butts and barrels.	<input type="checkbox"/>
Sand and wet-blasting kit	40	2.638-792.0							Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	<input type="checkbox"/>
Vario joint	41	2.640-733.0							Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	<input type="checkbox"/>
Water filter	42	4.730-059.0							Water filter protects pressure washer pumps against dirt particles from dirty water.	<input type="checkbox"/>
	43	2.642-794.0							Water filter to protect the high-pressure pump against dirt particles from contaminated water.	<input type="checkbox"/>
Anti-twist adapter	44	2.644-257.0							The anti-twist adapter eliminates loops in the high-pressure hose for guaranteed twist-free working. For all high-pressure hoses with a Quick Connect adapter on the gun.	<input type="checkbox"/>
O-ring set	45	2.640-729.0							Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# K 5 PREMIUM

## 1.181-313.0

**KÄRCHER**



		Order no.						Price	Description	
<b>Hose storage and hose trolley</b>										
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0							Watering Station for the practical and space-saving stowage of hoses and garden accessories. With removable drum, storage possibility for nozzles, spray guns, and spray lances and spacious storage box. Fully equipped.	<input type="checkbox"/>
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0							Compact hose trolley with height adjustable handle, angled hose connector, free-wheeling crank, and innovative folding function for space-saving stowage. Fully assembled.	<input type="checkbox"/>
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0							Watering Station for the practical and space-saving stowage of hoses and garden accessories. With removable drum, storage possibility for nozzles, spray guns, and spray lances and spacious storage box. Fully equipped.	<input type="checkbox"/>
<b>Hoses</b>										
Hose set for pressure washers	4	2.645-156.0							Hose set for high-pressure cleaning or garden watering. With 10 m PrimoFlex® hose (3/4"), G3/4 tap adaptor, 1 x universal hose connector and universal connector with Aqua Stop.	<input type="checkbox"/>
Water supply hose set	5	2.645-258.0							Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex® hose (1/2"), hose connector with and without Aqua Stop, and universal connection for non-threaded taps.	<input type="checkbox"/>
PrimoFlex® hose 1/2" - 20 m	6	2.645-138.0							The PrimoFlex® (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	<input type="checkbox"/>
PrimoFlex® hose 3/4" - 25 m	7	2.645-142.0							PrimoFlex® quality garden hose (3/4"). 25-m long. With pressure-resistant reinforcement mesh. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	<input type="checkbox"/>
Hose Performance Plus 1/2" -20m	8	2.645-318.0							Flexible and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 20-metre long Performance Plus 1/2" garden hose. Ensures constant water flow.	<input type="checkbox"/>
Hose Performance Plus 3/4" -25m	9	2.645-322.0							Easy-to-handle, long-lasting and weather-resistant: the 25-metre long Performance Plus 3/4" garden hose. Flexible, ultra-robust and extremely resistant to kinks - for constant water flow.	<input type="checkbox"/>
Performance Premium hose, 1/2" -20 m	10	2.645-324.0							The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 1/2". Length: 20 m. With Kärcher Premium anti-torsion technology.	<input type="checkbox"/>
<b>Hose connection systems</b>										
Universal hose coupling Plus	11	2.645-193.0							Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal hose coupling Plus with Aqua Stop	12	2.645-194.0							Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal Hose Connector with Aqua Stop	13	2.645-192.0							Universal hose coupling with Aqua Stop. Ergonomic design for convenient handling.	<input type="checkbox"/>
Universal Hose Connector	14	2.645-191.0							Ergonomically designed universal hose coupling for convenient handling.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.