

## KM 150/500 R D

Diesel-powered, fully hydraulic industrial sweeper with three-wheel rear steering. For tackling tough jobs in the building material or metal-working industries, foundries and other dirt-intensive sectors.



Made in Europe



EASV-Operation



PM 2.5  
PM 10

Order no. **1.186-124.0**

- High working and transport speed
- Traction drive and sweeping system fully hydraulic
- Low-maintenance

### Technical data

EAN code		4039784521902
Drive type		Diesel
Traction drive		Four-stroke engine
Motor manufacturer		Yanmar
Drive- performance	kW	18.6
Max. area performance	m <sup>2</sup> /h	18000
Working width	mm	1200
Working width with 1 side brush	mm	1500
Working width with two side brushes	mm	1800
Waste container	l	500
Climbing ability	%	18
Working speed	km/h	12
Filter areas	m <sup>2</sup>	7
Weight (with accessories)	kg	1440
Weight, ready to uset	kg	1440
Dimensions (L × W × H)	mm	2442 × 1570 × 1640

### Equipment

Filter cleaning manual	■
Main sweeper roller adjustable	■
Power steering	■
Suction volume regulation	■
Dustpan principle	■
Forwards traction drive	■
Backwards traction drive	■
Suction	■
Hydr. high dump	■
Outdoor use	■
Elapsed time counter	■
Sweeping function, can be switched off	■
Wheels, pneumatic	■
Side brush, automatically swings out	■

■ included in the scope of supply.

Users must receive training on this device.



## Efficient filter system

- Flat pleated filter with 7 m<sup>2</sup> filter area.
- Effective cleaning with dual scraper.
- For dust-free sweeping.



## Comfortable workspace

- All control elements are clearly arranged and within easy reach.
- All displays within view.
- Optional: cabs with heating or air-conditioning.




## Simple operation, maintenance and servicing

- Very simple technology with tried-and-tested components: fully hydraulic drive, electric rather than electronic.
- Easy access to the motor compartment for quick and easy servicing.
- Main sweeper roller and flat pleated filter can be changed without tools.

## ACCESSORIES FOR KM 150/500 R D

### 1.186-124.0



1




2




3-7



8, 11



9



10



12



14

		Order no.	Description	
<b>FILTERS</b>				
<b>Flat pleated filter</b>				
Flat pleated filter, green	1	6.988-159.0	Provides high separation degree, saves on maintenance costs, ensures optimum waste air cleaning.	■
Flat pleated filter, white	2	6.987-177.0	Plastic filter for standard applications.	□
<b>MAIN SWEEPER ROLLER</b>				
<b>Standard roller brush</b>				
Standard roller brush	3	6.987-085.0	Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.	■
<b>Main sweeper roller, antistatic</b>				
Reversing rolling mill antistatic KM 150	4	6.986-000.0		□
<b>Main sweeper roller, soft</b>				
Main sweeper roller, soft	5	6.987-464.0	Specially designed with polypropylene bristles for fine dust sweeping on smooth floors in both inside and outside areas.	□
Main sweeper roller, soft/natural	6	6.987-437.0	Specially designed with natural bristles for sweeping fine dust on smooth floors indoors.	□
<b>Main sweeper roller, hard</b>				
Main sweeper roller, hard	7	6.987-436.0	For removing stubborn dirt outdoors.	□
<b>SIDE BRUSHES</b>				
<b>Standard side brushes</b>				
Side brush, standard	8	6.987-083.0	Water-resistant universal bristles, durable, suitable for all surfaces.	■
<b>Side brush, hard</b>				
Side brush, hard	9	6.905-773.0	Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	□
Side brush, steel bristles	10	6.905-619.0	For stripping, removing moss, abrasive, for outdoor use only	□
<b>Side brush, soft</b>				
Side brush, soft	11	6.905-620.0	Sweeps fine dust on all surfaces, moisture-proof, for indoors and outdoors	□
<b>KITS</b>				
<b>Fleet mounting kit</b>				
Attachment kit Plug-in Connect Module	12	2.644-391.0	The IoT module* is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment management system.	□
<b>MOUNTING KITS FOR SWEEPERS AND VACUUM SWEEPERS</b>				
<b>Lighting</b>				
Blue spotlight	13	2.852-802.0	Blue spotlight for the KM Industrial vacuum sweeper from Kärcher. The optical route warning device ensures maximum visibility and safety for people and the machine itself.	□
SVZO lighting	14	2.851-280.7	Attachment kit consisting of flashing beacon, light, indicator, horn, brake light and hazard light, certified and approved according to the German Road Traffic Licensing Ordinance.	□

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR KM 150/500 R D

### 1.186-124.0




		Order no.	Description	
<b>MOUNTING KITS FOR SWEEPERS AND VACUUM SWEEPERS</b>				
<b>Lighting</b>				
Working lights	15	2.851-279.0	Working lights for additional illumination of large areas such as underground car parks or warehouses.	<input type="checkbox"/>
<b>Sweeping/Vacuuming</b>				
Third side brush attachment kit	16	2.851-277.7	Flexible for larger sweeping width - ideal for sweeping on different levels or around obstacles.	<input type="checkbox"/>
Add-on kit vacuum cleaner KM 150-170 R	17	2.852-884.0	Holder for industrial sweepers for carrying the NT 22/1 wet and dry vacuum cleaner from Kärcher. Makes it easier to clean corners and gaps in one work step.	<input type="checkbox"/>
Add-on kit covering cap side broom KM 15	18	2.851-287.7	Side brush cover reduces dust dispersion.	<input type="checkbox"/>
Side brush cover	19	2.851-287.0		<input type="checkbox"/>
<b>Other mounting kits</b>				
Add-on kit ram protection KM 150/500 R	20	2.852-621.0		<input type="checkbox"/>
Add-on kit wet sweep KM 150/500	21	2.852-821.0		<input type="checkbox"/>
Comfort seat	22	6.373-014.0	For increased driving comfort.	<input type="checkbox"/>
Stainless steel waste container	23	6.961-927.7	Stainless steel waste container for waste and areas of application with increased risk of corrosion.	<input type="checkbox"/>
<b>Side brushes, left</b>				
Second left side brush attachment kit	24	2.851-274.0	Side brush, complete, including standard side brush for increasing area performance.	<input type="checkbox"/>
<b>CABS AND PROTECTIVE ROOFS</b>				
<b>Driver's protective cabin</b>				
Comfort cabin with heating and air conditioning	25	2.851-266.7	The robust steel construction reliably protects the driver. Fully glazed with hinged rear window and left side window.	<input type="checkbox"/>
Comfort cabin with heating	26	2.851-265.7		<input type="checkbox"/>
Comfort cabin	27	2.851-264.7		<input type="checkbox"/>
Protective cabin with windscreen and windscreen wiper	28	2.851-270.7	The roof with windscreen and windscreen wiper protects the driver from falling objects.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR KM 150/500 R D

### 1.186-124.0



		Order no.	Description	
<b>CABS AND PROTECTIVE ROOFS</b>				
<b>Driver's protective cabin</b>				
Protective cabin	29	2.851-268.7	The protective roof complies with VDE standard IEC 60335-2-72.	<input type="checkbox"/>
<b>Protective roof</b>				
Protection shield sweeper 150 - 170 R	30	2.852-688.0		<input type="checkbox"/>
<b>TYRES, PUNCTURE-PROOF</b>				
Wheel solid rubber non-chalking	31	6.435-176.0	Recommended for sweeping metal shavings, glass shards, etc. Avoids tyre marks on light surfaces.	<input type="checkbox"/>
Puncture-proof tyres (set), full rubber	32	4.515-329.0	Puncture-proof and recommended for sweeping metal shavings, glass shards, etc.	<input type="checkbox"/>
<b>WATER SPRAYING SYSTEM</b>				
Water spraying system for side brushes	33	2.851-282.0	For binding dust. Consisting of stainless steel water tank (60 l) and spray water nozzles on the side brushes.	<input type="checkbox"/>

■ Included in the scope of supply.     Available accessories.