



B 300 R I



B 300 R I

Technical data

Order no.	1.480-235.2	
EAN code	4054278245218	
Brush working width	mm	1045
Fresh/dirty water tank	l	300 / 300
Theoretical area performance	m ² /h	16550
Brush speed	rpm	460
Battery voltage	V	12
Battery capacity	Ah	80
Waste container	l	180
Weight (with accessories)	kg	1750
Dimensions (L × W × H)	mm	2400 × 1540 × 1760

Equipment

Battery type	Starter battery
Dose	-

B 300 R I

1.480-235.2



		Order no.	Length	Colour	Quantity	Price	Description	
Wheels/tyres								
Front wheel, standard	1	6.680-410.0			1 piece(s)		For our ride-on scrubber drier B 300 RI: front wheel made from high-quality, non-marking and oil-proof rubber. Avoids tyre tracks on light surfaces.	<input checked="" type="checkbox"/>
Front wheel, non-marking, super-grip	2	6.680-377.0			1 piece(s)		Solid rubber wheel, prevents tyre tracks on light surfaces.	<input type="checkbox"/>

Included in the scope of supply.
 Available accessories.

B 300 R I

1.480-235.2



		Order no.	Length	Diameter	Quantity	Price	Description	
Other attachment kits								
Protective roof, high, 2140 mm	1	2.643-944.0			1 piece(s)		High-quality, fully enclosed protective roof at the top for extending our ride-on scrubber drier B 300 RI. Reliable protection against possible risks. Total height with roof: 2.14 m.	<input type="checkbox"/>

Included in the scope of supply.
 Available accessories.