

NT 70/2

Kärcher quality at an affordable price: the NT 70 range boasts powerful vacuum cleaners with up to three motors. With their high suction power, the machines are impressive in wet applications and when used on coarse dirt.



Order no. 1.667-269.0

- Robust bumper, large wheels
- Ergonomic push handle
- Optional wet filter available

Technical data

EAN code		4039784725379
Supply voltage	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	2 × 74
Vacuum	mbar / kPa	254 / 25.4
Container content	l	70
Container material		Plastic
Rated input power	W	max. 2400
Standard nominal width		ID 40
Cable length	m	10
Sound pressure level	dB(A)	79
Weight without accessories	kg	25.2
Weight incl. packaging	kg	32.4
Dimensions (L × W × H)	mm	720 × 510 × 975

Equipment

Suction hose	m	4 / with bend
Suction tube	piece(s) × mm	2 × 550 / Stainless steel
Wet/dry floor nozzle	mm	400
Crevice nozzle		■
Cartridge filter		Paper
Drain hose		■
Sturdy bumper		■
Push handle		■
Protection class		II

■ included in the scope of supply.



Integrated accessory storage

- Large bumper with accessory storage.

Integrated drain hose


- The container is easy to empty via the drain hose. Extremely practical due to the very large 70 litre container capacity.

Ergonomic push handle

- The NT 70 has an ergonomic push handle so that the machine can be pushed along.

ACCESSORIES FOR NT 70/2

1.667-269.0



		Order no.	Description	
CARTRIDGE FILTER, STANDARD, UP TO BIA C, DUST CLASS M				
Cartridge filter paper				
Cartridge filter, paper	1	6.907-038.0	Paper cartridge filter (M BIA-C dust class M), suitable as a main filter for dry and wet pick up.	■
BENDS				
Bend, plastic				
Bend, NT, DN 40, plastic, clip 2.0 at hose end, cone at accessory end	2	2.889-171.0	DN 40 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
Bend, NT, DN 35, plastic, clip 1.0 at hose end, cone at accessory end	3	5.031-718.0	DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 1.0 connection at the hose end and a cone connection at the accessory end.	□
Bend, NT, DN 35, plastic, electrically conductive, clip 1.0 at hose end, cone at accessory end	4	5.031-939.0	Electrically conductive DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 1.0 connection at the hose end and a cone connection at the accessory end.	□
Bend, NT, DN 40, plastic, electrically conductive, clip 1.0 at hose end, cone at accessory end	5	5.032-427.0	Electrically conductive DN 40 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 1.0 connection at the hose end and a cone connection at the accessory end.	□
Bend, other				
Bend, NT, DN 35, chrome-plated metal, cone at hose end, cone at accessory end	6	6.900-519.0	DN 35 chrome-plated metal bend for wet and dry vacuum cleaners by Kärcher. The bend has a cone connection at both the hose end and the accessory end.	□
Bend, NT, DN 35, stainless steel, cone at hose end, cone at accessory end	7	6.903-141.0	Robust DN 35 stainless steel bend for wet and dry vacuum cleaners by Kärcher. The bend has a cone connection at both the hose end and the accessory end.	□
Bend, NT, DN 40, chrome-plated metal, cone at hose end, cone at accessory end	8	6.900-276.0	DN 40 chrome-plated metal bend for wet and dry vacuum cleaners by Kärcher. The robust bend has a cone connection at both the hose end and the accessory end.	□
Bend, NT, DN 40, stainless steel, cone at hose end, cone at accessory end	9	6.902-079.0	Robust DN 40 stainless steel bend for wet and dry vacuum cleaners by Kärcher. The bend has a cone connection at both the hose end and the accessory end.	□
SUCTION NOZZLES				
Floor nozzles				
Wet/dry floor nozzle, advanced plastic, DN 40, width 360 mm	10	2.889-153.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts, squeegees.	■
Wet and dry floor nozzle, aluminium, DN 40	11	6.903-018.0	All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Wet/dry floor nozzle, aluminium, DN 40	12	6.906-383.0	All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
Wet/dry floor nozzle, aluminium, DN 35	13	6.906-384.0	All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Wet/dry floor nozzle, advanced plastic, DN 40	14	2.889-117.0	The wet/dry floor nozzle (DN 40) permits a quick squeegee/brush change and is suitable for wet vacuum cleaning of large areas.	□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 70/2

1.667-269.0



		Order no.	Description	
SUCTION NOZZLES				
Crevice nozzles				
Crevice nozzle, NT, DN 40, plastic, 300 mm	15	5.130-655.0	Plastic crevice nozzle in nominal width DN 40 for Kärcher wet and dry vacuum cleaners. Especially suitable for vacuuming out areas that are difficult to reach, such as joints, crevices and corners.	■
Crevice nozzle, DN 35, plastic, 210 mm	16	2.889-130.0	Plastic crevice nozzle.	□
Crevice nozzle, NT, DN 35, metal, 500 mm long	17	6.900-922.0	The metal crevice nozzle (DN 35) enables vacuuming in crevices and corners. Length: 500 mm.	□
Crevice nozzle, NT, DN 40, metal, 400 mm	18	6.905-817.0	Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
All-purpose brushes				
All-purpose brush	19	6.903-863.0	Natural bristles (ox hair), bristle element 120 × 45 mm.	□
Car cleaning nozzles				
Car nozzle, DN 40, 90 mm	20	6.900-952.0	For retrofitting older Kärcher wet and dry vacuum cleaner models with bends in DN 40: Flat angled, convenient, plastic car cleaning nozzle with a working width of approx. 90 mm.	□
	21	2.840-095.0	Flat angled, convenient, plastic, DN 40 car cleaning nozzle specially designed for new Kärcher wet and dry vacuum cleaners with a clip system at the suction hose. Working width: Approx. 90 mm.	□
Wide nozzles				
Wide nozzle	22	4.130-432.0	Vacuuming larger Areas in connection with NT 70/1, NT 70/2 or NT 70/3 versions only.	□
Rubber suction tools, nose 45°				
Rubber suction tool, nose 45°	23	6.902-104.0	45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
NT rubber suction nozzle, bevelled at 45°, DN 40	24	6.902-105.0	45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
Pipe dusting nozzles				
Pipe brush 35/100	25	6.903-035.0	Plastic, pipe diameter 100 mm	□
Pipe brush 35/200	26	6.903-036.0	Plastic, pipe diameter 200 mm	□
Suction brushes				
Suction brush, DN 32	27	6.903-887.0	The rotating suction brush (DN 32, plastic) with PA brush attachment measures 70 × 45 mm. Only for BV and T vacuum cleaners.	□
SUCTION TUBES				
Suction tubes, stainless steel				
Suction tube, 2 x, NT, DN 40, 550 mm long, stainless steel, suitable for: NT 50/1, NT 55/2, NT 65/2, NT 70/2, NT 70/3, NT 75/2	28	2.889-194.0	The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 40 and 550 mm long each). For Kärcher wet and dry vacuum cleaners.	■

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 70/2

1.667-269.0



	Order no.	Description	
SUCTION TUBES			
Suction tubes, stainless steel			
Suction tube, DN 35, 505 mm, stainless steel	29	6.902-154.0	Suction tube made of high-quality stainless steel in DN 35 and 505 mm long for wet and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
Suction tube, NT, DN 40, 550 mm long, stainless steel, suitable for: AP 100/50, NT 55/2, NT 65/2, NT 70/2, NT 70/3, NT 72/2, NT 75/2, NT 561, NT 611, NT 802 IV	30	6.902-081.0	Suction tube made of high-quality stainless steel in nominal width DN 40 and 550 mm long for wet and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
Suction tube, NT, DN 40, 1000 mm long, stainless steel, suitable for: NT 55/2, NT 65/2, NT 70/2, NT 70/3, NT 72/2, NT 75/2, NT 561, NT 611, NT 802 IV	31	6.906-531.0	The suction tube made of high-quality stainless steel (DN 40 and 1000 mm long) is suitable for wet and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
Suction tubes, metal			
Suction tube, NT, DN 35, 505 mm long, chrome-plated steel, suitable for: NT 25/1, NT 27/1, NT 30/1, NT 35/1, NT 40/1, NT 48/1, NT 50/1, NT 55/2, NT 65/2, NT 70/2, NT 70/3, NT 72/2, NT 75/1, NT 75/2, NT 611, NT 802 IV	32	6.900-514.0	The suction tube made of chrome-plated steel (DN 35, 505 mm long) is suitable for wet and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
SUCTION HOSES			
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)			
Suction hose, NT, DN 40, length 4 m, clip 2.0, bayonet 2.0	33	2.889-138.0	The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners. <input checked="" type="checkbox"/>
Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	34	2.889-137.0	The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
Suction hose, NT, DN 40, length 2.5 m, clip 2.0, bayonet 2.0	35	2.889-139.0	The suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
Suction hose, NT, DN 40, length 4 m, oil-resistant, clip 2.0, bayonet 2.0	36	2.889-140.0	The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
Suction hose, NT, DN 40, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	37	2.889-141.0	The electrically conductive suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners. <input type="checkbox"/>
Suction hose, NT, DN 40, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	38	2.889-142.0	The electrically conductive suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners. <input type="checkbox"/>
Extension hose, NT, DN 40, length 2.5 m, clip 2.0, connecting adapter	39	2.889-146.0	The extension hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
Repair kit for suction hoses DN 40, Clip 2.0	40	2.889-150.0	Repair kit ID 40 for the new clip system. <input type="checkbox"/>
Hose connection			
Adapter, ID 32/35, with internal thread	41	6.902-077.0	Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35. <input type="checkbox"/>
Connecting adapter, ID 40, with internal thread	42	6.900-286.0	Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors. <input type="checkbox"/>

■ Included in the scope of supply. Available accessories.

ACCESSORIES FOR NT 70/2

1.667-269.0



		Order no.	Description	
SUCTION HOSES				
Suction hoses with clip system 1.0 (compatible with vacuum cleaners up to model year 2016)				
Repair kit for suction hoses DN 40 Clip 1.0	43	2.639-873.0	Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	<input type="checkbox"/>
Extension hose, NT, DN 40, length 2.5 m, clip 1.0, connecting adapter	44	6.906-344.0	The extension hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose with DN_40 adapter, NT, DN 40, length 16 m, clip 1.0, bayonet 1.0	45	4.440-784.0	The suction hose with sleeve in nominal width DN 40 and with 16 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 10 m, clip 1.0, bayonet 1.0	46	6.906-279.0	The suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 4 m, clip 1.0, bayonet 1.0	47	6.906-321.0	The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 16 m, clip 1.0, bayonet 1.0	48	6.906-635.0	The suction hose in nominal width DN 40 and with 16 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 10 m, electrically conductive, clip 1.0, bayonet 1.0	49	6.906-877.0	The electrically conductive suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hoses with cone connection				
Suction hose, NT, DN 40, length 4 m, cone, bayonet 1.0	50	4.440-263.0	The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 4 m, oil-resistant, cone, bayonet 1.0	51	4.440-303.0	The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 10 m, cone, bayonet 1.0	52	4.440-463.0	The suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 10 m, electrically conductive, cone, bayonet 1.0	53	4.440-466.0	The electrically conductive suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 10 m, oil-resistant, cone, bayonet 1.0	54	4.440-612.0	The suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 50, length 4 m, cone, bayonet 1.0	55	4.440-264.0	The suction hose in nominal width DN 50 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 50, length 3 m, cone, bayonet 1.0	56	4.440-328.0	The suction hose in nominal width DN 50 and with 3 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 70/2

1.667-269.0



	Order no.	Description		
SUCTION HOSES				
Suction hoses with cone connection				
Suction hose, NT, DN 50, length 10 m, cone, bayonet 1.0	57	4.440-467.0	The suction hose in nominal width DN 50 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 50, length 4 m, oil-resistant, cone, bayonet 1.0	58	4.440-613.0	The oil-resistant suction hose in nominal width DN 50 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 50, length 4 m, electrically conductive, cone, bayonet 1.0	59	4.440-616.0	The electrically conductive suction hose in nominal width DN 50 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
FILTER BAGS				
Fleece filter bags				
Fleece filter bags, 5 x , NT 65, NT 70, NT 72, NT 75	60	2.885-753.0	Tear-resistant fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	<input type="checkbox"/>
Paper filter bags				
Paper filter bags, 5 x , NT 48, NT 65, NT 70, NT 72, NT 75, NT 80, WET VAC	61	6.904-285.0	Premium 3-layer paper filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	<input type="checkbox"/>
FILTER T/ NT				
Coarse dirt filter for wet vacuuming				
Foam filter for wet applications of wet and dry vacuum cleaners NT 70, NT 72/2	62	2.889-083.0	Quick-drying foam filter for wet applications using wet and dry vacuum cleaners from Kärcher that have a mechanical floating switch off.	<input type="checkbox"/>
Wet filter bag				
Wet filter bag	63	6.904-252.0	Approved for dust class L, general cleaning, wet and dry, tear-resistant.	<input type="checkbox"/>
Plastic sacks for dust-free disposal				
Plastic bag for dust-free disposal, 10 x , NT 65, NT 70, NT 72, NT 75, NT 602, NT 700, NT 702	64	6.900-698.0	PE plastic sack.	<input type="checkbox"/>
Fabric filter				
Membrane filter, NT 65, NT 70, NT 72, NT 75, NT 551, NT 602, NT 700, NT 702, NT 802, NT 993	65	6.904-282.0	Polyester needle fleece membrane/fabric filter – BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.	<input type="checkbox"/>
CONNECTING SLEEVES				
Y-adapter kit				
Y-adapter kit	66	2.637-217.0	Plastic distributor – suitable for NT vacuum cleaners.	<input type="checkbox"/>
Connection adapter C ID (clip to cone)				
Adapter clip DN 35 on cone DN 35	67	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	<input type="checkbox"/>
Adapter clip DN 40 to cone DN 40	68	5.407-006.0	For connecting small nozzles and suction tubes with cone DN 40; Adapter clip system DN 40. Ideal for vehicle interior cleaning tasks, with no need to connect additional nozzles.	<input type="checkbox"/>
Connection adapter C DN 35	69	5.407-112.0	C 35 hose connector for DN 35 accessory, electrically conductive.	<input type="checkbox"/>
Reducing sleeves				
NT reducer from DN 40 to DN 35, electrically conductive	70	5.407-108.0	Threaded reducer – from C-40 to DN 35. Suitable for NT vacuum cleaners.	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR NT 70/2

1.667-269.0



71



72



73



74



75



76



77



78



79

	Order no.	Description	
CONNECTING SLEEVES			
Reducing sleeves			
Reducer adapter from DN 40 to DN 35	71 6.902-017.0	Reducer, enabling accessories (upholstery nozzle, crevice nozzle, etc.) with a DN 35 connection adapter to be connected to accessory parts (bend or suction tube) that have a DN 40 connection adapter.	<input type="checkbox"/>
NT reduction bushing with clip system for DN 40 suction hoses on accessory DN 35	72 5.407-113.0	Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.	<input type="checkbox"/>
Reducer from ID 35 to ID 32	73 6.902-072.0	Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
TARGET-GROUP-SPECIFIC ACCESSORY KITS FOR VACUUM CLEANERS			
Professional cleaning kit NT DN 40	74 2.637-353.0	Professional wet and dry accessory kit in nominal size DN 40 for Kärcher vacuum cleaners. The wet and dry professional cleaning kit comprises a suction hose, bend, two suction tubes, crevice nozzle and floor nozzle.	<input type="checkbox"/>
Car cleaning accessory kit	75 2.862-166.0	Vehicle interior cleaning accessory kit in nominal width DN 35 for Kärcher wet and dry vacuum cleaners. The kit comprises various nozzles and adapter pieces in nominal widths DN 35 and DN 40.	<input type="checkbox"/>
NT accessory kit for vacuuming chips, DN 50	76 2.640-760.0	The accessory kit in nominal width DN 50 makes it easier to vacuum chips with the wet and dry vacuum cleaner. The kit comprises an oil-resistant suction hose, a crevice nozzle and a rubber suction nozzle.	<input type="checkbox"/>
OTHER ACCESSORIES NT			
Cyclone preseparator CS 40 Me	77 2.863-026.0	The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	<input type="checkbox"/>
Adapter for NT hoses with bayonet connection 1.0	78 5.031-436.0	Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
OTHER ACCESSORIES SCRUBBER DRIERS			
Miscellaneous			
Extension cable	79 6.647-022.0	Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	<input type="checkbox"/>

Available accessories.