

## VISOKOTLAČNO CRIJEVO QUICK CONNECT H 9 Q

Visokotl. zamj. crijevo duž. 9 m za visokotl. čistače K2-K7 proizvedene 2009. ili kasnije, kod kojih se crijevo pričvršćuje na pištolj pomoću brze spojnice Quick Connect. 160 bar, 60°C.



Br. za narudžbu

2.641-721.0

### Tehnički podaci

|                       |     |                |
|-----------------------|-----|----------------|
|                       |     | 4039784361232  |
| Temperatura           | °C  | maks. 60       |
| Maks. tlak            | bar | 180            |
| Dužina                | m   | 9              |
| Boja                  |     | Crna           |
| Težina                | kg  | 0,8            |
| Težina uklj. ambalažu | kg  | 1              |
| Dimenzije (d × š × v) | mm  | 245 × 245 × 65 |



### Zamjensko crijevo 9 m

- Brza zamjena crijeva

### Quick Connect priključak

- Visokotlačno crijevo može se brzo i praktično umetnuti u uređaj i u pištolj te ponovo izvaditi. To štedi vrijeme i trud.

### Sustav brze spojke

- Za praktično čišćenje

## KOMPATIBILNI UREDAJI

- G 7.180
- K 2 Battery
- K 2 Classic
- K 2 OPP Car \*EU
- K 2 Power Control
- K 2 Power Control Car & Home
- K 2 Premium
- K 2 Premium FJ BB
- K 2 Premium FJ Home BB
- K 2 Premium Power Control
- K 2 upright PROMO (BT)
- K 3 Classic
- K 3 FJ BB
- K 3 FJ Home BB
- K 3 Horizontal Plus
- K 3 Horizontal Plus Home

- K 3 Power Control
- K 3 Power Control Car & Home
- K 3 Premium
- K 4 Classic
- K 4 FJ BB
- K 4 FJ Home BB
- K 4 Power Control Flex
- K 4 Power Control Flex Car & Stairs
- K 4 UM PROMO (BT)
- K 4 WCM
- K 4 WCM Premium
- K 5 Classic
- K 5 Classic Home
- K 5 FJ BB
- K 5 FJ Home BB
- K 5 Modularni UM

- K 5 Power Control Flex
- K 5 Power Control Flex Car & Home
- K 5 Power Control Flex Home eco!booster
- K 5 Power Control Flex Home&Brush
- K 5 WCM
- K 5 WCM Premium
- K 7 Power Control Flex eco!Booster
- K 7 Power Flex
- K 7 Smart Control Flex
- K 7 WCM
- K 7 WCM Car&Home BB
- K 7 WCM FJ
- K 7 WCM FJ Home BB
- K Mini

DODATCI ZA VISOKOTLAČNO CRIJEVO QUICK CONNECT H 9 Q  
2.641-721.0



|                    |   |                 |                                                                                                                                                                  |                          |
|--------------------|---|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
|                    |   | Br. za narudžbu |                                                                                                                                                                  |                          |
| RAZNO              |   |                 |                                                                                                                                                                  |                          |
| Adapter Anti-Twist | 1 | 2.644-257.0     | Adapter protiv uvijanja uklanja petlje u visokotlačnom crijevu za zajamčeni rad bez uvijanja. Za sva visokotlačna crijeva s Quick Connect adapterom na pištolju. | <input type="checkbox"/> |

☐ Dostupni dodatci