




NT 30/1 Tact Te M

30/1 Tact Te M sigurno i pouzdano uklanja sitnu prašinu razreda M, koja ulazi u pluća, a često je prisutna na gradilištima. Kompaktni mokro/suvi usisivač sa rezervoarom zapremine 30 litara.




1 Potpuno automatsko čišćenje filtera

- Senzorski upravljana elektronika za optimalnu efikasnost čišćenja filtera a time i maksimalan efekat usisavanja.



2 Ispitana efikasnost filtriranja od 99,9 posto

- Gotovo potpuno odstranjivanje sitne prašine garantuje čista i sigurna radna mesta.



3 Kompletan antistatički sistem s provodnim priborom

- Efikasna zaštita od strujnih udara usled antistatičkog punjenja.



4 Utičnica za uređaje s automatskim uključanjem/isključanjem

- Te verzije su serijski opremljene utičnicom, automatikom uključivanja i isključivanja i anti-statičkom pripremom.



NT 30/1 Tact Te M

- Kompletan antistatički sistem, uključujući provodljivi pribor
- Utičnica za električne alate s automatskim zaletom
- Filtriranje hladnim vazduhom

Tehnički podaci

Br. za porudzbine	1.148-235.0
	4054278048215
Vrsta struje	1 / 220 - 240 / 50 - 60
Air flow rate	74
Vacuum	254 / 25,4
Container capacity	30
Max. rated input power	1380
Standard nominal width	DN 35
Sound pressure level	69
Težina	14,2
Dimenzije (D × Š × V)	560 × 370 × 580

Oprema

Suction hose	4 / s kolenom (EL)	Steering roller stop	■
Suction Tube	2 × 0,5 / stainless steel	Filter cleaning	Tact filter cleaning system
Filter bag	1 / fleece	PE plastic bag for dust-free disposal	1
Wet and dry floor nozzle	360		
Crevice nozzle	■		
Power tool connection adaptor	■		
Automatic on/off switch for power tools	■		
Antistatic system	■		
Flat pleated filter	PES		
Sturdy bumper	■		
Safety class	I		

■ Sadržano u obimu isporuke

NT 30/1 TACT TE M

1.148-235.0



		Br. za porudžbine	Anzahl	Nennweite	Länge	Breite	Cena	
Gumene usisne mlaznice, iskošene 45°								
Gumena usisna mlaznica, iskošene 45°	1	6.902-104.0	1	35	220			<input type="checkbox"/>
	2	6.902-105.0	1	40	220			<input type="checkbox"/>
Mlaznice za usisavanje automobila								
Mlaznica za automobil	3	6.906-108.0	1	DN 35		90		<input type="checkbox"/>
Usisne cevi, prohrom								
Usisna cev	4	6.902-081.0	1	40	500			<input type="checkbox"/>

dodatni pribor

NT 30/1 TACT TE M

1.148-235.0



1



2

		Br. za porudžbine	Anzahl	Breite				Cena	
Ostalo									
Priključni nastavak novi na stari DN 35	1	2.889-312.0							<input type="checkbox"/>
Priključni adapter, elektroprovodni	2	5.031-436.0							<input type="checkbox"/>

dodatni pribor

NT 30/1 TACT TE M 1.148-235.0



1



2

		Br. za porudžbine	Anzahl	Dummy	Dummy	Dummy	Cena	
Ravan faltasti filter, PTFE								
Ravan faltasti filter PTFE	1	6.907-455.0	1					<input type="checkbox"/>
Filter od tekstila								
Svečasti filter Wood	2	2.414-000.0	1					<input type="checkbox"/>

dodatni pribor

NT 30/1 TACT TE M 1.148-235.0



1



2

		Br. za porudžbine	Anzahl	Nennweite			Cena	
Priključni nastavci C-DN (stezaljka na konusu), električno provodljiva								
Priključni nastavak DN 35 na konus DN 35	1	5.407-005.0						<input type="checkbox"/>
Priključni nastavak DN 40 na konus DN 35	2	5.407-006.0		DN 40				<input type="checkbox"/>

dodatni pribor