




KM 85/50 W Bp Pack Adv

Komforna prateća mašina za metenje za srednje površine od 900-6000 qm sa velikom površinom filtera i velikim rezervoarom za đubre metenja.



1 Snažni sistem filtera

- 2,1 m² površina filtera.
- Manuelno čišćenje filtera.




2 2-zidni rotacioni okviri

- Robustan i bez rdanja.
- Za najtvrdje primene.



3 Trakcioni pogon

- Za intuitivno rukovanje.
- Opciono sa hodom unazad.



4 Prihvat i pražnjenje đubreta

- Efektivno metenje zahvaljujući velikoj radnoj širini.
- Metenje moguće i kada je vlažno.



KM 85/50 W Bp Pack Adv

- Robusni okvir s dvostrukom zidom
- Mogućnost podizanja glavnog valjka za metenje
- Vožnja unazad, brojač radnih sati i glavni valjak za metenje s njišućim ležajem

Tehnički podaci

Br. za porudzbine	1.351-115.0	
	4039784468528	
Drive	DC motor	
Drive - Power	24 / 912	
Max. area performance	3825	
Working width	610	
Working width with one side brush	850	
Working width with 2 side brushes	1050	
Waste container	l	50
Climbing ability	%	15
Working speed	4,5	
Filter area	2,1	
Težina	180	
Dimenzije (D × Š × V)	1355 × 910 × 1155	


Oprema

Polyester flat pleated filter	■	Indoor use	■
Manual filter cleaning	■	Battery display	■
Traction drive, forwards	■	Elapsed time counter	■
Traction drive, reverse	■	Suction volume regulation	■
Floating main sweeper roller	■	Side brushes, can be raised/adjustable	■
Waste container, mobile	■		
Coarse dirt flap	■		
Battery and built-in charger included	■		
Overhead sweeping principle	■		
Suction	■		
Outdoor use	■		

■ Sadržano u obimu isporuke

KM 85/50 W BP PACK ADV 1.351-115.0

KÄRCHER



		Br. za porudžbine	Fabrička ugradnja	Battery voltage	Battery capacity	Battery type	Cena	
Pogonski akumulatori								
Baterija	1	6.654-048.0		12	80	minimalno	Potrebna su 2 komada.	■
Punjači								
Punjač	2	6.654-140.0		24			Za punjenje baterije 6.654-141.0.	■

■ Sadržano u obimu isporuke □ dodatni pribor

KM 85/50 W BP PACK ADV 1.351-115.0

KÄRCHER



1



2

		Br. za porudžbine	Fabrička ugradnja		Prečnik	Cena	
Ravan faltasti filter							
Ravan faltasti filter	1	5.731-585.0					Periv ravan faltasti filter, koji je otporan na vlagu za Kärcher mašine za metenje. Filter osigurava znatno niže troškove održavanja. ■
Standardni valjak za metenje							
Standardni valjak za metenje	2	6.906-508.0		620			Robustni standardni valjak za metenje sa vodootpornom univerzalnom čekinjom za normalnu prljavštinu na svim površinama. Dug vek trajanja. ■
Set za adaptaciju filtera							
Dupli filter vibratori	3	2.851-000.0					Dvostruki filter strugač povećava performanse čišćenja u veoma prašnjavim okruženjima. □
Glavni valjak za metenje meki / prirodni							
Glavni valjak za metenje mekan / prirodan	4	6.906-557.0		620	250		Sa prirodnim čekinjama posebno za metenje fine prašine na glatkim podovima u zatvorenom i na otvorenom. □
Glavni valjak za metenje tvrdi / otporan na vlagu							
Glavni valjak za metenje tvrd	5	6.906-558.0		620			Za uklanjanje čvrsto prijanjuće prljavštine na otvorenom. □

■ Sadržano u obimu isporuke □ dodatni pribor

KM 85/50 W BP PACK ADV 1.351-115.0

KÄRCHER



	Br. za porudžbine	Fabrička ugradnja	Prečnik	Cena	
Bočne metle, standardne					
Bočna metla standard	1	6.906-132.0	420		Univerzalne čekinje, otporne na vlagu, dug vek trajanja, pogodne za sve površine. <input checked="" type="checkbox"/>
Bočne metle, tvrde					
Bočna metla tvrda	2	6.905-625.0	420		Uklanja čvrsto prijanjajuću prljavštinu na otvorenom, otpornu na vlagu, blago abrazivno. <input type="checkbox"/>
Bočne metle, meke					
Bočna metla mekana	3	6.905-626.0	420		Mekana bočna metla, otporna na vlagu, za metenje fine prašine na svim površinama u zatvorenom i na otvorenom. Idealno za zagađenje sa visokim sadržajem prašine. <input type="checkbox"/>

Sadržano u obimu isporuke dodatni pribor

KM 85/50 W BP PACK ADV 1.351-115.0

KÄRCHER



		Br. za porudžbine	Fabrička ugradnja					Cena	
Bočne metle levo									
ABS 2. Bočna metlica levo	1	2.640-441.0	2.640-441.7					Komplet, uklj. standardne bočne metlice za povećanje površinskog učinka.	<input type="checkbox"/>
Bočna četka, leva	2	2.640-441.7	2.640-441.7					Komplet, sadrži standardnu bočnu četku za veću površinu metenja	<input type="checkbox"/>
Ostali setovi za nadogradnju									
Kočnica	3	2.640-301.0						Za sigurno kočenje na nagibima > 2%.	<input type="checkbox"/>

■ Sadržano u obimu isporuke □ dodatni pribor