



T 10/1

Kod ovog uređaja radi se o izrazito robusnom, funkcionalnom i snažnom suvom usisivaču za profesionalnog korisnika sa optimalnim ergonomskim osobinama, u kompaktnoj konstrukciji, koji je specijalno koncipiran za specijalne potrebe hotela, gastronomije, uslužnog čišćenja zgrada i trgovine na malo.



1 More capacity

- The device comes with a fleece filter bag. This takes in significantly more dust than conventional paper filter bags.



2 With and without filter bag

- The large, round permanent main filter made from washable nylon is extremely resilient and thick enough to allow vacuuming even without filter bag over a certain period of time.



3 Integrisani prihvat pribora

- Držač dodatnog pribora je integrisan u veliki odbojnik.



4 Foot switch for added convenience

- No need to bend down.


T 10/1

- Parkirni položaj podne mlaznice
- Cable hook
- Accessory storage

Tehnički podaci

Br. za porudžbine	1.527-150.0
	4039784725102
Vrsta struje	220 - 240 / 50 - 60
Air flow rate	53
Vacuum	240 / 24
Container capacity	I 10
Max. rated input power	800
Standard nominal width	35
Dužina kabla	10
Sound pressure level	59
Sound power level	73
Težina	6,3
Dimenzije (D × Š × V)	355 × 310 × 385

Oprema

Suction hose	2,5
Suction Tube	2 × 0,5 / Metal
Filter bag	1 / fleece
Washable nylon filter (main filter)	■
Switchable floor nozzle	270
Container material	plastic
Clip system for hose extension	■
Safety class	II
Permanentna filter korpa od najlona	■
■ Sadržano u obimu isporuke	

T 10/1

1.527-150.0

KÄRCHER


		Br. za porudžbine	Broj	Nominalna širina	Dužina	Širina	Cena	
Filter izduvnog vazduha								
Filter za zaštitu motora	1	6.414-611.0	5					Filter za zaštitu motora, izmjenjivo runo, za promenu u slučaju teške kontaminacije. ■
Korpe za glavne filtere								
Stalna-glavna filterska korpa	2	5.731-624.0	1					Filterska korpa za T 7/1 i T 10/1 se može se koristiti kao glavni filter, pri tome je moguće raditi sa ili bez filter vreće. Plastični okvir sa najlonskom tkaninom koji se pere do 40 ° C. ■
	3	5.731-649.0	1					Plastični okvir sa ojačanim flisom, koji se može prati do 40 ° C. □
Papirne filter kese (2-slojne)								
Paper filtering bag 10 St. Kärcher	4	6.904-333.0	10					10 papirnih filter kesa (BIA-C klasa prašine M) za primenu u svim komercijalnim suvim usisivačima (npr. T 7/1 i T 10/1). □
Patronski filter velikih potrošačkih jedinica	5	6.904-337.0	300					Za velike potrošače: 300 papirnih filter vrećica (BIA-C klasa prašine M) pogodne su kao dodatna oprema za sve verzije komercijalnog suvog usisivača T 7/1 i T 10/1. □
	6	6.904-370.0	10					Papirne filter-kese za malu količinu prašine. □
Tekstilna filter vreća								
Tekstilna filter vreća	7	6.904-316.0	1					Filterska vrećica od pamučnog materijala, koja se može prati do 40 ° C, pogodna je za modele T7 / 1, T 10/1 i T 12/1. □
Filter kese od netkanog tekstila (3-slojne)								
Filter kese od flisa	8	6.904-315.0	10					Izrazito otporne na kidanje, 3- slojne filter kese od netkanog tekstila za klasu prašine M. U poređenju sa papirnim filter kesama struktura od netkanog tekstila nudi 2 do 3 puta veću zapreminu. Standard za T 10/1 i T 12/1. □
Filter kese od flisa velikih potrošačkih jedinica	9	6.904-321.0	200					Filter kese od flisa 3-slojni, otporan na kidanje, klasa prašine M, velikih potrošačkih jedinica □
Mlaznice za tapacirung								
	10	6.905-998.0						Plastičan nastavak za tapaciran nameštaj, DN 35. □
Turbo mlaznice								
Turbo mlaznica za pod	11	2.860-113.0	1	ID 32		160		Turbo usisna mlaznica za tapacirung (DN 35/32, 160 mm) se sastoji od plastike i raspolaže redukcionim nastavkom. □
Redukcioni nastavci (cev -> mlaznica)								
Redukcioni nastavak sa DN 35 na DN 32	12	6.902-072.0	1	ID 35				Redukcioni nastavak sa unutrašnjim priključnim konusom DN 32. Idealno rešenje za upotrebu pribora iz komercijalnog programa suvih usisivača u kombinaciji sa komercijalnim NT usisivačima. □
Set redukcionih nastavaka / nastavaka za proširenje								
Komplet smanjenje-/ proširenje čahure	13	2.860-117.0	1					DN 40/35, DN 35/32 (cev -> mlaznica), plastika. □
Ostalo								
Adapter old packaged NW35	14	2.889-312.0						□

■ Sadržano u obimu isporuke □ dodatni pribor