

IVC 60/24-2 TACT²

Geniş tekerlekli ve fren sistemi olan kompakt endüstriyel vakum makinası, TACT otomatik filtre temizleme sistemi sayesinde kesintisiz uzun süreli kullanımlara uygundur. Günlük kullanım süresi 2-3 saattir.



Sipariş No.

1.576-100.0

- Antistatik ekipman
- sıvı seviye durdurma
- Ön ayırma sistemi için entegre siklon

Teknik veriler

EAN Kodu		4039784463691
Gerilim / Volt	Fh / V / Hz	1 / 220 - 240 / 50 - 60
Hava debisi	l/s / m³/sa	148 / 532
Vakum gücü	mbar / kPa	254 / 25,4
Konteyner kapasitesi	l	60
Konteyner malzemesi		Paslanmaz çelik
Motor değerleri	kW	2,4
Vakum Tipi		Elektrik
Bağlantı çapı		ID 70
Standard aksesuar çapı		ID 50 / ID 40
Ses seviyesi	dB(A)	73
Ana filtre toz sınıfı		M
Ana filtre için filtre alanı	m²	0,95
Ağırlık (paketlenmiş)	kg	68,2
Boyutlar (U x G x Y)	mm	970 x 690 x 995

Kullanıcılar bu cihazla ilgili eğitim almalıdır.

Ekipman

Ana filtre	Yassı filtre
Makineye dahil aksesuarlar	hayır
Otomatik dolum seviye kontrolü ile kapanma	■
Konteyner boşaltma	İndirilebilir konteyner

■ Gönderimde dahildir



İki fan motoruyla donatılmıştır<


/IB:Font>■ Optimum temizleme performansı ve güçlü emiş gücü

- Yüksek ani akımları önlemek için sürücünün elektronik kontrolü.



Otomatik filtre temizleme sistemi Tact²

- Filtrelerin, hedeflenmiş ve güçlü hava patlamalarıyla otomatik olarak temizlenmesi.
- Filtre temizliğine rağmen, emiş gücü sürekli olarak yüksek kalır.
- Filtrenin uzun ömürlü olması bakım maliyetlerini azaltır.



Kompakt düz pileli filtre ile donatılmıştır

- Filtrenin net ve kompakt tasarımı.
- Toz sınıfı M'ye kadar serbest akışkan, kuru tozları toplamak için uygundur.

İÇİN AKSESUAR IVC 60/24-2 TACT²

1.576-100.0



		Sipariş No.	Tanımlama	
DÜZ PLELİ FİLTRELER, STANDART, BIA C VEYA M SINIFI TOZLAR İÇİN				
Düz pleli f filtre (Kağıt)				
Yassı kıvrılmış filtre, kağıt	1	6.907-276.0	Yassı kıvrılmış filtre toz sınıfı M, nano kaplamalı kağıt. Yumuşak toz ve kuru kirin alınması için uygundur.	☐
Düz pleli filtre (PTFE)				
Flat-pleated filter packaged PTFE	2	6.907-449.0		☐
FİLTRELER T/NT MAKİNELER İÇİN				
Diyafram filtreler / Kumaş filtreler				
Ahşap mum filtresi, NT 65/2, NT 75/2	3	2.414-003.0		☐
AKSESUAR SETLERİ				
Katı / Toz				
Kit oven cleaning DN50	4	9.989-938.0		☐
Kit oven cleaning DN40	5	9.989-939.0		☐
Kit food DN40	6	9.989-940.0		☐
Kit food DN50	7	9.989-941.0		☐
Kit overhead cleaning DN40	8	9.989-942.0		☐
Kit overhead cleaning DN50	9	9.989-943.0		☐
Professional General Cleaning Kit conduc	10	9.990-877.0		☐
Floor Cleaning Kit cond. Advanced DN40	11	9.990-893.0		☐
Floor Cleaning Kit cond. Advanced DN50	12	9.990-894.0		☐
NOZÜLLER				
Standart nozullar				
Standard nozzle silicon FDA blue DN-F40	13	9.989-835.0		☐
Standard nozzle silicon FDA green DN-F40	14	9.989-836.0		☐

■ Gönderimde dahildir □ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/24-2 TACT²

1.576-100.0




15, 21



16, 22



17, 23



18, 24



13, 19



14, 20



25-26



27-28

		Sipariş No.	Tanımlama	
NOZÜLLER				
Standart nozullar				
Standard nozzle silicon FDA red DN-F40	15	9.989-837.0		☐
Standard nozzle silicon FDA transparent	16	9.989-838.0		☐
Standard nozzle silicon FDA white DN-F40	17	9.989-839.0		☐
Standard nozzle silicon FDA yellow DN-F4	18	9.989-840.0		☐
Standard nozzle silicon FDA blue DN-F50	19	9.989-841.0		☐
Standard nozzle silicon FDA green DN-F50	20	9.989-842.0		☐
Standard nozzle silicon FDA red DN-F50	21	9.989-843.0		☐
Standard nozzle silicon FDA transparent	22	9.989-844.0		☐
Standard nozzle silicon FDA white DN-F50	23	9.989-845.0		☐
Standard nozzle silicon FDA yellow DN-F5	24	9.989-846.0		☐
Standard nozzle PVC DN40	25	9.989-674.0		☐
Standard nozzle PVC DN50	26	9.989-673.0		☐
Nozzle elastic silicon DN42	27	9.988-401.0		☐
Nozzle elastic silicon DN52	28	9.988-402.0		☐

■ Gönderimde dahildir □ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/24-2 TACT²

1.576-100.0




29-30



31-32



33



34



35-36



37-38



39-40



41-42

		Sipariş No.	Tanımlama	
NOZÜLLER				
Standart nozullar				
Standard nozzle rubber cuttable DN40	29	9.989-677.0		☐
Standard nozzle rubber cuttable DN50	30	9.989-675.0		☐
Standard aluminium nozzle DN40	31	9.980-748.0	Diagonal nozzle made from anodised aluminium, electroconductive, DN 40.	☐
Standard aluminium nozzle DN50	32	9.980-749.0	Diagonal nozzle made from anodised aluminium, electroconductive, DN 50.	☐
Bükülebilir standart nozullar				
Nozzle flexible rubber mouthpiece DN40/D	33	9.981-420.0		☐
Nozul, çinko kaplamalı, esnek, kauçuk uçlu	34	9.981-421.0		☐
Zemin nozulları				
Bottom nozzle stainless steel AISI 316L	35	9.989-861.0		☐
Bottom nozzle Edelstahl AISI 316L blue	36	9.989-862.0		☐
Floor nozzle stainless steel AISI 316L g	37	9.989-863.0		☐
	38	9.989-864.0		☐
Floor nozzle stainless steel AISI 316L r	39	9.989-865.0		☐
	40	9.989-866.0		☐
Floor nozzle stainless steel AISI 316L t	41	9.989-867.0		☐
	42	9.989-868.0		☐

■ Gönderimde dahildir ☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/24-2 TACT²

1.576-100.0



		Sipariş No.	Tanımlama	
NOZÜLLER				
Zemin nozulları				
Floor nozzle stainless steel AISI 316L w	43	9.989-869.0		☐
	44	9.989-870.0		☐
Floor nozzle stainless steel AISI 316L y	45	9.989-871.0		☐
	46	9.989-872.0		☐
Floor nozzle stainless steel AISI 304 40	47	9.989-914.0		☐
	48	9.989-915.0		☐
Floor nozzle stainless steel 400 mm DN-F	49	9.989-934.0		☐
	50	9.989-935.0		☐
Floor nozzle aluminium 400 mm DN-F40	51	9.989-936.0		☐
Floor nozzle aluminium 400 mm DN-F50	52	9.989-937.0		☐
Floor nozzle Alu 370 mm DN40	53	9.989-683.0		☐
Floor nozzle Alu el 370 mm DN40	54	9.989-682.0		☐
Floor nozzle Alu 370 mm DN50	55	9.989-664.0		☐
Multi-purpose nozzle 370mm el. leit., DN	56	9.987-612.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/24-2 TACT²


1.576-100.0




57



58-59



60



61



62



63-64



65-66



67



68-70

		Sipariş No.	Tanımlama	
NOZÜLLER				
Zemin nozulları				
Floor nozzle Alu 500 mm DN50	57	9.989-684.0		☐
Multi-purpose nozzle 370mm el. leit., DN	58	9.989-558.0		☐
	59	9.988-115.0		☐
Rubber lips with molding 370mm	60	9.981-914.0		☐
Bürstenleiste Satz elektr. leitend, für	61	9.984-939.0		☐
Aralık temizleme nozulları				
Slot nozzle flat DN50	62	9.988-117.0		☐
Crevice nozzle 18 mm × 120 mm DN50	63	9.981-442.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 17 mm slot width.	☐
Crevice nozzle 25 mm × 120 mm DN50	64	9.981-465.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 25 mm slot width.	☐
Esnek aralık nozulları				
Crevice nozzle nozzle flexible silicone	65	9.989-847.0		☐
Standard nozzle flexible Silikon FDA tra	66	9.989-848.0		☐
Nozzle Langschaft Silikon DN52	67	9.988-403.0		☐
Nozzle Crevice nozzle bendable 11 mm × 5	68	9.989-681.0		☐
Slot nozzle flexible DN 40	69	9.981-423.0		☐
Slot nozzle flexible DN 50, 20mm	70	9.981-425.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/24-2 TACT²

1.576-100.0





		Sipariş No.	Tanımlama	
NOZÜLLER				
Yüzey memeleri				
Rubber nozzle silicon FDA blue DN-F40	71	9.989-849.0		☐
Standard nozzle silicon FDA blue DN-F40	72	9.989-850.0		☐
	73	9.989-851.0		☐
	74	9.989-852.0		☐
	75	9.989-853.0		☐
	76	9.989-854.0		☐
	77	9.989-855.0		☐
	78	9.989-856.0		☐
	79	9.989-857.0		☐
	80	9.989-858.0		☐
	81	9.989-859.0		☐
	82	9.989-860.0		☐
Nozzle with connecting piece 90° DN40	83	9.988-118.0		☐
Nozzle with connecting piece 90° DN50	84	9.988-119.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/24-2 TACT²

1.576-100.0



		Sipariş No.	Tanımlama	
NOZÜLLER				
Yüzey memeleri				
Nozzle Surface nozzle Alu 150 mm DN40	85	9.989-666.0		☐
Nozzle Surface nozzle Alu 150 mm DN50	86	9.989-665.0		☐
Likit nozüller				
Liquid nozzle 900 mm DN50	87	9.981-427.0	Bypass nozzle, DN 50, overall length: 1000 mm.	☐
Kör delik nozulları				
Nozzle Blind hole nozzle DN40	88	9.989-671.0		☐
Nozzle Blind hole nozzle bended 60° DN40	89	9.989-669.0		☐
Nozzle Blind hole nozzle bended 90° DN40	90	9.989-667.0		☐
Nozzle Blind hole nozzle bended 90° 200	91	9.989-670.0		☐
FIRÇALAR				
Kalem fırçalar				
Brush FDA blue ø 75 mm DN-F40	92	9.989-873.0		☐
Brush FDA blue ø 75 mm DN-F50	93	9.989-874.0		☐
Brush FDA green ø 75 mm DN-F40	94	9.989-875.0		☐
Brush FDA green ø 75 mm DN-F50	95	9.989-876.0		☐
Brush FDA red ø 75 mm DN-F40	96	9.989-877.0		☐
Brush FDA red ø 75 mm DN-F50	97	9.989-878.0		☐
Brush FDA white ø 75 mm DN-F40	98	9.989-879.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/24-2 TACT²

1.576-100.0



98-99



100-101



102-103



104



105-106



107-110



111-115

		Sipariş No.	Tanımlama	
FIRÇALAR				
Kalem fırçalar				
Brush FDA white ø 75 mm DN-F50	99	9.989-880.0		☐
Brush FDA yellow ø 75 mm DN-F40	100	9.989-881.0		☐
Brush FDA yellow ø 75 mm DN-F50	101	9.989-882.0		☐
Brush ø82 mm DN40	102	9.989-609.0		☐
Brush ø82 mm DN50	103	9.989-608.0		☐
Yüzey fırçaları				
Brush PP 24 mm DN40	104	9.989-610.0		☐
Süpürge fırçası	105	9.981-911.0		☐
	106	9.981-912.0		☐
Silindir fırçalar				
Cylinder brush ø 100 mm F-DN40	107	9.989-922.0		☐
Cylinder brush ø 200 mm F-DN40	108	9.989-923.0		☐
Cylinder brush ø 100 mm F-DN50	109	9.989-925.0		☐
Cylinder brush ø 200 mm F-DN50	110	9.989-926.0		☐
HORTUMLAR				
ME-Schläuche				
Hose ME DN40 3 m	111	9.989-976.0		☐
Hose ME DN40 5 m	112	9.989-977.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/24-2 TACT²

1.576-100.0



		Sipariş No.	Tanımlama	
HORTUMLAR				
ME-Schläuche				
Hose without connection ME DN40 15 m	113	9.989-978.0		☐
Hose ME DN50 3 m	114	9.989-979.0		☐
Hose ME DN50 5 m	115	9.989-980.0		☐
PVC				
Hose PVC DN40 1 m	116	9.989-626.0		☐
Hose PVC DN40 3 m	117	9.989-962.0		☐
Hose PVC DN40 5 m	118	9.989-963.0		☐
Hose PVC DN50 3 m	119	9.989-964.0		☐
Hose PVC DN50 5 m	120	9.989-965.0		☐
Hose PVC DN40 3 m	121	9.989-647.0		☐
Hose PVC DN40 5 m	122	9.989-614.0		☐
Hose without connection PVC DN40 15 m	123	9.989-633.0		☐
Hose PVC DN50 3 m	124	9.989-615.0		☐
Hose PVC DN50 5 m	125	9.989-616.0		☐
Hose without connection PVC DN50 15 m	126	9.989-634.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/24-2 TACT²

1.576-100.0



		Sipariş No.	Tanımlama	
HORTUMLAR				
EVA				
Hose EVA DN40 3 m	127	9.989-982.0		☐
Hose EVA DN40 5 m	128	9.989-983.0		☐
Hose EVA DN50 3 m	129	9.989-984.0		☐
Hose EVA DN50 5 m	130	9.989-985.0		☐
Extension hose EVA el. DN42 3m	131	9.988-088.0		☐
Extension hose EVA el. DN42 5m	132	9.988-089.0		☐
Hose without connection EVA DN40 15 m	133	9.989-630.0		☐
Extension hose EVA el. DN52 3m	134	9.988-090.0		☐
Extension hose EVA el. DN52 5m	135	9.988-091.0		☐
Hose without connection EVA DN50 15 m	136	9.989-631.0		☐
ME				
Hose connection kit DN40	137	9.989-627.0		☐
Hose connection kit DN50	138	9.989-628.0		☐
Hose connection kit DN40	139	9.989-986.0		☐
Hose connection kit DN50	140	9.989-987.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/24-2 TACT²


1.576-100.0



141-144



145-149



150



151-152, 154-155



153, 156

		Sipariş No.	Tanımlama	
HORTUMLAR				
PU				
Hose PU DN40 3 m	141	9.989-966.0		☐
Hose PU DN40 5 m	142	9.989-967.0		☐
Hose PU DN50 3 m	143	9.989-968.0		☐
Hose PU DN50 5 m	144	9.989-969.0		☐
Hose PU FDA DN40 3 m	145	9.989-970.0		☐
Hose PU FDA DN40 5 m	146	9.989-971.0		☐
Hose PU FDA DN40 15 m	147	9.989-972.0		☐
Hose PU FDA DN50 3 m	148	9.989-973.0		☐
Hose PU FDA DN50 5 m	149	9.989-974.0		☐
Hose PU FDA DN50 15 m	150	9.989-975.0		☐
Hose PU DN40 3 m	151	9.989-617.0		☐
Hose PU DN40 5 m	152	9.989-618.0		☐
Hose without connection PU DN40 15 m	153	9.989-637.0		☐
Hose PU DN50 3 m	154	9.989-619.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/24-2 TACT²

1.576-100.0



		Sipariş No.	Tanımlama	
HORTUMLAR				
PU				
Hose PU DN50 5 m	155	9.989-620.0		☐
Hose without connection PU DN50 15 m	156	9.989-638.0		☐
ME-PU				
Hose without connection ME DN50 15 m	157	9.989-981.0		☐
Hose ME-PU DN40 3 m	158	9.989-621.0		☐
	159	9.989-622.0		☐
Hose without connection ME-PU DN40 15 m	160	9.989-640.0		☐
Hose ME-PU DN50 3 m	161	9.989-623.0		☐
Hose ME-PU DN50 5 m	162	9.989-625.0		☐
Hose without connection ME-PU DN50 15 m	163	9.989-641.0		☐
KOLLARI				
Elbow aluminium 45° DN40	164	9.989-544.0		☐
Elbow aluminium 45° DN50	165	9.989-547.0		☐
Handle stainless steel AISI 304	166	9.989-896.0		☐
	167	9.989-897.0		☐
Handle straight stainless steel AISI 304	168	9.989-898.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/24-2 TACT²

1.576-100.0



168-169



170-171



172-173



174



175




176-177



178-179



180-181







182-183

		Sipariş No.	Tanımlama	
KOLLARI				
Handle straight stainless steel AISI 304	169	9.989-899.0		☐
Handle carbon DN-F40	170	9.989-916.0		☐
Handle carbon DN-F50	171	9.989-917.0		☐
Handle carbon 110° DN-F40	172	9.989-918.0		☐
Handle carbon 110° DN-F50	173	9.989-919.0		☐
Hand grip curved 45°, DN 42	174	9.977-679.0		☐
Hand grip 45°, DN 52 ohne Sterngriff	175	9.977-678.0		☐
Hand grip curved stainless steel 45°IK D	176	9.989-036.0		☐
Hand grip curved stainless steel 45°, IK	177	9.988-111.0		☐
EMİŞ BORULARI				
Suction tube carbon 1500mm DN40	178	9.989-552.0		☐
Suction tube carbon 1500mm DN50	179	9.989-553.0		☐
Suction tube stainless steel AISI 304 DN	180	9.989-912.0		☐
	181	9.989-913.0		☐
Suction tube carbon 1500 mm DN-F40	182	9.989-920.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/24-2 TACT²

1.576-100.0



		Sipariş No.	Tanımlama	
EMİŞ BORULARI				
Suction tube carbon 1500 mm DN-F50	183	9.989-921.0		☐
Suction tube aluminium high temperature	184	9.989-928.0		☐
	185	9.989-929.0		☐
	186	9.989-930.0		☐
	187	9.989-931.0		☐
	188	9.989-932.0		☐
	189	9.989-933.0		☐
Suction tube 750 mm DN40	190	9.977-525.0		☐
Extension pipe 850mm DN 50, SBG	191	9.977-531.0		☐
Extension pipe stainless steel DN50 US	192	9.989-038.0		☐
Hand grip curved stainless steel 45°IK D	193	9.989-035.0		☐
Extension pipe stainless steel DN40 US	194	9.989-039.0		☐
Extension pipe stainless steel DN50 IK,	195	9.988-114.0		☐
DIĞER AKSESUARLAR				
IV tube holder Set	196	9.989-789.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/24-2 TACT² 1.576-100.0



		Sipariş No.	Tanımlama	
ADAPTÖRLER / REDÜKTÖRLER / DİSTRİBÜTÖRLER				
Adaptör Aksesuarı				
Adapter DN70 auf Bajonett 2.0 elektr. le	197	9.990-874.0		☐
Adapter DN50/DN51	198	9.989-603.0		☐
Adapter DN51/DN50	199	9.989-601.0		☐
Adapter DN50/DN61	200	9.989-602.0		☐
Adapter DN61/DN50	201	9.989-604.0		☐
Redüktörler				
Reducer stainless steel AISI 304	202	9.989-893.0		☐
Reducer DN 70/DN 50 (SBC)	203	9.977-772.0		☐
Reducer DN70/DN40	204	9.989-690.0		☐
Reducer V2A DN72 auf DN52	205	9.989-712.0		☐
Reducer V2A DN70/DN40	206	9.989-713.0		☐
Distribütörler				
Distributor Y-piece stainless steel AISI	207	9.989-894.0		☐
	208	9.989-895.0		☐
Distributor DN70/DN50/DN50	209	9.989-611.0		☐
ÖN AYIRICI				
Separator Tc Op Liquid 125 l DN70	210	9.989-686.0		☐

☐ Mevcut aksesuarlar