

IVC 60/12-1 TACT EC

Kesintisiz çalışma için otomatik filtre temizleme sistemi ve aşınmayan EC motora sahip kompakt endüstriyel elektrikli süpürge. Üretim alanlarındaki ince tozlar için idealdir. Aynı zamanda sabit kullanımlar için de uygundur.



Sipariş No.

1.576-102.0

- Antistatik ekipman
- sıvı seviye durdurma
- Ön ayırma sistemi için entegre siklon

Teknik veriler

EAN Kodu		4039784463714
Gerilim / Volt	Fh / V / Hz	1 / 220 - 240 / 50 - 60
Hava debisi	l/s / m³/sa	62,5 / 225
Vakum gücü	mbar / kPa	244 / 24,4
Konteyner kapasitesi	l	60
Konteyner malzemesi		Paslanmaz çelik
Motor değerleri	kW	1,2
Vakum Tipi		Elektrik
Bağlantı çapı		ID 70
Standard aksesuar çapı		ID 50 / ID 40
Ses seviyesi	dB(A)	74
Ana filtre toz sınıfı		M
Ana filtre için filtre alanı	m²	0,95
Aksesuarsız ağırlık	kg	59
Boyutlar (U x G x Y)	mm	970 x 690 x 995

Kullanıcılar bu cihazla ilgili eğitim almalıdır.

Ekipman

Ana filtre	Yassı filtre
Makineye dahil aksesuarlar	hayır
Otomatik dolum seviye kontrolü ile kapanma	■
Konteyner boşaltma	İndirilebilir konteyner

■ Gönderimde dahildir



Düşük aşınmalı EC türbini

- Az aşınmalı çalışma için fırçasız tasarım.
- Minimum 5000 saatlik kullanım ömrü sayesinde üç vardiyalı çalışmaya uygundur.



TACT otomatik filtre temizleme sistemi.

- Hedeflenmiş ve güçlü hava darbeleriyle otomatik filtre temizliği.
- Filtre temizliğine rağmen, emiş gücü sürekli olarak yüksek kalır.
- Filtrenin uzun ömürlü olması bakım maliyetlerini azaltır.



Kompakt düz pileli filtre ile donatılmıştır

- Filtrenin net ve kompakt tasarımı.
- Toz sınıfı M_{ye} kadar serbest akışkan, kuru tozları toplamak için uygundur.

İÇİN AKSESUAR IVC 60/12-1 TACT EC

1.576-102.0




		Sipariş No.	Tanımlama	
DÜZ PLELİ FİLTRELER, STANDART, BIA C VEYA M SINIFI TOZLAR İÇİN				
Düz pleli f filtre (Kağıt)				
Yassı kıvrılmış filtre, kağıt	1	6.907-276.0	Yassı kıvrılmış filtre toz sınıfı M, nano kaplamalı kağıt. Yumuşak toz ve kuru kirin alınması için uygundur.	☐
Düz pleli filtre (PTFE)				
Flat-pleated filter packaged PTFE	2	6.907-449.0		☐
FİLTRELER T/NT MAKİNELER İÇİN				
Diyafram filtreler / Kumaş filtreler				
Ahşap mum filtresi, NT 65/2, NT 75/2	3	2.414-003.0		☐
AKSESUAR SETLERİ				
Katı / Toz				
Kit oven cleaning DN50	4	9.989-938.0		☐
Kit oven cleaning DN40	5	9.989-939.0		☐
Kit food DN40	6	9.989-940.0		☐
Kit food DN50	7	9.989-941.0		☐
Kit overhead cleaning DN40	8	9.989-942.0		☐
Kit overhead cleaning DN50	9	9.989-943.0		☐
Professional General Cleaning Kit conduc	10	9.990-877.0		☐
Floor Cleaning Kit cond. Advanced DN40	11	9.990-893.0		☐
NOZÜLLER				
Standart nozullar				
Standard nozzle silicon FDA blue DN-F40	12	9.989-835.0		☐
Standard nozzle silicon FDA green DN-F40	13	9.989-836.0		☐
Standard nozzle silicon FDA red DN-F40	14	9.989-837.0		☐

■ Gönderimde dahildir □ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/12-1 TACT EC

1.576-102.0



		Sipariş No.	Tanımlama	
NOZÜLLER				
Standart nozullar				
Standard nozzle silicon FDA transparent	15	9.989-838.0		☐
Standard nozzle silicon FDA white DN-F40	16	9.989-839.0		☐
Standard nozzle silicon FDA yellow DN-F4	17	9.989-840.0		☐
Standard nozzle silicon FDA blue DN-F50	18	9.989-841.0		☐
Standard nozzle silicon FDA green DN-F50	19	9.989-842.0		☐
Standard nozzle silicon FDA red DN-F50	20	9.989-843.0		☐
Standard nozzle silicon FDA transparent	21	9.989-844.0		☐
Standard nozzle silicon FDA white DN-F50	22	9.989-845.0		☐
Standard nozzle silicon FDA yellow DN-F5	23	9.989-846.0		☐
Standard nozzle PVC DN40	24	9.989-674.0		☐
Standard nozzle PVC DN50	25	9.989-673.0		☐
Nozzle elastic silicon DN42	26	9.988-401.0		☐
Nozzle elastic silicon DN52	27	9.988-402.0		☐
Standard nozzle rubber cuttable DN40	28	9.989-677.0		☐


■ Gönderimde dahildir □ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/12-1 TACT EC

1.576-102.0




28-29



30-31



32



33



34-35



36-37



38-39



40-41



42-43

		Sipariş No.	Tanımlama	
NOZÜLLER				
Standart nozullar				
Standard nozzle rubber cuttable DN50	29	9.989-675.0		☐
Standard aluminium nozzle DN40	30	9.980-748.0	Diagonal nozzle made from anodised aluminium, electroconductive, DN 40.	☐
Standard aluminium nozzle DN50	31	9.980-749.0	Diagonal nozzle made from anodised aluminium, electroconductive, DN 50.	☐
Bükülebilir standart nozullar				
Nozzle flexible rubber mouthpiece DN40/D	32	9.981-420.0		☐
Nozul, çinko kaplamalı, esnek, kauçuk uçlu	33	9.981-421.0		☐
Zemin nozulları				
Bottom nozzle stainless steel AISI 316L	34	9.989-861.0		☐
Bottom nozzle Edelstahl AISI 316L blue	35	9.989-862.0		☐
Floor nozzle stainless steel AISI 316L g	36	9.989-863.0		☐
	37	9.989-864.0		☐
Floor nozzle stainless steel AISI 316L r	38	9.989-865.0		☐
	39	9.989-866.0		☐
Floor nozzle stainless steel AISI 316L t	40	9.989-867.0		☐
	41	9.989-868.0		☐
Floor nozzle stainless steel AISI 316L w	42	9.989-869.0		☐

■ Gönderimde dahildir ☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/12-1 TACT EC

1.576-102.0



42-43



44-45



46-47



48-49



50-51



52




53



54



55




56

		Sipariş No.	Tanımlama	
NOZÜLLER				
Zemin nozulları				
Floor nozzle stainless steel AISI 316L w	43	9.989-870.0		☐
Floor nozzle stainless steel AISI 316L y	44	9.989-871.0		☐
	45	9.989-872.0		☐
Floor nozzle stainless steel AISI 304 40	46	9.989-914.0		☐
	47	9.989-915.0		☐
Floor nozzle stainless steel 400 mm DN-F	48	9.989-934.0		☐
	49	9.989-935.0		☐
Floor nozzle aluminium 400 mm DN-F40	50	9.989-936.0		☐
Floor nozzle aluminium 400 mm DN-F50	51	9.989-937.0		☐
Floor nozzle Alu 370 mm DN40	52	9.989-683.0		☐
Floor nozzle Alu el 370 mm DN40	53	9.989-682.0		☐
Multi-purpose nozzle 370mm el. leit., DN	54	9.987-612.0		☐
	55	9.989-558.0		☐
Rubber lips with molding 370mm	56	9.981-914.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/12-1 TACT EC

1.576-102.0




57



58-59



60-63



64



65-66



67



68-69



70-71

		Sipariş No.	Tanımlama	
NOZÜLLER				
Zemin nozulları				
Bürstenleiste Satz elektr. leitend, für	57	9.984-939.0		☐
Aralık temizleme nozulları				
Slot nozzle flat DN40	58	9.988-116.0		☐
Slot nozzle flat DN50	59	9.988-117.0		☐
Nozzle Crevice nozzle 17 mm × 120 mm DN4	60	9.989-680.0		☐
Nozzle Crevice nozzle 25 mm × 120 mm DN4	61	9.989-678.0		☐
Crevice nozzle 18 mm × 120 mm DN50	62	9.981-442.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 17 mm slot width.	☐
Crevice nozzle 25 mm × 120 mm DN50	63	9.981-465.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 25 mm slot width.	☐
Crevice nozzle slot nozzle V2A AK DN40	64	9.989-193.0		☐
Esnek aralık nozulları				
Crevice nozzle nozzle flexible silicone	65	9.989-847.0		☐
Standard nozzle flexible Silikon FDA tra	66	9.989-848.0		☐
Nozzle Langschaft Silikon DN52	67	9.988-403.0		☐
Slot nozzle flexible DN 40	68	9.981-423.0		☐
Slot nozzle flexible DN 50, 20mm	69	9.981-425.0		☐
Yüzey memeleri				
Rubber nozzle silicon FDA blue DN-F40	70	9.989-849.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/12-1 TACT EC

1.576-102.0



70-71



72-73



74-75



76-77



78-79



80-81



82-83



84-85

		Sipariş No.	Tanımlama	
NOZÜLLER				
Yüzey memeleri				
Standard nozzle silicon FDA blue DN-F40	71	9.989-850.0		☐
	72	9.989-851.0		☐
	73	9.989-852.0		☐
	74	9.989-853.0		☐
	75	9.989-854.0		☐
	76	9.989-855.0		☐
	77	9.989-856.0		☐
	78	9.989-857.0		☐
	79	9.989-858.0		☐
	80	9.989-859.0		☐
	81	9.989-860.0		☐
Nozzle with connecting piece 90° DN40	82	9.988-118.0		☐
Nozzle with connecting piece 90° DN50	83	9.988-119.0		☐
Nozzle Surface nozzle Alu 150 mm DN40	84	9.989-666.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/12-1 TACT EC

1.576-102.0



		Sipariş No.	Tanımlama	
NOZÜLLER				
Yüzey memeleri				
Nozzle Surface nozzle Alu 150 mm DN50	85	9.989-665.0		☐
Kör delik nozulları				
Nozzle Blind hole nozzle DN40	86	9.989-671.0		☐
Nozzle Blind hole nozzle bended 60° DN40	87	9.989-669.0		☐
Nozzle Blind hole nozzle bended 90° DN40	88	9.989-667.0		☐
Nozzle Blind hole nozzle bended 90° 200	89	9.989-670.0		☐
FIRÇALAR				
Kalem fırçalar				
Brush FDA blue ø 75 mm DN-F40	90	9.989-873.0		☐
Brush FDA blue ø 75 mm DN-F50	91	9.989-874.0		☐
Brush FDA green ø 75 mm DN-F40	92	9.989-875.0		☐
Brush FDA green ø 75 mm DN-F50	93	9.989-876.0		☐
Brush FDA red ø 75 mm DN-F40	94	9.989-877.0		☐
Brush FDA red ø 75 mm DN-F50	95	9.989-878.0		☐
Brush FDA white ø 75 mm DN-F40	96	9.989-879.0		☐
Brush FDA white ø 75 mm DN-F50	97	9.989-880.0		☐
Brush FDA yellow ø 75 mm DN-F40	98	9.989-881.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/12-1 TACT EC

1.576-102.0



98-99



100-101



102



103-104



105-108



109-113

		Sipariş No.	Tanımlama	
FIRÇALAR				
Kalem fırçalar				
Brush FDA yellow ø 75 mm DN-F50	99	9.989-882.0		☐
Brush ø82 mm DN40	100	9.989-609.0		☐
Brush ø82 mm DN50	101	9.989-608.0		☐
Yüzey fırçaları				
Brush PP 24 mm DN40	102	9.989-610.0		☐
Süpürge fırçası	103	9.981-911.0		☐
	104	9.981-912.0		☐
Silindir fırçalar				
Cylinder brush ø 100 mm F-DN40	105	9.989-922.0		☐
Cylinder brush ø 200 mm F-DN40	106	9.989-923.0		☐
Cylinder brush ø 100 mm F-DN50	107	9.989-925.0		☐
Cylinder brush ø 200 mm F-DN50	108	9.989-926.0		☐
HORTUMLAR				
ME-Schläuche				
Hose ME DN40 3 m	109	9.989-976.0		☐
Hose ME DN40 5 m	110	9.989-977.0		☐
Hose without connection ME DN40 15 m	111	9.989-978.0		☐
Hose ME DN50 3 m	112	9.989-979.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/12-1 TACT EC

1.576-102.0



		Sipariş No.	Tanımlama	
HORTUMLAR				
ME-Schläuche				
Hose ME DN50 5 m	113	9.989-980.0		☐
PVC				
Hose PVC DN40 3 m	114	9.989-962.0		☐
Hose PVC DN40 5 m	115	9.989-963.0		☐
Hose PVC DN50 3 m	116	9.989-964.0		☐
Hose PVC DN50 5 m	117	9.989-965.0		☐
Hose PVC DN40 3 m	118	9.989-647.0		☐
Hose PVC DN40 5 m	119	9.989-614.0		☐
Hose without connection PVC DN40 15 m	120	9.989-633.0		☐
EVA				
Hose EVA DN40 3 m	121	9.989-982.0		☐
Hose EVA DN40 5 m	122	9.989-983.0		☐
Hose EVA DN50 3 m	123	9.989-984.0		☐
Hose EVA DN50 5 m	124	9.989-985.0		☐
Extension hose EVA el. DN42 3m	125	9.988-088.0		☐
Extension hose EVA el. DN42 5m	126	9.988-089.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/12-1 TACT EC

1.576-102.0



127



128




129-130



131-134



135-139



140

		Sipariş No.	Tanımlama	
HORTUMLAR				
EVA				
Hose without connection EVA DN40 15 m	127	9.989-630.0		☐
ME				
Hose connection kit DN40	128	9.989-627.0		☐
	129	9.989-986.0		☐
Hose connection kit DN50	130	9.989-987.0		☐
PU				
Hose PU DN40 3 m	131	9.989-966.0		☐
Hose PU DN40 5 m	132	9.989-967.0		☐
Hose PU DN50 3 m	133	9.989-968.0		☐
Hose PU DN50 5 m	134	9.989-969.0		☐
Hose PU FDA DN40 3 m	135	9.989-970.0		☐
Hose PU FDA DN40 5 m	136	9.989-971.0		☐
Hose PU FDA DN40 15 m	137	9.989-972.0		☐
Hose PU FDA DN50 3 m	138	9.989-973.0		☐
Hose PU FDA DN50 5 m	139	9.989-974.0		☐
Hose PU FDA DN50 15 m	140	9.989-975.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/12-1 TACT EC

1.576-102.0



		Sipariş No.	Tanımlama	
HORTUMLAR				
PU				
Hose PU DN40 3 m	141	9.989-617.0		☐
Hose PU DN40 5 m	142	9.989-618.0		☐
Hose without connection PU DN40 15 m	143	9.989-637.0		☐
ME-PU				
Hose without connection ME DN50 15 m	144	9.989-981.0		☐
Hose ME-PU DN40 3 m	145	9.989-621.0		☐
	146	9.989-622.0		☐
Hose without connection ME-PU DN40 15 m	147	9.989-640.0		☐
KOLLARI				
Elbow aluminium 45° DN40	148	9.989-544.0		☐
Elbow aluminium 45° DN50	149	9.989-547.0		☐
Handle stainless steel AISI 304	150	9.989-896.0		☐
	151	9.989-897.0		☐
Handle straight stainless steel AISI 304	152	9.989-898.0		☐
	153	9.989-899.0		☐
Handle carbon DN-F40	154	9.989-916.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/12-1 TACT EC

1.576-102.0



154-155



156-157




158




159



160-161



162-163



164-165



166-171

		Sipariş No.	Tanımlama	
KOLLARI				
Handle carbon DN-F50	155	9.989-917.0		☐
Handle carbon 110° DN-F40	156	9.989-918.0		☐
Handle carbon 110° DN-F50	157	9.989-919.0		☐
Hand grip curved 45°, DN 42	158	9.977-679.0		☐
Hand grip curved stainless steel 45°IK D	159	9.989-036.0		☐
EMİŞ BORULARI				
Suction tube carbon 1500mm DN40	160	9.989-552.0		☐
Suction tube carbon 1500mm DN50	161	9.989-553.0		☐
Suction tube stainless steel AISI 304 DN	162	9.989-912.0		☐
	163	9.989-913.0		☐
Suction tube carbon 1500 mm DN-F40	164	9.989-920.0		☐
Suction tube carbon 1500 mm DN-F50	165	9.989-921.0		☐
Suction tube aluminium high temperature	166	9.989-928.0		☐
	167	9.989-929.0		☐
	168	9.989-930.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/12-1 TACT EC 1.576-102.0



		Sipariş No.	Tanımlama	
EMİŞ BORULARI				
Suction tube aluminium high temperature	169	9.989-931.0		☐
	170	9.989-932.0		☐
	171	9.989-933.0		☐
Suction tube 750 mm DN40	172	9.977-525.0		☐
Extension pipe stainless steel DN40 US	173	9.989-039.0		☐
Extension pipe stainless steel DN50 IK,	174	9.988-114.0		☐
DIĞER AKSESUARLAR				
IV tube holder Set	175	9.989-789.0		☐
ADAPTÖRLER / REDÜKTÖRLER / DİSTRİBÜTÖRLER				
Adaptör Aksesuarı				
Adapter DN70 auf Bajonett 2.0 elektr. le	176	9.990-874.0		☐
Adapter DN50/DN51	177	9.989-603.0		☐
Adapter DN51/DN50	178	9.989-601.0		☐
Adapter DN50/DN61	179	9.989-602.0		☐
Adapter DN61/DN50	180	9.989-604.0		☐
Redüktörler				
Reducer stainless steel AISI 304	181	9.989-893.0		☐
Reducer DN 70/DN 50 (SBG)	182	9.977-772.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/12-1 TACT EC 1.576-102.0



182-183



181, 184-185



186-187



188



189

		Sipariş No.	Tanımlama	
ADAPTÖRLER / REDÜKTÖRLER / DİSTRİBÜTÖRLER				
Redüktörler				
Reducer DN70/DN40	183	9.989-690.0		☐
Reducer V2A DN72 auf DN52	184	9.989-712.0		☐
Reducer V2A DN70/DN40	185	9.989-713.0		☐
Distribütörler				
Distribütör Y-piece stainless steel AISI	186	9.989-894.0		☐
	187	9.989-895.0		☐
Distribütör DN70/DN50/DN50	188	9.989-611.0		☐
ÖN AYIRICI				
Separator Tc Op Liquid 125 l DN70	189	9.989-686.0		☐

☐ Mevcut aksesuarlar