

IVC 60/30 AP

Kompakt IVC 60/30 Ap endüstriyel elektrikli süpürge imalat alanları ve üretim makineleri için idealdir. Yan kanal üfleyici aşınmaya karşı dayanıklıdır. Bu sayede elektrikli süpürge sürekli kullanılabilir.



Sipariş No.

1.576-107.0

- Antistatik ekipman
- Manuel filtre temizleme
- Ön ayırma sistemi için entegre siklon

Teknik veriler

EAN Kodu		4039784539310
Gerilim / Volt	Fh / V / Hz	3 / 400 / 50
Hava debisi	l/s / m³/sa	68 / 244,8
Vakum gücü	mbar / kPa	286 / 28,6
Konteyner kapasitesi	l	60
Konteyner malzemesi		Paslanmaz çelik
Motor değerleri	kW	3
Vakum Tipi		Elektrik
Bağlantı çapı		ID 70
Standard aksesuar çapı		ID 70 / ID 50 / ID 40
Ses seviyesi	dB(A)	77
Ana filtre toz sınıfı		M
Ana filtre için filtre alanı	m²	1,9
Aksesuarsız ağırlık	kg	88
Boyutlar (U x G x Y)	mm	970 x 690 x 1240

Kullanıcılar bu cihazla ilgili eğitim almalıdır.

Ekipman

Ana filtre	Yassı filtre
Makineye dahil aksesuarlar	hayır
Konteyner boşaltma	İndirilebilir konteyner

■ Gönderimde dahildir



Suya dayanıklı yan kanal üfleyici

- Yan kanal üfleyici, en az 20.000 saatlik çok uzun bir ömre sahip yüksek emiş gücü sağlar. Bu makineler, bu nedenle çok vardiyalı çalışmaya için idealdir.



Manuel IVC filtresi temizleme (Ap)

- Gerektiğinde ergonomik olarak yerleştirilmiş bir kol sayesinde zahmetsiz filtre temizleme
- Filtrenin ömrünü uzatır ve dolayısıyla bakım masraflarını azaltır.



Kompakt düz pileli filtre ile donatılmıştır

- Filtrenin net ve kompakt tasarımı.
- Toz sınıfı M'ye kadar serbest akışkan, kuru tozları toplamak için uygundur.

İÇİN AKSESUAR IVC 60/30 AP

1.576-107.0



1-2




3-4



5-6



7



8, 14



9, 15



10, 16



11, 17



12, 18



13, 19

		Sipariş No.	Tanımlama	
AKSESUAR SETLERİ				
Katı / Toz				
Kit oven cleaning DN50	1	9.989-938.0		☐
Kit oven cleaning DN40	2	9.989-939.0		☐
Kit food DN40	3	9.989-940.0		☐
Kit food DN50	4	9.989-941.0		☐
Kit overhead cleaning DN40	5	9.989-942.0		☐
Kit overhead cleaning DN50	6	9.989-943.0		☐
Floor Cleaning Kit cond. Advanced DN50	7	9.990-894.0		☐
NOZÜLLER				
Standart nozullar				
Standard nozzle silicon FDA blue DN-F40	8	9.989-835.0		☐
Standard nozzle silicon FDA green DN-F40	9	9.989-836.0		☐
Standard nozzle silicon FDA red DN-F40	10	9.989-837.0		☐
Standard nozzle silicon FDA transparent	11	9.989-838.0		☐
Standard nozzle silicon FDA white DN-F40	12	9.989-839.0		☐
Standard nozzle silicon FDA yellow DN-F4	13	9.989-840.0		☐
Standard nozzle silicon FDA blue DN-F50	14	9.989-841.0		☐

■ Gönderimde dahildir ☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/30 AP

1.576-107.0



		Sipariş No.	Tanımlama	
NOZÜLLER				
Standart nozullar				
Standard nozzle silicon FDA green DN-F50	15	9.989-842.0		☐
Standard nozzle silicon FDA red DN-F50	16	9.989-843.0		☐
Standard nozzle silicon FDA transparent	17	9.989-844.0		☐
Standard nozzle silicon FDA white DN-F50	18	9.989-845.0		☐
Standard nozzle silicon FDA yellow DN-F5	19	9.989-846.0		☐
Standard nozzle PVC DN40	20	9.989-674.0		☐
Standard nozzle PVC DN50	21	9.989-673.0		☐
Nozzle elastic silicon DN42	22	9.988-401.0		☐
Nozzle elastic silicon DN52	23	9.988-402.0		☐
Standard nozzle rubber cuttable DN40	24	9.989-677.0		☐
Standard nozzle rubber cuttable DN50	25	9.989-675.0		☐
Standard aluminium nozzle DN40	26	9.980-748.0	Diagonal nozzle made from anodised aluminium, electroconductive, DN 40.	☐
Standard aluminium nozzle DN50	27	9.980-749.0	Diagonal nozzle made from anodised aluminium, electroconductive, DN 50.	☐
Bükülebilir standart nozullar				
Nozzle flexible rubber mouthpiece DN40/D	28	9.981-420.0		☐


■ Gönderimde dahildir □ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/30 AP

1.576-107.0



29



30-31



32-33



34-35



36-37



38-39



40-41




42-43

		Sipariş No.	Tanımlama	
NOZÜLLER				
Bükülebilir standart nozullar				
Nozul, çinko kaplamalı, esnek, kauçuk uçlu	29	9.981-421.0		☐
Zemin nozulları				
Bottom nozzle stainless steel AISI 316L	30	9.989-861.0		☐
Bottom nozzle Edelstahl AISI 316L blue	31	9.989-862.0		☐
Floor nozzle stainless steel AISI 316L g	32	9.989-863.0		☐
	33	9.989-864.0		☐
Floor nozzle stainless steel AISI 316L r	34	9.989-865.0		☐
	35	9.989-866.0		☐
Floor nozzle stainless steel AISI 316L t	36	9.989-867.0		☐
	37	9.989-868.0		☐
Floor nozzle stainless steel AISI 316L w	38	9.989-869.0		☐
	39	9.989-870.0		☐
Floor nozzle stainless steel AISI 316L y	40	9.989-871.0		☐
	41	9.989-872.0		☐
Floor nozzle stainless steel AISI 304 40	42	9.989-914.0		☐

■ Gönderimde dahildir ☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/30 AP

1.576-107.0



		Sipariş No.	Tanımlama	
NOZÜLLER				
Zemin nozulları				
Floor nozzle stainless steel AISI 304 40	43	9.989-915.0		☐
Floor nozzle stainless steel 400 mm DN-F	44	9.989-934.0		☐
	45	9.989-935.0		☐
Floor nozzle aluminium 400 mm DN-F40	46	9.989-936.0		☐
Floor nozzle aluminium 400 mm DN-F50	47	9.989-937.0		☐
Floor nozzle Alu 370 mm DN40	48	9.989-683.0		☐
Floor nozzle Alu el 370 mm DN40	49	9.989-682.0		☐
Floor nozzle Alu 370 mm DN50	50	9.989-664.0		☐
Multi-purpose nozzle 370mm el. leit., DN	51	9.987-612.0		☐
Floor nozzle Alu 500 mm DN50	52	9.989-684.0		☐
Multi-purpose nozzle 370mm el. leit., DN	53	9.989-558.0		☐
	54	9.988-115.0		☐
Rubber lips with molding 370mm	55	9.981-914.0		☐
Bürstenleiste Satz elektr. leitend, für	56	9.984-939.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/30 AP


1.576-107.0



57



58-59



60-61



62



63-65



66-67



68-69



70-71

		Sipariş No.	Tanımlama	
NOZÜLLER				
Aralık temizleme nozulları				
Slot nozzle flat DN50	57	9.988-117.0		☐
Crevice nozzle 18 mm × 120 mm DN50	58	9.981-442.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 17 mm slot width.	☐
Crevice nozzle 25 mm × 120 mm DN50	59	9.981-465.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 25 mm slot width.	☐
Esnek aralık nozulları				
Crevice nozzle nozzle flexible silicone	60	9.989-847.0		☐
Standard nozzle flexible Silikon FDA tra	61	9.989-848.0		☐
Nozzle Langschaft Silikon DN52	62	9.988-403.0		☐
Nozzle Crevice nozzle bendable 11 mm × 5	63	9.989-681.0		☐
Slot nozzle flexible DN 40	64	9.981-423.0		☐
Slot nozzle flexible DN 50, 20mm	65	9.981-425.0		☐
Yüzey memeleri				
Rubber nozzle silicon FDA blue DN-F40	66	9.989-849.0		☐
Standard nozzle silicon FDA blue DN-F40	67	9.989-850.0		☐
	68	9.989-851.0		☐
	69	9.989-852.0		☐
	70	9.989-853.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/30 AP

1.576-107.0



70-71



72-73



74-75



76-77



78-79



80-81



82



83



84


		Sipariş No.	Tanımlama	
NOZÜLLER				
Yüzey memeleri				
Standard nozzle silicon FDA blue DN-F40	71	9.989-854.0		☐
	72	9.989-855.0		☐
	73	9.989-856.0		☐
	74	9.989-857.0		☐
	75	9.989-858.0		☐
	76	9.989-859.0		☐
	77	9.989-860.0		☐
Nozzle with connecting piece 90° DN40	78	9.988-118.0		☐
Nozzle with connecting piece 90° DN50	79	9.988-119.0		☐
Nozzle Surface nozzle Alu 150 mm DN40	80	9.989-666.0		☐
Nozzle Surface nozzle Alu 150 mm DN50	81	9.989-665.0		☐
Likit nozüller				
Liquid nozzle 900 mm DN50	82	9.981-427.0	Bypass nozzle, DN 50, overall length: 1000 mm.	☐
Kör delik nozulları				
Nozzle Blind hole nozzle DN40	83	9.989-671.0		☐
Nozzle Blind hole nozzle bended 60° DN40	84	9.989-669.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/30 AP 1.576-107.0



85



86



87-88



89-90



91-92



93-94



95-96



97-98

		Sipariş No.	Tanımlama	
NOZÜLLER				
Kör delik nozulları				
Nozzle Blind hole nozzle bended 90° DN40	85	9.989-667.0		☐
Nozzle Blind hole nozzle bended 90° 200	86	9.989-670.0		☐
FIRÇALAR				
Kalem fırçalar				
Brush FDA blue ø 75 mm DN-F40	87	9.989-873.0		☐
Brush FDA blue ø 75 mm DN-F50	88	9.989-874.0		☐
Brush FDA green ø 75 mm DN-F40	89	9.989-875.0		☐
Brush FDA green ø 75 mm DN-F50	90	9.989-876.0		☐
Brush FDA red ø 75 mm DN-F40	91	9.989-877.0		☐
Brush FDA red ø 75 mm DN-F50	92	9.989-878.0		☐
Brush FDA white ø 75 mm DN-F40	93	9.989-879.0		☐
Brush FDA white ø 75 mm DN-F50	94	9.989-880.0		☐
Brush FDA yellow ø 75 mm DN-F40	95	9.989-881.0		☐
Brush FDA yellow ø 75 mm DN-F50	96	9.989-882.0		☐
Brush ø82 mm DN40	97	9.989-609.0		☐
Brush ø82 mm DN50	98	9.989-608.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/30 AP

1.576-107.0



		Sipariş No.	Tanımlama	
FIRÇALAR				
Yüzey fırçaları				
Brush PP 24 mm DN40	99	9.989-610.0		☐
Süpürge fırçası	100	9.981-911.0		☐
	101	9.981-912.0		☐
Silindir fırçalar				
Cylinder brush ø 100 mm F-DN40	102	9.989-922.0		☐
Cylinder brush ø 200 mm F-DN40	103	9.989-923.0		☐
Cylinder brush ø 100 mm F-DN50	104	9.989-925.0		☐
Cylinder brush ø 200 mm F-DN50	105	9.989-926.0		☐
HORTUMLAR				
ME-Schläuche				
Hose ME DN40 3 m	106	9.989-976.0		☐
Hose ME DN40 5 m	107	9.989-977.0		☐
Hose without connection ME DN40 15 m	108	9.989-978.0		☐
Hose ME DN50 3 m	109	9.989-979.0		☐
Hose ME DN50 5 m	110	9.989-980.0		☐
PVC				
Hose PVC DN40 1 m	111	9.989-626.0		☐
Hose PVC DN40 3 m	112	9.989-962.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/30 AP 1.576-107.0



112-115

116-117, 119-120,
122-123

118, 121, 124



125-126, 128

		Sipariş No.	Tanımlama	
HORTUMLAR				
PVC				
Hose PVC DN40 5 m	113	9.989-963.0		☐
Hose PVC DN50 3 m	114	9.989-964.0		☐
Hose PVC DN50 5 m	115	9.989-965.0		☐
Hose PVC DN40 3 m	116	9.989-647.0		☐
Hose PVC DN40 5 m	117	9.989-614.0		☐
Hose without connection PVC DN40 15 m	118	9.989-633.0		☐
Hose PVC DN50 3 m	119	9.989-615.0		☐
Hose PVC DN50 5 m	120	9.989-616.0		☐
Hose without connection PVC DN50 15 m	121	9.989-634.0		☐
Hose PVC DN70 3 m	122	9.989-635.0		☐
Hose PVC DN70 5 m	123	9.989-643.0		☐
Hose without connection PVC DN70 15 m	124	9.989-636.0		☐
EVA				
Hose EVA DN40 3 m	125	9.989-982.0		☐
Hose EVA DN40 5 m	126	9.989-983.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/30 AP

1.576-107.0



		Sipariş No.	Tanımlama	
HORTUMLAR				
EVA				
Hose EVA DN50 3 m	127	9.989-984.0		☐
Hose EVA DN50 5 m	128	9.989-985.0		☐
Extension hose EVA el. DN42 3m	129	9.988-088.0		☐
Extension hose EVA el. DN42 5m	130	9.988-089.0		☐
Hose without connection EVA DN40 15 m	131	9.989-630.0		☐
Extension hose EVA el. DN52 3m	132	9.988-090.0		☐
Extension hose EVA el. DN52 5m	133	9.988-091.0		☐
Hose without connection EVA DN50 15 m	134	9.989-631.0		☐
Hose EVA DN70 3 m	135	9.989-613.0		☐
Hose EVA DN70 5 m	136	9.989-624.0		☐
Hose without connection EVA DN70 15 m	137	9.989-632.0		☐
ME				
Hose connection kit DN40	138	9.989-627.0		☐
Hose connection kit DN50	139	9.989-628.0		☐
Hose connection kit DN70	140	9.989-629.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/30 AP

1.576-107.0




		Sipariş No.	Tanımlama	
HORTUMLAR				
ME				
Hose connection kit DN40	141	9.989-986.0		☐
Hose connection kit DN50	142	9.989-987.0		☐
PU				
Hose PU DN40 3 m	143	9.989-966.0		☐
Hose PU DN40 5 m	144	9.989-967.0		☐
Hose PU DN50 3 m	145	9.989-968.0		☐
Hose PU DN50 5 m	146	9.989-969.0		☐
Hose PU FDA DN40 3 m	147	9.989-970.0		☐
Hose PU FDA DN40 5 m	148	9.989-971.0		☐
Hose PU FDA DN40 15 m	149	9.989-972.0		☐
Hose PU FDA DN50 3 m	150	9.989-973.0		☐
Hose PU FDA DN50 5 m	151	9.989-974.0		☐
Hose PU FDA DN50 15 m	152	9.989-975.0		☐
Hose PU DN40 3 m	153	9.989-617.0		☐
Hose PU DN40 5 m	154	9.989-618.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/30 AP

1.576-107.0



		Sipariş No.	Tanımlama	
HORTUMLAR				
PU				
Hose without connection PU DN40 15 m	155	9.989-637.0		☐
Hose PU DN50 3 m	156	9.989-619.0		☐
Hose PU DN50 5 m	157	9.989-620.0		☐
Hose without connection PU DN50 15 m	158	9.989-638.0		☐
Hose PU DN70 3 m	159	9.989-644.0		☐
Hose PU DN70 5 m	160	9.989-645.0		☐
Hose without connection PU DN70 15 m	161	9.989-639.0		☐
ME-PU				
Hose without connection ME DN50 15 m	162	9.989-981.0		☐
Hose ME-PU DN40 3 m	163	9.989-621.0		☐
	164	9.989-622.0		☐
Hose without connection ME-PU DN40 15 m	165	9.989-640.0		☐
Hose ME-PU DN50 3 m	166	9.989-623.0		☐
Hose ME-PU DN50 5 m	167	9.989-625.0		☐
Hose without connection ME-PU DN50 15 m	168	9.989-641.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/30 AP

1.576-107.0






		Sipariş No.	Tanımlama	
HORTUMLAR				
ME-PU				
Hose ME-PU DN70 3 m	169	9.989-646.0		☐
Hose ME-PU DN70 5 m	170	9.989-648.0		☐
Hose without connection ME-PU DN70 15 m	171	9.989-642.0		☐
KOLLARI				
Elbow aluminium 45° DN40	172	9.989-544.0		☐
Elbow aluminium 45° DN50	173	9.989-547.0		☐
Handle stainless steel AISI 304	174	9.989-896.0		☐
	175	9.989-897.0		☐
Handle straight stainless steel AISI 304	176	9.989-898.0		☐
	177	9.989-899.0		☐
Handle carbon DN-F40	178	9.989-916.0		☐
Handle carbon DN-F50	179	9.989-917.0		☐
Handle carbon 110° DN-F40	180	9.989-918.0		☐
Handle carbon 110° DN-F50	181	9.989-919.0		☐
Hand grip curved 45°, DN 42	182	9.977-679.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/30 AP

1.576-107.0



		Sipariş No.	Tanımlama	
KOLLARI				
Hand grip 45°, DN 52 ohne Sterngriff	183	9.977-678.0		☐
Hand grip curved stainless steel 45° IK D	184	9.989-036.0		☐
Hand grip curved stainless steel 45°, IK	185	9.988-111.0		☐
EMİŞ BORULARI				
Suction tube carbon 1500mm DN40	186	9.989-552.0		☐
Suction tube carbon 1500mm DN50	187	9.989-553.0		☐
Suction tube stainless steel AISI 304 DN	188	9.989-912.0		☐
	189	9.989-913.0		☐
Suction tube carbon 1500 mm DN-F40	190	9.989-920.0		☐
Suction tube carbon 1500 mm DN-F50	191	9.989-921.0		☐
Suction tube aluminium high temperature	192	9.989-928.0		☐
	193	9.989-929.0		☐
	194	9.989-930.0		☐
	195	9.989-931.0		☐
	196	9.989-932.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/30 AP 1.576-107.0



		Sipariş No.	Tanımlama	
EMİŞ BORULARI				
Suction tube aluminium high temperature	197	9.989-933.0		☐
Suction tube 750 mm DN40	198	9.977-525.0		☐
Extension pipe 850mm DN 50, SBG	199	9.977-531.0		☐
Extension pipe stainless steel DN50 US	200	9.989-038.0		☐
Hand grip curved stainless steel 45°IK D	201	9.989-035.0		☐
Extension pipe stainless steel DN40 US	202	9.989-039.0		☐
Extension pipe stainless steel DN50 IK,	203	9.988-114.0		☐
DIĞER AKSESUARLAR				
IV tube holder Set	204	9.989-789.0		☐
ADAPTÖRLER / REDÜKTÖRLER / DİSTRİBÜTÖRLER				
Adaptör Aksesuarı				
Adapter DN70 auf Bajonett 2.0 elektr. le	205	9.990-874.0		☐
Adapter DN50/DN51	206	9.989-603.0		☐
Adapter DN51/DN50	207	9.989-601.0		☐
Adapter DN50/DN61	208	9.989-602.0		☐
Adapter DN61/DN50	209	9.989-604.0		☐
Redüktörler				
Reducer stainless steel AISI 304	210	9.989-893.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVC 60/30 AP 1.576-107.0



		Sipariş No.	Tanımlama	
ADAPTÖRLER / REDÜKTÖRLER / DİSTRİBÜTÖRLER				
Redüktörler				
Reducer DN 70/DN 50 (SBG)	211	9.977-772.0		☐
Reducer DN70/DN40	212	9.989-690.0		☐
Reducer V2A DN72 auf DN52	213	9.989-712.0		☐
Reducer V2A DN70/DN40	214	9.989-713.0		☐
Distribütörler				
Distribütör Y-piece stainless steel AISI	215	9.989-894.0		☐
	216	9.989-895.0		☐
Distribütör DN70/DN50/DN50	217	9.989-611.0		☐
ÖN AYIRICI				
Separator Tc Op Liquid 125 l DN70	218	9.989-686.0		☐

☐ Mevcut aksesuarlar