

## IVR-L 40/12-1

IVR-L grubundaki en küçük ürün IVR-L 40/12-1 dir. Metal işleme endüstrisinde sıvı veya talaş vakumlamada kullanım için idealdir.



### Sipariş No.

9.986-054.0

- Çok az yer kaplayan kompakt yapı
- Dolum seviyesi göstergesi

### Teknik veriler

|                              |               |                         |
|------------------------------|---------------|-------------------------|
| EAN Kodu                     | 4054278029689 |                         |
| Gerilim / Volt               | Fh / V / Hz   | 1 / 220 - 240 / 50 - 60 |
| Hava debisi                  | l/s / m³/sa   | 59 / 212,4              |
| Vakum gücü                   | mbar / kPa    | 230 / 23                |
| Konteyner kapasitesi         | l             | 40                      |
| Konteyner malzemesi          |               | Metal                   |
| Motor değerleri              | kW            | 1,2                     |
| Vakum Tipi                   |               | Elektrik                |
| Bağlantı çapı                |               | ID 50                   |
| Standard aksesuar çapı       |               | ID 40                   |
| Ana filtre toz sınıfı        |               | L                       |
| Ana filtre için filtre alanı | m²            | 0,25                    |
| Aksesuarsız ağırlık          | kg            | 33                      |
| Aksesuarlı ağırlık           | kg            | 34                      |
| Ağırlık (paketlenmiş)        | kg            | 34                      |
| Boyutlar (U × G × Y)         | mm            | 711 × 523 × 960         |

Kullanıcılar bu cihazla ilgili eğitim almalıdır.

### Ekipman

|                            |                         |
|----------------------------|-------------------------|
| Makineye dahil aksesuarlar | hayır                   |
| Konteyner boşaltma         | İndirilebilir konteyner |

■ Gönderimde dahildir



## Güvenilir taşma koruması

- Mekanik şamandıra, toplama kabının aşırı doldurulmasını etkili bir şekilde önler.
- Vakumlanan sıvı miktarını kontrol etmek için şeffaf hortum.
- Hortum aynı zamanda kolay tahliye için de kullanılır.



## Yüksek sağlamlık, esneklik ve modülerlik

- Makine ve şasi çok sağlamdır ve yüksek et kalınlıklarıyla donatılmıştır.
- 360°'ye kadar dönebilen hortum bağlantısı.
- İsteğe bağlı olarak taşma koruması, süzgeç veya aksesuar tutucusu mevcuttur.



## L toz sınıfına ait kompakt yüzey filtresiyle donatılmıştır

- Kaba partiküllerin emiş türbinlerine girmesini güvenilir bir şekilde önler.

# İÇİN AKSESUAR IVR-L 40/12-1

## 9.986-054.0



|                                            |    | Sipariş No. | Tanımlama                                                               |                          |
|--------------------------------------------|----|-------------|-------------------------------------------------------------------------|--------------------------|
| <b>AKSESUAR SETLERİ</b>                    |    |             |                                                                         |                          |
| <b>Sıvılar / talaş</b>                     |    |             |                                                                         |                          |
| Floor Cleaning Kit liquid Advanced DN40    | 1  | 9.990-895.0 |                                                                         | <input type="checkbox"/> |
| <b>NOZÜLLER</b>                            |    |             |                                                                         |                          |
| <b>Standart nozullar</b>                   |    |             |                                                                         |                          |
| Standard nozzle PVC DN40                   | 2  | 9.989-674.0 |                                                                         | <input type="checkbox"/> |
| Standard nozzle PVC DN50                   | 3  | 9.989-673.0 |                                                                         | <input type="checkbox"/> |
| Nozzle elastic silicon DN42                | 4  | 9.988-401.0 |                                                                         | <input type="checkbox"/> |
| Nozzle elastic silicon DN52                | 5  | 9.988-402.0 |                                                                         | <input type="checkbox"/> |
| Standard nozzle rubber cuttable DN40       | 6  | 9.989-677.0 |                                                                         | <input type="checkbox"/> |
| Standard nozzle rubber cuttable DN50       | 7  | 9.989-675.0 |                                                                         | <input type="checkbox"/> |
| Standard aluminium nozzle DN40             | 8  | 9.980-748.0 | Diagonal nozzle made from anodised aluminium, electroconductive, DN 40. | <input type="checkbox"/> |
| Standard aluminium nozzle DN50             | 9  | 9.980-749.0 | Diagonal nozzle made from anodised aluminium, electroconductive, DN 50. | <input type="checkbox"/> |
| <b>Bükülebilir standart nozullar</b>       |    |             |                                                                         |                          |
| Nozzle flexible rubber mouthpiece DN40/D   | 10 | 9.981-420.0 |                                                                         | <input type="checkbox"/> |
| Nozul, çinko kaplamalı, esnek, kauçuk uçlu | 11 | 9.981-421.0 |                                                                         | <input type="checkbox"/> |
| <b>Zemin nozulları</b>                     |    |             |                                                                         |                          |
| Floor nozzle Alu 370 mm DN40               | 12 | 9.989-683.0 |                                                                         | <input type="checkbox"/> |
| Floor nozzle Alu el 370 mm DN40            | 13 | 9.989-682.0 |                                                                         | <input type="checkbox"/> |
| Floor nozzle Alu 370 mm DN50               | 14 | 9.989-664.0 |                                                                         | <input type="checkbox"/> |

■ Gönderimde dahildir    □ Mevcut aksesuarlar

# İÇİN AKSESUAR IVR-L 40/12-1

## 9.986-054.0



|                                          |    | Sipariş No. | Tanımlama                                                                             |                          |
|------------------------------------------|----|-------------|---------------------------------------------------------------------------------------|--------------------------|
| <b>NOZÜLLER</b>                          |    |             |                                                                                       |                          |
| <b>Zemin nozulları</b>                   |    |             |                                                                                       |                          |
| Multi-purpose nozzle 370mm el. leit., DN | 15 | 9.987-612.0 |                                                                                       | <input type="checkbox"/> |
| Floor nozzle Alu 500 mm DN50             | 16 | 9.989-684.0 |                                                                                       | <input type="checkbox"/> |
| Multi-purpose nozzle 370mm el. leit., DN | 17 | 9.989-558.0 |                                                                                       | <input type="checkbox"/> |
|                                          | 18 | 9.988-115.0 |                                                                                       | <input type="checkbox"/> |
| Rubber lips with molding 370mm           | 19 | 9.981-914.0 |                                                                                       | <input type="checkbox"/> |
| Bürstenleiste Satz elektr. leitend, für  | 20 | 9.984-939.0 |                                                                                       | <input type="checkbox"/> |
| <b>Aralık temizleme nozulları</b>        |    |             |                                                                                       |                          |
| Slot nozzle flat DN50                    | 21 | 9.988-117.0 |                                                                                       | <input type="checkbox"/> |
| Crevice nozzle 18 mm × 120 mm DN50       | 22 | 9.981-442.0 | Electroconductive crevice nozzle made from sheet steel, DN 50, with 17 mm slot width. | <input type="checkbox"/> |
| Crevice nozzle 25 mm × 120 mm DN50       | 23 | 9.981-465.0 | Electroconductive crevice nozzle made from sheet steel, DN 50, with 25 mm slot width. | <input type="checkbox"/> |
| <b>Esnek aralık nozulları</b>            |    |             |                                                                                       |                          |
| Nozzle Langschaft Silikon DN52           | 24 | 9.988-403.0 |                                                                                       | <input type="checkbox"/> |
| Nozzle Crevice nozzle bendable 11 mm × 5 | 25 | 9.989-681.0 |                                                                                       | <input type="checkbox"/> |
| Slot nozzle flexible DN 40               | 26 | 9.981-423.0 |                                                                                       | <input type="checkbox"/> |
| Slot nozzle flexible DN 50, 20mm         | 27 | 9.981-425.0 |                                                                                       | <input type="checkbox"/> |
| <b>Yüzey memeleri</b>                    |    |             |                                                                                       |                          |
| Nozzle with connecting piece 90° DN40    | 28 | 9.988-118.0 |                                                                                       | <input type="checkbox"/> |

■ Gönderimde dahildir □ Mevcut aksesuarlar

# İÇİN AKSESUAR IVR-L 40/12-1

## 9.986-054.0



|                                          |    | Sipariş No. | Tanımlama                                      |                          |
|------------------------------------------|----|-------------|------------------------------------------------|--------------------------|
| <b>NOZÜLLER</b>                          |    |             |                                                |                          |
| <b>Yüzey memeleri</b>                    |    |             |                                                |                          |
| Nozzle with connecting piece 90° DN50    | 29 | 9.988-119.0 |                                                | <input type="checkbox"/> |
| Nozzle Surface nozzle Alu 150 mm DN40    | 30 | 9.989-666.0 |                                                | <input type="checkbox"/> |
| Nozzle Surface nozzle Alu 150 mm DN50    | 31 | 9.989-665.0 |                                                | <input type="checkbox"/> |
| <b>Likit nozüller</b>                    |    |             |                                                |                          |
| Liquid nozzle 900 mm DN50                | 32 | 9.981-427.0 | Bypass nozzle, DN 50, overall length: 1000 mm. | <input type="checkbox"/> |
| <b>Kör delik nozulları</b>               |    |             |                                                |                          |
| Nozzle Blind hole nozzle DN40            | 33 | 9.989-671.0 |                                                | <input type="checkbox"/> |
| Nozzle Blind hole nozzle bended 60° DN40 | 34 | 9.989-669.0 |                                                | <input type="checkbox"/> |
| Nozzle Blind hole nozzle bended 90° DN40 | 35 | 9.989-667.0 |                                                | <input type="checkbox"/> |
| Nozzle Blind hole nozzle bended 90° 200  | 36 | 9.989-670.0 |                                                | <input type="checkbox"/> |
| <b>FIRÇALAR</b>                          |    |             |                                                |                          |
| <b>Kalem fırçalar</b>                    |    |             |                                                |                          |
| Brush ø82 mm DN40                        | 37 | 9.989-609.0 |                                                | <input type="checkbox"/> |
| Brush ø82 mm DN50                        | 38 | 9.989-608.0 |                                                | <input type="checkbox"/> |
| <b>Yüzey fırçaları</b>                   |    |             |                                                |                          |
| Brush PP 24 mm DN40                      | 39 | 9.989-610.0 |                                                | <input type="checkbox"/> |
| Süpürge fırçası                          | 40 | 9.981-911.0 |                                                | <input type="checkbox"/> |
|                                          | 41 | 9.981-912.0 |                                                | <input type="checkbox"/> |
| <b>HORTUMLAR</b>                         |    |             |                                                |                          |
| <b>EVA</b>                               |    |             |                                                |                          |
| Extension hose EVA el. DN42 3m           | 42 | 9.988-088.0 |                                                | <input type="checkbox"/> |

■ Gönderimde dahildir □ Mevcut aksesuarlar

# İÇİN AKSESUAR IVR-L 40/12-1

## 9.986-054.0




|                                          |    | Sipariş No. | Tanımlama |                          |
|------------------------------------------|----|-------------|-----------|--------------------------|
| <b>HORTUMLAR</b>                         |    |             |           |                          |
| <b>EVA</b>                               |    |             |           |                          |
| Extension hose EVA el. DN42 5m           | 43 | 9.988-089.0 |           | <input type="checkbox"/> |
| <b>ME</b>                                |    |             |           |                          |
| Hose connection kit DN40                 | 44 | 9.989-627.0 |           | <input type="checkbox"/> |
| <b>PU</b>                                |    |             |           |                          |
| Hose PU DN40 3 m                         | 45 | 9.989-617.0 |           | <input type="checkbox"/> |
| Hose PU DN40 5 m                         | 46 | 9.989-618.0 |           | <input type="checkbox"/> |
| Hose without connection PU DN40 15 m     | 47 | 9.989-637.0 |           | <input type="checkbox"/> |
| <b>ME-PU</b>                             |    |             |           |                          |
| Hose ME-PU DN40 3 m                      | 48 | 9.989-621.0 |           | <input type="checkbox"/> |
|                                          | 49 | 9.989-622.0 |           | <input type="checkbox"/> |
| Hose without connection ME-PU DN40 15 m  | 50 | 9.989-640.0 |           | <input type="checkbox"/> |
| <b>KOLLARI</b>                           |    |             |           |                          |
| Elbow aluminium 45° DN40                 | 51 | 9.989-544.0 |           | <input type="checkbox"/> |
| Elbow aluminium 45° DN50                 | 52 | 9.989-547.0 |           | <input type="checkbox"/> |
| Hand grip curved 45°, DN 42              | 53 | 9.977-679.0 |           | <input type="checkbox"/> |
| Hand grip 45°, DN 52 ohne Sterngriff     | 54 | 9.977-678.0 |           | <input type="checkbox"/> |
| Hand grip curved stainless steel 45°IK D | 55 | 9.989-036.0 |           | <input type="checkbox"/> |
| Hand grip curved stainless steel 45°, IK | 56 | 9.988-111.0 |           | <input type="checkbox"/> |

☐ Mevcut aksesuarlar

# İÇİN AKSESUAR IVR-L 40/12-1

## 9.986-054.0



|                                                  |    | Sipariş No. | Tanımlama |                          |
|--------------------------------------------------|----|-------------|-----------|--------------------------|
| <b>EMİŞ BORULARI</b>                             |    |             |           |                          |
| Suction tube carbon 1500mm DN40                  | 57 | 9.989-552.0 |           | <input type="checkbox"/> |
| Suction tube carbon 1500mm DN50                  | 58 | 9.989-553.0 |           | <input type="checkbox"/> |
| Suction tube 750 mm DN40                         | 59 | 9.977-525.0 |           | <input type="checkbox"/> |
| Extension pipe 850mm DN 50, SBG                  | 60 | 9.977-531.0 |           | <input type="checkbox"/> |
| Extension pipe stainless steel DN50 US           | 61 | 9.989-038.0 |           | <input type="checkbox"/> |
| Hand grip curved stainless steel 45°IK D         | 62 | 9.989-035.0 |           | <input type="checkbox"/> |
| Extension pipe stainless steel DN40 US           | 63 | 9.989-039.0 |           | <input type="checkbox"/> |
| Extension pipe stainless steel DN50 IK,          | 64 | 9.988-114.0 |           | <input type="checkbox"/> |
| <b>ADAPTÖRLER / REDÜKTÖRLER / DİSTRİBÜTÖRLER</b> |    |             |           |                          |
| <b>Adaptör Aksesuarı</b>                         |    |             |           |                          |
| Adapter DN50/DN51                                | 65 | 9.989-603.0 |           | <input type="checkbox"/> |
| Adapter DN51/DN50                                | 66 | 9.989-601.0 |           | <input type="checkbox"/> |
| Adapter DN50/DN61                                | 67 | 9.989-602.0 |           | <input type="checkbox"/> |
| Adapter DN61/DN50                                | 68 | 9.989-604.0 |           | <input type="checkbox"/> |
| <b>BOŞALTMA DESTEKLERİ</b>                       |    |             |           |                          |
| <b>Süzgeç sepetleri</b>                          |    |             |           |                          |
| Talaş sepeti, 20 l                               | 69 | 9.980-852.0 |           | <input type="checkbox"/> |
| <b>Diğer boşaltma yardımcıları</b>               |    |             |           |                          |
| Şamandıra parçası                                | 70 | 9.982-118.0 |           | <input type="checkbox"/> |

☐ Mevcut aksesuarlar

# İÇİN AKSESUAR IVR-L 40/12-1

## 9.986-054.0




71



72



73



74-76

|                                                   |    | Sipariş No. | Tanımlama                                                                |                          |
|---------------------------------------------------|----|-------------|--------------------------------------------------------------------------|--------------------------|
| <b>BOŞALTMA DESTEKLERİ</b>                        |    |             |                                                                          |                          |
| <b>İnce polar</b>                                 |    |             |                                                                          |                          |
| Filter fine fleece PE 20 l                        | 71 | 9.989-612.0 |                                                                          | <input type="checkbox"/> |
| <b>ÖN AYIRICI</b>                                 |    |             |                                                                          |                          |
| <b>Ön ayırıcı</b>                                 |    |             |                                                                          |                          |
| Separator Tc Op Liquid 125 l DN70                 | 72 | 9.989-686.0 |                                                                          | <input type="checkbox"/> |
| Pre-separator tank 200 l                          | 73 | 9.989-685.0 |                                                                          | <input type="checkbox"/> |
| <b>Ön ayırıcı kapak</b>                           |    |             |                                                                          |                          |
| Pre-separator cover Op liquids ø 517 mm DN70      | 74 | 9.981-666.0 | Pre-separator cover DN 70. Suitable for containers with 517 mm diameter. | <input type="checkbox"/> |
| Pre-separator cover solid materials ø 517 mm DN70 | 75 | 9.981-665.0 |                                                                          | <input type="checkbox"/> |
| Pre-separator cover solid materials ø 575 mm DN70 | 76 | 9.981-661.0 | Pre-separator cover DN 70 for 200 litre standard drum                    | <input type="checkbox"/> |

☐ Mevcut aksesuarlar