

IVR-L 120/24-2 TC ME DP

IVR-L 120/24-2 Tc Me Dp, 120 litre konteyneri ve otonom pompası ile metal talaşı içeren soğutma veya kesme sıvılarının vakumlanması, ayrıştırılması ve geri dönüştürülmesi için idealdir.



Sipariş No.

9.987-890.0

- Devrilebilir şasi
- Paslanmaz çelik konteyner
- Varil pompası fonksiyonu

Teknik veriler

EAN Kodu		4054278275895
Gerilim / Volt	Fh / V / Hz	1 / 220 - 240 / 50 - 60
Hava debisi	l/s / m³/sa	148 / 532
Vakum gücü	mbar / kPa	235 / 23
Konteyner kapasitesi	l	120
Konteyner malzemesi		Paslanmaz çelik
Motor değerleri	kW	2,4
Vakum Tipi		Elektrik
Bağlantı çapı		ID 50
Standard aksesuar çapı		ID 50 / ID 40
Ana filtre toz sınıfı		L
Ana filtre için filtre alanı	m²	0,45
Aksesuarsız ağırlık	kg	72
Aksesuarlı ağırlık	kg	72
Ağırlık (paketlenmiş)	kg	72
Boyutlar (U x G x Y)	mm	745 x 710 x 1420

Ekipman

Makineye dahil aksesuarlar	hayır
Varil pompası fonksiyonu	■
Konteyner boşaltma	Devrilebilir şasi

■ Gönderimde dahildir

Kullanıcılar bu cihazla ilgili eğitim almalıdır.



Ergonomik devrilebilir şasi

- Güvenli, manuel ve zahmetsiz boşaltma için gelişmiş sistem.
- Şasi sistemi, roll-off mekanizmasını kullanarak ergonomik eğimli boşaltma sağlar.
- Konteynerin hızla ve kolaylıkla boşaltılması: sadece arkaya doğru dokunun ve işte bu kadar!



Yüksek kaliteli paslanmaz çelik toplama kabı


- Temizlenmesi aşırı kolay.
- Aşındırıcı emiş malzemeleri için uygundur.
- Dolum seviyesi göstergesi ve sıvıların boşaltılması için şeffaf hortum.

Varil pompası fonksiyonu

- Bağımsız çalışan bir fiçi pompası, çekilen maddelerin geri döndürülmesini önemli ölçüde artırır.
- Vakumlanan sıvı miktarını kontrol etmek için şeffaf hortum.

İÇİN AKSESUAR IVR-L 120/24-2 TC ME DP

9.987-890.0



		Sipariş No.	Tanımlama	
DIĞER AKSESUARLAR				
Bölme plakası	1	9.980-857.0		■
KOLLARI				
Elbow aluminium 45° DN40	2	9.989-544.0		☐
Elbow aluminium 45° DN50	3	9.989-547.0		☐
Hand grip curved 45°, DN 42	4	9.977-679.0		☐
Hand grip 45°, DN 52 ohne Sterngriff	5	9.977-678.0		☐
Hand grip curved stainless steel 45°IK D	6	9.989-036.0		☐
Hand grip curved stainless steel 45°, IK	7	9.988-111.0		☐
EMİŞ BORULARI				
Suction tube carbon 1500mm DN40	8	9.989-552.0		☐
Suction tube carbon 1500mm DN50	9	9.989-553.0		☐
Suction tube 750 mm DN40	10	9.977-525.0		☐
Extension pipe 850mm DN 50, SBG	11	9.977-531.0		☐
Extension pipe stainless steel DN50 US	12	9.989-038.0		☐
Hand grip curved stainless steel 45°IK D	13	9.989-035.0		☐
Extension pipe stainless steel DN40 US	14	9.989-039.0		☐

■ Gönderimde dahildir ☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVR-L 120/24-2 TC ME DP

9.987-890.0



		Sipariş No.	Tanımlama	
EMİŞ BORULARI				
Extension pipe stainless steel DN50 IK,	15	9.988-114.0		☐
AKSESUAR SETLERİ				
Sıvılar				
Accessories kit liquid DN40	16	9.990-878.0		☐
Accessories kit liquid DN50	17	9.990-879.0		☐
Sıvılar / talaş				
Accessories kit liquid swarf DN40	18	9.990-880.0		☐
Accessories kit liquid swarf DN50	19	9.990-881.0		☐
Floor Cleaning Kit liquid Advanced DN40	20	9.990-895.0		☐
Floor Cleaning Kit liquid Advanced DN50	21	9.990-896.0		☐
NOZÜLLER				
Standart nozullar				
Standard nozzle PVC DN40	22	9.989-674.0		☐
Standard nozzle PVC DN50	23	9.989-673.0		☐
Nozzle elastic silicon DN42	24	9.988-401.0		☐
Nozzle elastic silicon DN52	25	9.988-402.0		☐
Standard nozzle rubber cuttable DN40	26	9.989-677.0		☐
Standard nozzle rubber cuttable DN50	27	9.989-675.0		☐
Standard aluminium nozzle DN40	28	9.980-748.0	Diagonal nozzle made from anodised aluminium, electroconductive, DN 40.	☐

■ Gönderimde dahildir □ Mevcut aksesuarlar

İÇİN AKSESUAR IVR-L 120/24-2 TC ME DP

9.987-890.0



		Sipariş No.	Tanımlama	
NOZÜLLER				
Standart nozullar				
Standard aluminium nozzle DN50	29	9.980-749.0	Diagonal nozzle made from anodised aluminium, electroconductive, DN 50.	☐
Bükülebilir standart nozullar				
Nozzle flexible rubber mouthpiece DN40/D	30	9.981-420.0		☐
Nozul, çinko kaplamalı, esnek, kauçuk uçlu	31	9.981-421.0		☐
Zemin nozulları				
Floor nozzle Alu 370 mm DN40	32	9.989-683.0		☐
Floor nozzle Alu el 370 mm DN40	33	9.989-682.0		☐
Floor nozzle Alu 370 mm DN50	34	9.989-664.0		☐
Multi-purpose nozzle 370mm el. leit., DN	35	9.987-612.0		☐
Floor nozzle Alu 500 mm DN50	36	9.989-684.0		☐
Multi-purpose nozzle 370mm el. leit., DN	37	9.989-558.0		☐
	38	9.988-115.0		☐
Rubber lips with molding 370mm	39	9.981-914.0		☐
Bürstenleiste Satz elektr. leitend, für	40	9.984-939.0		☐
Aralık temizleme nozulları				
Slot nozzle flat DN50	41	9.988-117.0		☐
Crevise nozzle 18 mm × 120 mm DN50	42	9.981-442.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 17 mm slot width.	☐

■ Gönderimde dahildir ☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVR-L 120/24-2 TC ME DP

9.987-890.0



		Sipariş No.	Tanımlama	
NOZÜLLER				
Aralık temizleme nozulları				
Crevice nozzle 25 mm × 120 mm DN50	43	9.981-465.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 25 mm slot width.	☐
Esnek aralık nozulları				
Nozzle Langschaft Silikon DN52	44	9.988-403.0		☐
Nozzle Crevice nozzle bendable 11 mm × 5	45	9.989-681.0		☐
Slot nozzle flexible DN 40	46	9.981-423.0		☐
Slot nozzle flexible DN 50, 20mm	47	9.981-425.0		☐
Yüzey memeleri				
Nozzle with connecting piece 90° DN40	48	9.988-118.0		☐
Nozzle with connecting piece 90° DN50	49	9.988-119.0		☐
Nozzle Surface nozzle Alu 150 mm DN40	50	9.989-666.0		☐
Nozzle Surface nozzle Alu 150 mm DN50	51	9.989-665.0		☐
Likit nozüller				
Liquid nozzle 900 mm DN50	52	9.981-427.0	Bypass nozzle, DN 50, overall length: 1000 mm.	☐
Kör delik nozulları				
Nozzle Blind hole nozzle DN40	53	9.989-671.0		☐
Nozzle Blind hole nozzle bended 60° DN40	54	9.989-669.0		☐
Nozzle Blind hole nozzle bended 90° DN40	55	9.989-667.0		☐
Nozzle Blind hole nozzle bended 90° 200	56	9.989-670.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVR-L 120/24-2 TC ME DP

9.987-890.0



57-58



59




60-61



62-64



65



66-67



68-69, 71-72



70, 73

		Sipariş No.	Tanımlama	
FIRÇALAR				
Kalem fırçalar				
Brush ø82 mm DN40	57	9.989-609.0		☐
Brush ø82 mm DN50	58	9.989-608.0		☐
Yüzey fırçaları				
Brush PP 24 mm DN40	59	9.989-610.0		☐
Süpürge fırçası	60	9.981-911.0		☐
	61	9.981-912.0		☐
HORTUMLAR				
EVA				
Extension hose EVA el. DN42 3m	62	9.988-088.0		☐
Extension hose EVA el. DN42 5m	63	9.988-089.0		☐
Extension hose EVA el. DN52 3m	64	9.988-090.0		☐
Extension hose EVA el. DN52 5m	65	9.988-091.0		☐
ME				
Hose connection kit DN40	66	9.989-627.0		☐
Hose connection kit DN50	67	9.989-628.0		☐
PU				
Hose PU DN40 3 m	68	9.989-617.0		☐
Hose PU DN40 5 m	69	9.989-618.0		☐
Hose without connection PU DN40 15 m	70	9.989-637.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVR-L 120/24-2 TC ME DP

9.987-890.0





		Sipariş No.	Tanımlama	
HORTUMLAR				
PU				
Hose PU DN50 3 m	71	9.989-619.0		☐
Hose PU DN50 5 m	72	9.989-620.0		☐
Hose without connection PU DN50 15 m	73	9.989-638.0		☐
ME-PU				
Hose ME-PU DN40 3 m	74	9.989-621.0		☐
	75	9.989-622.0		☐
Hose without connection ME-PU DN40 15 m	76	9.989-640.0		☐
Hose ME-PU DN50 3 m	77	9.989-623.0		☐
Hose ME-PU DN50 5 m	78	9.989-625.0		☐
Hose without connection ME-PU DN50 15 m	79	9.989-641.0		☐
ADAPTÖRLER / REDÜKTÖRLER / DİSTRİBÜTÖRLER				
Adaptör Aksesuarı				
Adapter DN50/DN51	80	9.989-603.0		☐
Adapter DN51/DN50	81	9.989-601.0		☐
Adapter DN50/DN61	82	9.989-602.0		☐
Adapter DN61/DN50	83	9.989-604.0		☐
FİLTRELER				
Yüzey filtreleri				
Surface filter 0,45m², Kat. "L", W2K	84	9.988-256.0		☐

☐ Mevcut aksesuarlar

İÇİN AKSESUAR IVR-L 120/24-2 TC ME DP

9.987-890.0



		Sipariş No.	Tanımlama	
BOŞALTMA DESTEKLERİ				
Süzgeç sepetleri				
Talaş sepeti 40 l	85	9.980-849.0		☐
Diğer boşaltma yardımcıları				
Şamandıra parçası	86	9.982-117.0		☐
İnce polar				
İnce yün, 40 l talaş sepeti	87	9.981-048.0		☐
ÖN AYIRICI				
Ön ayırıcı				
Separator Tc Op Liquid 125 l DN70	88	9.989-686.0		☐
Pre-separator tank 200 l	89	9.989-685.0		☐
Ön ayırıcı kapak				
Pre-separator cover Op liquids ø 517 mm DN70	90	9.981-666.0	Pre-separator cover DN 70. Suitable for containers with 517 mm diameter.	☐
Pre-separator cover solid materials ø 517 mm DN70	91	9.981-665.0		☐
Pre-separator cover solid materials ø 575 mm DN70	92	9.981-661.0	Pre-separator cover DN 70 for 200 litre standard drum	☐

☐ Mevcut aksesuarlar