

Printing date 19.02.2021 Version number 2 Revision: 01.10.2020

1 Identification

- · Product identifier
- · Trade name: CarpetPro Cleaner iCapsol RM 768
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Carpet shampoo
- · Uses advised against -
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher Pty. Ltd.

385 Ferntree Gully Rd Mount Waverley, Victoria 3149 Victoria

Ph.: +61-3-9765-2300

Internet: www.karcher.com

Distributor:
 Kärcher Pty. Ltd.

385 Ferntree Gully Rd
Mount Waverley, Victoria 3149
Victoria

Ph.: +61-3-9765-2300 www.karcher.com.au

Email competent person: safetydata@kaercher.com

· Further information obtainable from:

Department CSD-D Tel.: +49-7195-14-2548

 $products a fety. management @\,de.kaercher.com$

· Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

2 Hazard(s) Identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

(Contd. on page 2)



Printing date 19.02.2021 Version number 2 Revision: 01.10.2020

Trade name: CarpetPro Cleaner iCapsol RM 768

(Contd. of page 1)

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms

Exclamation mark



GHS07

- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Cleaning agent

· Dangerous components:			
68439-57-6 Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	5-10%		
69011-36-5 isotridecanolethoxylate + 5 EO	0.1-1%		
🕔 Eye Irrit. 2A, H319			

· Additional information For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · Description of first aid measures
- · General information Involve doctor immediately.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Rinse with warm water.

(Contd. on page 3)



Printing date 19.02.2021 Version number 2 Revision: 01.10.2020

Trade name: CarpetPro Cleaner iCapsol RM 768

(Contd. of page 2)

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

AU -



Printing date 19.02.2021 Version number 2 Revision: 01.10.2020

Trade name: CarpetPro Cleaner iCapsol RM 768

(Contd. of page 3)

7 Handling and Storage

- · Handling
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:

Filter A/P2.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

- · Protection of hands: Not required.
- · Material of gloves Butvl rubber. BR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · For the permanent contact gloves made of the following materials are suitable:
- * butyl rubber 0,7 mm, 480 min (EN 374)
- As protection from splashes gloves made of the following materials are suitable:
 - * nitril rubber 0,4 mm, 30 min (EN 374)

(Contd. on page 5)



Version number 2 Revision: 01.10.2020 Printing date 19.02.2021

Trade name: CarpetPro Cleaner iCapsol RM 768

· Eye protection:

(Contd. of page 4)



Tightly sealed goggles (EN 166)

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:

Fluid

Colour:

Yellowish

· Odour:

fresh

· Odour threshold:

Not determined.

· pH-value at 20 °C:

6

· pH 1 % dem.

7.2

· Change in condition

Melting point/freezing point:

0°C

Initial boiling point and boiling range: 100 °C

· Flash point:

Not applicable

· Flammability (solid, gaseous)

Not applicable.

· Ignition temperature:

not applicable

· Decomposition temperature:

Not determined. Product is not selfigniting.

· Auto-ignition temperature: · Explosive properties:

Product does not present an explosion hazard.

· Explosion limits:

Lower:

Not determined.

Upper:

Not determined.

· Vapour pressure at 20 °C:

23 hPa

· Density at 20 °C:

1.044 g/cm³

· Relative density

Not determined.

· Vapour density

Not determined.

· Evaporation rate

Not determined.

· Solubility in / Miscibility with

Water:

Fully miscible

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

dynamic at 20 °C:

4 mPas

(Contd. on page 6)



Printing date 19.02.2021 Version number 2 Revision: 01.10.2020

Trade name: CarpetPro Cleaner iCapsol RM 768

		(Contd. of page 5
kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.1 %	
VOC (EC)	0.09 %	
Solids content:	14.1 %	
· Other information	No further relevant information available.	

10 Stability and Reactivity

- · Reactivity corresponds to 10.3
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity

Acute	Oxidity				
· LD/LC50	· LD/LC50 values relevant for classification:				
68439-57	68439-57-6 Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts				
Dermal	LD50	6,300 mg/kg (Rabbit) (OECD 402)			
6419-19-	6419-19-8 nitrilotrimethylenetris(phosphonic acid)				
Inhalativ	e LC50	>5,000 mg/kg (Rat)			
69011-36	69011-36-5 isotridecanolethoxylate + 5 EO				
Oral	LD50	>5,000 mg/kg (Rat)			

- · Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation

Irritating effect.

69011-36-5 isotridecanolethoxylate + 5 EO: specific concentration limit for H318: 10% (BCOP test, OECD 437)

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

(Contd. on page 7)



Revision: 01.10.2020 Version number 2 Printing date 19.02.2021

Trade name: CarpetPro Cleaner iCapsol RM 768

(Contd. of page 6)

12 Ecological Information

· Toxicity

Irritant

· Aquatic toxicity:						
68439-57-6 Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts						
LC50/96 h	4.2 mg/l (Danio rerio) (OECD 203)					
EC50/48 h	4.53 mg/l (Daphnia sp.) (OECD 202)					
EC50/72 h	5.2 mg/l (Algae) (OECD 201)					
EC50	230 mg/l (bacteria) (OECD 209)					
69011-36-5	69011-36-5 isotridecanolethoxylate + 5 EO					
LC50/96 h	1-10 mg/l (Leuciscus idus)					
EC50/48 h	1-10 mg/l (Aquatic invertebrates)					
EC50/72 h	1-10 mg/l (Aquatic plants)					

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · COD-value: 250000 mg/l
- · General notes:

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on ligid waste.

The product does not contain organically bounded halogens (AOX-free).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

· vPvB: Not applicable.

(Contd. on page 8)



Printing date 19.02.2021 Version number 2 Revision: 01.10.2020

Trade name: CarpetPro Cleaner iCapsol RM 768

(Contd. of page 7)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

- · Uncleaned packaging:
- · Recommendation: Non contaminated packagings may be recycled.
- · Recommended cleansing agents: Water, if necessary together with cleaning agents.

4 Transport information	
· UN-Number · ADG, ADN, IMDG, IATA	Void
· · · · ·	Void
· UN proper shipping name · ADG, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADG, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· ADG, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex	II of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- $\cdot \ \textbf{Australian Inventory of Industrial Chemicals}$

7732-18-5 water

(Contd. on page 9)



Printing date 19.02.2021 Version number 2 Revision: 01.10.2020

Trade name: CarpetPro Cleaner iCapsol RM 768

		(Contd. of page 8)	
	Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts		
164462-16-2	methylglycine diacetic acid, trisodium salt, solution		
6419-19-8	nitrilotrimethylenetris(phosphonic acid)		
18479-58-8	Dihydromyrcenol		
2050-08-0	Amyl salicylate		
32210-23-4	4-tert-butylcyclohexyl acetate		
88-41-5	2-tert-butylcyclohexyl acetate		
98-55-5	alpha-Terpineol		
106-24-1	Geraniol		
76-22-2	1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one		
110-41-8	2-methylundecanal		
3407-42-9	3-(5,5,6-Trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol		
122-40-7	alpha-Amylcinnamaldehyde		
2634-33-5	1,2-benzisothiazol-3(2H)-one		
5989-27-5	(R)-p-mentha-1,8-diene		
5392-40-5	Citral		
91-64-5	Coumarin		
79-77-6	(E)betalonone		
27939-60-2	Dimethylcyclohex-3-ene-1-carbaldehyde (isomer unspecified)		
· Standard for the Uniform Scheduling of Medicines and Poisons			
122-99-6 2-	-Phenoxyethanol	S6	
76-22-2 1,	7,7-Trimethylbicyclo[2.2.1]heptan-2-one	S5, S6	
5392-40-5 C	itral	S5	
91-64-5 C	oumarin	S4	

- · National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

· Department issuing SDS: CSD-D

(Contd. on page 10)



Printing date 19.02.2021 Version number 2 Revision: 01.10.2020

Trade name: CarpetPro Cleaner iCapsol RM 768

(Contd. of page 9)

· Contact:

Department CSD-D Tel.: +49-7195-14-2548

productsafety.management@de.kaercher.com

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

· * Data compared to the previous version altered.

0.011-358.0

RM 768 Enc/7

2.271

AU ·