# KARCHER :

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.03.2023

Version number 9 (replaces version 8)

Revision: 29.09.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

- Trade name: FloorPro Shine Cleaner RM 755 ES
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** Restricted to professional users.
- · Application of the substance / the mixture Floor cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

#### Alfred Kärcher SE & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

#### Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain Tel.: +44-1295-752-000

Internet: www.karcher.com

#### · Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0 productsafety.management@de.kaercher.com

#### · 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

# **SECTION 2: Hazards identification**

#### · 2.1 Classification of the substance or mixture

 $\cdot$  Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

#### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)




Printing date 31.03.2023

Version number 9 (replaces version 8)

Revision: 29.09.2022

# Trade name: FloorPro Shine Cleaner RM 755 ES



- **PBT:** Not applicable.
- · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Cleaning agent

<ul> <li>Dangerous components:</li> </ul>		
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-xxxx	2-(2-butoxyethoxy)ethanol	≥5-<10%
CAS: 111905-52-3	aliphatic alcohols, C9-C11, mostly linear, ethoxylated, butoxylated Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	≥1-<2.5%
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37-xxxx	sodium p-cumenesulphonate	1-5%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol	1-5%
· Regulation (EC) No 648/2004	on detergents / Labelling for contents	
non-ionic surfactants		<5%
perfumes		

Printing date 31.03.2023

KÄRCHER

Version number 9 (replaces version 8)

Revision: 29.09.2022

(Contd. of page 2)

#### Trade name: FloorPro Shine Cleaner RM 755 ES

• Additional information For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing

Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.

- **4.2 Most important symptoms and effects, both acute and delayed** Redness and irritation of the eyes
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Do not allow to penetrate the ground/soil.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

(Contd. on page 4)

# Safety data sheet

# according to 1907/2006/EC, Article 31

Printing date 31.03.2023

KARCHER

Version number 9 (replaces version 8)

Revision: 29.09.2022

(Contd. of page 3)

### Trade name: FloorPro Shine Cleaner RM 755 ES

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling Avoid contact with eyes and skin.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

0.10				
<ul> <li>Ingredients with limit values that require monitoring at the workplace:</li> </ul>				
112-3	4-5 2-(2-butoxyethoxy)ethanol			
WEL	Short-term value: 101.2 mg/m <sup>3</sup> , 15 ppm Long-term value: 67.5 mg/m <sup>3</sup> , 10 ppm			
67-63	-0 propan-2-ol			
WEL	Short-term value: 1250 mg/m <sup>3</sup> , 500 ppm Long-term value: 999 mg/m <sup>3</sup> , 400 ppm			
· DNEL	_S			
15763	3-76-5 sodium p-cumenesulphonate			

15763-76-5 sodium p-cumenesulphonate			
Oral		3.8 mg/kg*d (consumer)	
Dermal		136.25 mg/kg*d (employee)	
2 01110		68.1 mg/kg*d (consumer)	
Inhalative	DNEL	26.9 mg/m3 (employee)	
		6.6 mg/m3 (consumer)	
67-63-0 pr	ropan-2	2-ol	
Oral	DNEL	26 mg/kg*d (consumer)	
Dermal	DNEL	888 mg/kg*d (employee)	
		319 mg/kg*d (consumer)	
Inhalative	DNEL	500 mg/m3 (employee)	
		89 mg/m3 (consumer)	
		·	(Contd. on page

GB -



Printing date 31.03.2023

Version number 9 (replaces version 8)

Revision: 29.09.2022

# Trade name: FloorPro Shine Cleaner RM 755 ES

	(Contd. of page 4)
· PNECs	
15763-76-5 sodi	ium p-cumenesulphonate
PNEC	0.23 mg/l (freshwater)
	0.023 mg/l (marine water)
	100 mg/l (STP)
PNEC sediment	0.862 mg/kg (freshwater)
	0.086 mg/kg (marine water)
PNEC soil	0.037 mg/kg (soil)
67-63-0 propan-	2-ol
PNEC	140.9 mg/l (freshwater)
	140.9 mg/l (marine water)
	140.9 mg/l (STP)
	2251 mg/l (STP)
PNEC sediment	552 mg/kg (freshwater)
	552 mg/kg (marine water)
PNEC soil	28 mg/kg (soil)

#### · 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material Not required.
- · Eye/face protection



Tightly sealed goggles (EN 166)

9.1 Information on basic physic	cal and chemical properties	
General Information		
Physical state	Fluid	
Colour:	Blue	
Odour:	citrus-like	
Odour threshold:	Not determined.	



GB

Printing date 31.03.2023

Version number 9 (replaces version 8)

Revision: 29.09.2022

# Trade name: FloorPro Shine Cleaner RM 755 ES

	(Contd. of pag
Melting point/freezing point:	-4 °C
Boiling point or initial boiling point and boiling	
range	100 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	78 °C (Closed Cup)
Ignition temperature:	not applicable
Decomposition temperature:	Not determined.
pH at 20 °C	11.4
pH-value 1 %:	6-8
•	0-0
Viscosity:	Not determined
Kinematic viscosity	Not determined.
dynamic at 20 °C:	3.5 mPas
Solubility	<b>—</b>
Water:	Fully miscible
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.006 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Relative gas density	Not determined.
Particle characteristics	Not applicable.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health	
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Solids content:	5.0 %
	0.0 /0
Change in condition	Net determine d
Evaporation rate	Not determined.
Information with regard to physical hazard	
classes	
Explosives	Void
•	
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
•	
Flammable solids Self-reactive substances and mixtures	Void



Printing date 31.03.2023

Version number 9 (replaces version 8)

Revision: 29.09.2022

### Trade name: FloorPro Shine Cleaner RM 755 ES

		(Contd. of page
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamn	nable	
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
· Desensitised explosives	Void	

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity corresponds to 10.3

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

Oral LD50 2410 mg/kg (mouse) (OECD 401)

112-34-5 2-(2-butoxyethoxy)ethanol

Dermal LD50 2764 mg/kg (Rabbit)

111905-52-3 aliphatic alcohols, C9-C11, mostly linear, ethoxylated, butoxylated

Oral LD50 >2000-<5000 mg/kg (Rat)

15763-76-5 sodium p-cumenesulphonate

Oral LD50 >5000 mg/kg (Rat) (OECD 401)

Dermal LD50 >2000 mg/kg (Rabbit)

#### 67-63-0 propan-2-ol

Oral LD50 5840 mg/kg (Rat) (OECD 401)

Dermal LD50 13900 mg/kg (Rabbit) (OECD 402)

(Contd. on page 8)

vision: 20 00 202

Page 7/11

# KÄRCHER

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.03.2023

Version number 9 (replaces version 8)

Revision: 29.09.2022

(Contd. of page 7)

# Trade name: FloorPro Shine Cleaner RM 755 ES

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Causes serious eye irritation.
- $\cdot$  Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- $\cdot$  Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- $\cdot$  Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

# · Endocrine disrupting properties

None of the ingredients is listed.

# **SECTION 12: Ecological information**

#### · 12.1 Toxicity

<ul> <li>Aquatic toxicity:</li> </ul>	· Aquatic toxicity:		
112-34-5 2-(2-butoxyethoxy)ethanol			
LC50/96 h	1300 mg/l (Lepomis macrochirus)		
EC10/16 h	1170 mg/l (Pseudomonas putida)		
EC50/24 h	2850 mg/l (Daphnia magna) (DIN 38412)		
NOEC	>100 mg/l (Desmodesmus subspicatus)		
111905-52-3 aliphatic alcohols, C9-C11, mostly linear, ethoxylated, butoxylated			
LC50/96 h	>1-<10 mg/l (Leuciscus idus)		
EC50	>1-<10 mg/l (Daphnia magna)		
	>10-<100 mg/l (Algae)		
NOEC	>0.1-<1 mg/l (Daphnia magna)		
	>0.1-<1 mg/l (Algae)		
15763-76-5 sodiur	n p-cumenesulphonate		
LC50/96 h (static)	>100 mg/l (Oncorhynchus mykiss)		
EC50/48 h (static)	>100 mg/l (Daphnia magna)		
EC50/96 h (static)	>100 mg/l (Pseudokirchneriella subcapitata)		
67-63-0 propan-2-ol			
LC50/96 h	9640 mg/l (Pimephales promelas)		
EC50/48 h	13299 mg/l (Daphnia magna)		
EC50/72 h	>1000 mg/l (Desmodesmus subspicatus)		
EC10/18 h	>1000 mg/l (Pseudomonas putida) (DIN 38412)		

• **12.2 Persistence and degradability** No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 9)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.03.2023

Version number 9 (replaces version 8)

Revision: 29.09.2022

(Contd. of page 8)

# Trade name: FloorPro Shine Cleaner RM 755 ES

· 12.4 Mobility in soil No further relevant information available.

#### · 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:

#### · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

# **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

#### · European waste catalogue

20 01 29\* detergents containing hazardous substances

#### Uncleaned packaging:

#### · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. • **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

(Contd. on page 10)

GB





Printing date 31.03.2023

Version number 9 (replaces version 8)

Revision: 29.09.2022

# Trade name: FloorPro Shine Cleaner RM 755 ES

(Contd. of page 9)

Void		
Void		
Void		
Void		
No		
Not applicable.		
14.7 Maritime transport in bulk according to     IMO instruments     Not applicable.		
Void		

# **SECTION 15: Regulatory information**

- $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- $\cdot$  Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

#### Relevant phrases

H225 Highly flammable liquid and vapour.H315 Causes skin irritation.H319 Causes serious eye irritation.H336 May cause drowsiness or dizziness.

(Contd. on page 11)



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.03.2023

Version number 9 (replaces version 8)

Revision: 29.09.2022

# Trade name: FloorPro Shine Cleaner RM 755 ES

		r .	(Contd. of page 10)
	atic life with long lasting ef	fects.	
· Contact:			
Regulatory Affairs			
Tel.: +49-7195-14-0			
productsafety.manag	ement@de.kaercher.com		
Carriage of Dangerous Goo IMDG: International Maritim IATA: International Air Tran GHS: Globally Harmonised EINECS: European Invento ELINCS: European List of N CAS: Chemical Abstracts S DNEL: Derived No-Effect Lo PNEC: Predicted No-Effect LC50: Lethal concentration, LD50: Lethal dose, 50 perce PBT: Persistent, Bioaccum vPvB: very Persistent and v Flam. Liq. 2: Flammable liqu Skin Irrit. 2: Skin corrosion/i	port international des marchandis ds by Road) e Code for Dangerous Goods sport Association System of Classification and Labe y of Existing Commercial Chemica lotified Chemical Substances ervice (division of the American C evel (UK REACH) Concentration (UK REACH) 50 percent ant ulative and Toxic ery Bioaccumulative iids – Category 2	al Substances	reement Concerning the International
STOT SE 3: Specific target	organ toxicity (single exposure) -	Category 3	
		g-term aquatic hazard – Category 3	
· Data compared t	o the previous version	allereu.	
• 0.011-329.0	RM 755ES/11	2.612	