

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.04.2023

Version number 7 (replaces version 6)

Revision: 03.01.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking**· 1.1 Product identifier****· Trade name: PressurePro Phosphating Agent RM 48****· 1.2 Relevant identified uses of the substance or mixture and uses advised against**

Restricted to professional users.

· Application of the substance / the mixture Metal surface treatment**· 1.3 Details of the supplier of the safety data sheet****· Manufacturer/Supplier:****Alfred Kärcher SE & Co. KG**

Alfred-Kärcher-Str. 28-40

D - 71364 Winnenden

Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House

Brookhill Way

Banbury

Oxon OX16 3ED

Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com**· Further information obtainable from:**

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com**· 1.4 Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification**· 2.1 Classification of the substance or mixture****· Classification according to Regulation (EC) No 1272/2008**

Met. Corr.1 H290 May be corrosive to metals.

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements**· Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.04.2023

Version number 7 (replaces version 6)

Revision: 03.01.2022

Trade name: PressurePro Phosphating Agent RM 48

(Contd. of page 1)

Hazard pictograms


GHS05

Signal word Warning

Hazard statements

H290 May be corrosive to metals.

H319 Causes serious eye irritation.

Precautionary statements

P234 Keep only in original packaging.

P264 Wash hands thoroughly after handling.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P406 Store in a corrosion resistant container / container with a resistant inner liner.

Additional information:

Contains sodium 3-nitrobenzenesulphonate. May produce an allergic reaction.

2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures
Description: Mixture of substances listed below with non-hazardous additions.

Dangerous components:

CAS: 7758-16-9 EINECS: 231-838-0 Reg.nr.: 01-2119489793-19-0001	disodium dihydrogenpyrophosphate Eye Irrit. 2, H319	≥5-<10%
CAS: 7664-38-2 EINECS: 231-633-2 Index number: 015-011-00-6 Reg.nr.: 01-2119485924-24-xxxx	phosphoric acid Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	≥5-<10%
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37-xxxx	sodium p-cumenesulphonate Eye Irrit. 2, H319	0.1-1%

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.04.2023

Version number 7 (replaces version 6)

Revision: 03.01.2022

Trade name: PressurePro Phosphating Agent RM 48

(Contd. of page 2)

CAS: 127-68-4

EINECS: 204-857-3

Index number: 609-048-00-2

Reg.nr.: 01-2119965131-44-xxxx

sodium 3-nitrobenzenesulphonate

⚠ Eye Irrit. 2, H319; Skin Sens. 1, H317

≥0.1-<1%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

- **General information** Seek medical treatment.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Rinse with warm water.
- **After eye contact**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

· **5.3 Advice for firefighters**

· **Protective equipment:** No special measures required.

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures** Not required.

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.04.2023

Version number 7 (replaces version 6)

Revision: 03.01.2022

Trade name: PressurePro Phosphating Agent RM 48

(Contd. of page 3)

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

· **6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling** Avoid contact with eyes and skin.

· **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.

· **Information about storage in one common storage facility:** Keep away from food, beverages and feed.

· **Further information about storage conditions:** Store under lock and key and out of the reach of children.

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

7664-38-2 phosphoric acid

WEL	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
-----	---

· **DNELs**

15763-76-5 sodium p-cumenesulphonate

Oral	DNEL	3.8 mg/kg*d (consumer)
Dermal	DNEL	136.25 mg/kg*d (employee) 68.1 mg/kg*d (consumer)
Inhalative	DNEL	26.9 mg/m ³ (employee) 6.6 mg/m ³ (consumer)

· **PNECs**

15763-76-5 sodium p-cumenesulphonate

PNEC	0.23 mg/l (freshwater) 0.023 mg/l (marine water) 100 mg/l (STP)
------	---

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.04.2023

Version number 7 (replaces version 6)

Revision: 03.01.2022

Trade name: PressurePro Phosphating Agent RM 48

(Contd. of page 4)

PNEC sediment	0.862 mg/kg (freshwater)
	0.086 mg/kg (marine water)
PNEC soil	0.037 mg/kg (soil)

· 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures** Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not necessary if room is well-ventilated.
- **Hand protection**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves** Not required.
- **Penetration time of glove material** Not required.
- **For the permanent contact gloves made of the following materials are suitable:**
* butyl rubber 0,7 mm, 480 min (EN 374)
- **As protection from splashes gloves made of the following materials are suitable:**
* nitril rubber 0,4 mm, 30 min (EN 374)
- **Eye/face protection**



Tightly sealed goggles (EN 166)

- **Body protection:** Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

- | | |
|---|------------------|
| · Physical state | Fluid |
| · Colour: | Colourless |
| · Odour: | Product specific |
| · Odour threshold: | Not determined. |
| · Melting point/freezing point: | -7 °C |
| · Boiling point or initial boiling point and boiling range | 100 °C |
| · Flammability | Not applicable. |
| · Lower and upper explosion limit | |
| · Lower: | 0.0 Vol % |
| · Upper: | 0.0 Vol % |
| · Flash point: | Not applicable |
| · Ignition temperature: | not applicable |
| · Decomposition temperature: | Not determined. |
| · pH at 20 °C | 2.3 |
| · pH-value 1 %: | 3-5 |

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.04.2023

Version number 7 (replaces version 6)

Revision: 03.01.2022

Trade name: PressurePro Phosphating Agent RM 48

(Contd. of page 5)

· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic at 20 °C:	5 mPas
· Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	1.183 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Relative gas density	Not determined.
· Particle characteristics	Not applicable.

· 9.2 Other information

· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Solids content:	27.8 %
· Change in condition	
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	May be corrosive to metals.
· Desensitised explosives	Void

GB

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.04.2023

Version number 7 (replaces version 6)

Revision: 03.01.2022

Trade name: PressurePro Phosphating Agent RM 48

(Contd. of page 6)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** corresponds to 10.3
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Reacts with strong alkali
Corrosive action on metals
Reacts with light alloys to form hydrogen
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
Not suitable for surfaces that are attacked by acids (limestone, marble, brick, aluminium, etc.).
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

7664-38-2 phosphoric acid

Dermal	LD50	2740 mg/kg (Rabbit)
--------	------	---------------------

15763-76-5 sodium p-cumenesulphonate

Oral	LD50	>5000 mg/kg (Rat) (OECD 401)
------	------	------------------------------

Dermal	LD50	>2000 mg/kg (Rabbit)
--------	------	----------------------

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

GB

(Contd. on page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.04.2023

Version number 7 (replaces version 6)

Revision: 03.01.2022

Trade name: PressurePro Phosphating Agent RM 48

(Contd. of page 7)

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

7664-38-2 phosphoric acid

LC50/96 h	138 mg/l (Gambusia affinis)
EC50/48 h	>100 mg/l (Daphnia magna) (OECD 202)

15763-76-5 sodium p-cumenesulphonate

LC50/96 h (static)	>100 mg/l (Oncorhynchus mykiss)
EC50/48 h (static)	>100 mg/l (Daphnia magna)
EC50/96 h (static)	>100 mg/l (Pseudokirchneriella subcapitata)

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **COD-value:** 55.000 mg/l

· **General notes:**

The product does not contain organically bounded halogens (AOX-free).

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· **European waste catalogue**

20 01 29*	detergents containing hazardous substances
-----------	--

· **Uncleaned packaging:**

· **Recommendation:**

Non contaminated packagings may be recycled.

(Contd. on page 9)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.04.2023

Version number 7 (replaces version 6)

Revision: 03.01.2022

Trade name: PressurePro Phosphating Agent RM 48

(Contd. of page 8)

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA** UN1805

· **14.2 UN proper shipping name**

· **ADR** 1805 PHOSPHORIC ACID, SOLUTION

· **IMDG, IATA** PHOSPHORIC ACID, SOLUTION

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class** 8 (C1) Corrosive substances.

· **Label** 8

· **IMDG, IATA**



· **Class** 8 Corrosive substances.

· **Label** 8

· **14.4 Packing group**

· **ADR, IMDG, IATA** III

· **14.5 Environmental hazards:**

· **Marine pollutant:** No

· **14.6 Special precautions for user** Warning: Corrosive substances.

· **Hazard identification number (Kemler code):** 80

· **EMS Number:** F-A,S-B

· **Segregation groups** (SGG1) Acids

· **Stowage Category** A

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

(Contd. on page 10)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.04.2023

Version number 7 (replaces version 6)

Revision: 03.01.2022

Trade name: PressurePro Phosphating Agent RM 48

(Contd. of page 9)

· Transport/Additional information:

· ADR

· Limited quantities (LQ)

5L

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· Transport category

3

· Tunnel restriction code

E

· IMDG

· Limited quantities (LQ)

5L

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation":

UN 1805 PHOSPHORIC ACID, SOLUTION, 8, III

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

· Contact:

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.04.2023

Version number 7 (replaces version 6)

Revision: 03.01.2022

Trade name: PressurePro Phosphating Agent RM 48*(Contd. of page 10)***· Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

· * Data compared to the previous version altered.

· 0-011-660-0

RM 48/9

2-495