

Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 17.04.2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: Universal Stain Remover RM 769
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Detergent
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

#### Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

#### Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com

#### · Further information obtainable from:

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

#### 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

## SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

(Contd. on page 2)



Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 17.04.2024

Trade name: Universal Stain Remover RM 769

(Contd. of page 1)

Additional information:

Safety data sheet available on request.

### **SECTION 3: Composition/information on ingredients**

- 3.2 Mixtures
- · Description: Solvent mixture.

Dangerous components:		
CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23-xxxx	Propylene glycol substance with a Community workplace exposure limit	30-50%
CAS: 5131-66-8 EINECS: 225-878-4 Index number: 603-052-00-8 Reg.nr.: 01-2119475527-28-XXXX	propylene glycol monobutyl ether Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥5-<10%

Additional information For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)



Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 17.04.2024

Trade name: Universal Stain Remover RM 769

(Contd. of page 2)

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workpla	ce:
--	-----

#### 57-55-6 Propylene glycol

WEL Long-term value: 474\* 10\*\* mg/m³, 150\* ppm \*total vapour and particulates \*\*particulates

#### ·DNELs

#### 57-55-6 Propylene glycol

		85 mg/kg×d (consumer)
Dermal	DNEL	213 mg/kg×d (consumer)
Inhalative	DNEL	168 mg/m3 (employee)
		50 mg/m3 (consumer)

(Contd. on page 4)



Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 17.04.2024

Trade name: Universal Stain Remover RM 769

(Contd. of page 3)

· PNECs

57-55-6 Propylene glycol

PNEC 26 mg/l (marine water)

2000 mg/l (STP)

- 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- Material of gloves Not required.
- · Penetration time of glove material Not required.
- · Eye/face protection Not required.

### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid · Colour: Colourless

· Odour: Product specific · Odour threshold: Not determined.

• Melting point/freezing point: -20 °C

· Boiling point or initial boiling point and boiling range undetermined Not applicable.

· Flammability

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

· Flash point: 78 °C (Closed Cup)

**Auto-ignition temperature:** not applicable · Decomposition temperature: Not determined. Hq· Not applicable.

· Viscosity:

· Kinematic viscosity Not determined.

· dynamic at 20 °C: 13 mPas

· Solubility

Not miscible or difficult to mix · Water:

· Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not determined.

Density and/or relative density

· Particle characteristics

· Density at 20 °C: 0.944 g/cm<sup>3</sup> · Relative density Not determined. · Vapour density Not determined. Relative gas density Not determined.

Not applicable.

(Contd. on page 5)



Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 17.04.2024

Trade name: Universal Stain Remover RM 769

(Contd. of page 4)

	$\mathbf{n}$	$\sim$ 11		: E		L:
•	u /	L ITE	10r	infor	ma	rian.
	J.Z	Vи	161		ma	LIVII

Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

• **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Change in condition

• Evaporation rate Not determined.

•	Into	orn	nation	with	regard	to	pnys	ıcaı	nazard	ciasses

	•
Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
· Flammable liquids	Void
Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases	
in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability

Desensitised explosives

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Void

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known



Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 17.04.2024

Trade name: Universal Stain Remover RM 769

(Contd. of page 5)

### **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

57-55-6 Propylene glycol

Oral LD50 22000 mg/kg (Rat)

5131-66-8 propylene glycol monobutyl ether

Oral LD50 3300 mg/kg (Rat)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- \* STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity:

57-55-6 Propylene glycol

LC50/96 h 40613 mg/l (Oncorhynchus mykiss)

5131-66-8 propylene glycol monobutyl ether

LC50/96 h | 560-1000 mg/l (fish)

- · 12.2 Persistence and degradability No further relevant information available.
- Degree of elimination:

5131-66-8 propylene glycol monobutyl ether

OECD 301E 90 % (28 d)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 7)



Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 17.04.2024

Trade name: Universal Stain Remover RM 769

(Contd. of page 6)

- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- COD-value: 1022.000 mg/l
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

- **Uncleaned packaging:**
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
		(Contd. on page 8

(Contd. on page 8)



Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 17.04.2024

Trade name: Universal Stain Remover RM 769

(Contd. of page 7)

14.7 Maritime transport in bulk according to IMO

**instruments** Not applicable.

· UN "Model Regulation": Void

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- **Poisons Act**
- Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Contact:

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9)



Version number 6 (replaces version 5) Revision: 17.04.2024 Printing date 18.05.2024

Trade name: Universal Stain Remover RM 769

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

\* Data compared to the previous version altered.

0.011-870.0RM 769/1·2 2.723 (Contd. of page 8)