

Printing date 19.04.2024 Version number 6 (replaces version 5) Revision: 17.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: Universal Stain Remover RM 769
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Detergent
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

(Contd. on page 2)



Printing date 19.04.2024 Version number 6 (replaces version 5) Revision: 17.04.2024

Trade name: Universal Stain Remover RM 769

(Contd. of page 1)

Additional information:

Safety data sheet available on request.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

· Description: Solvent mixture.

Dangerous components:		
CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23-xxxx	Propylene glycol substance with a Community workplace exposure limit	30-50%
CAS: 5131-66-8 EINECS: 225-878-4 Index number: 603-052-00-8 Reg.nr.: 01-2119475527-28-XXXX	propylene glycol monobutyl ether Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥5-<10%

[•] **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)



Printing date 19.04.2024 Version number 6 (replaces version 5) Revision: 17.04.2024

Trade name: Universal Stain Remover RM 769

(Contd. of page 2)

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values	that require me	nonitoring at the	workplace:
-------------------------------	-----------------	-------------------	------------

57-55-6 Propylene glycol

WEL Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates

·DNELs

57-55-6 Propylene glycol

Oral	DNEL	85 mg/kg×d (consumer)
Dermal	DNEL	213 mg/kg×d (consumer)
Inhalative	DNEL	168 mg/m3 (employee)
		50 mg/m3 (consumer)

(Contd. on page 4)



Printing date 19.04.2024 Version number 6 (replaces version 5) Revision: 17.04.2024

Trade name: Universal Stain Remover RM 769

(Contd. of page 3)

· PNECs

57-55-6 Propylene glycol

PNEC 26 mg/l (marine water)

2000 mg/l (STP)

- 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection



Protective gloves.

- · Material of gloves Butyl rubber, BR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Fluid

· Eye/face protection



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state

Colouriess Colourless

· Odour: Product specific · Odour threshold: Product specific Not determined.

· Melting point/freezing point: -20 °C

Boiling point or initial boiling point and boiling range undetermined

Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: 78 °C (Closed Cup)

Flash point:
 Auto-ignition temperature:
 Decomposition temperature:
 pH
 78 °C (Closed Cup not applicable
 Not determined.
 Not applicable.

· Viscosity:

· Kinematic viscosity Not determined.

· dynamic at 20 °C: 13 mPas

(Contd. on page 5)



Printing date 19.04.2024 Version number 6 (replaces version 5) Revision: 17.04.2024

Trade name: Universal Stain Remover RM 769

	(Contd. of page	4)
Solubility		
· Water:	Not miscible or difficult to mix	
Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure:	Not determined.	
Density and/or relative density		
Density at 20 °C:	0.944 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
· Relative gas density	Not determined.	
· Particle characteristics	Not applicable.	
9.2 Other information		
· Appearance:		
Form:	Fluid	
Important information on protection of health and		
environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Not determined.	
Change in condition	Not determined.	
· Evaporation rate	Not determined.	
•		\dashv
Information with regard to physical hazard classes		
Explosives	Void	
· Flammable gases	Void	
· Aerosols	Void Void	
Oxidising gases		
Gases under pressure	Void Void	
· Flammable liquids · Flammable solids	Void	
Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flammable gases	Volu	
in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
	VOIG	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability

· Desensitised explosives

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Void

(Contd. on page 6)



Printing date 19.04.2024 Version number 6 (replaces version 5) Revision: 17.04.2024

Trade name: Universal Stain Remover RM 769

(Contd. of page 5)

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met

Active toxiony based on available data, the diassification offend are not met.
· LD/LC50 values relevant for classification:
29911-28-2 dipropyleneglycol n-butylether
Oral LD50 3160 mg/kg (Rat)
57-55-6 Propylene glycol
Oral LD50 22000 mg/kg (Rat)
5131-66-8 propylene glycol monobutyl ether
Oral LD50 3300 mg/kg (Rat)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:			
29911-28-2 dipro	29911-28-2 dipropyleneglycol n-butylether		
LC50/96 h	841 mg/l (Daphnia magna)		
EC50/48 h (static)	>100 mg/l (Daphnia magna)		
EC50/96 h	519 mg/l (Algae)		
	(Contd. on page 7)		



Printing date 19.04.2024 Version number 6 (replaces version 5) Revision: 17.04.2024

Trade name: Universal Stain Remover RM 769

		(Contd. of page 6)
57-55-6 Propy	rlene glycol	
LC50/96 h	40613 mg/l (Oncorhynchus mykiss)	
5131-66-8 pro	pylene glycol monobutyl ether	
LC50/96 h	560-1000 mg/l (fish)	

- · 12.2 Persistence and degradability No further relevant information available.
- Degree of elimination:

5131-66-8 propylene glycol monobutyl ether

OECD 301E 90 % (28 d)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:
- · COD-value: 1022.000 mg/l
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

- Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

- GB



Printing date 19.04.2024 Version number 6 (replaces version 5) Revision: 17.04.2024

Trade name: Universal Stain Remover RM 769

(Contd. of page 7)

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according instruments 	to IMO Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Printing date 19.04.2024 Version number 6 (replaces version 5) Revision: 17.04.2024

Trade name: Universal Stain Remover RM 769

(Contd. of page 8)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Contact:

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

* Data compared to the previous version altered.

· 0.011-870.0 RM 769/1.2 2.723

GB -