

Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 21.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: PressurePro Active cleaner, neutral RM 55
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture High pressure cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

(Contd. on page 2)



Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 21.04.2023

Trade name: PressurePro Active cleaner, neutral RM 55

(Contd. of page 1)

Additional information:

Safety data sheet available on request.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- · Description: Cleaning agent

Dangerous components:		
	sodium lauryl ether sulfate	≥2.5-<5%
NLP: 500-234-8	Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 %	
Reg.nr.: 01-2119488639-16-XXXX	Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 %	
	Eye Irrit. 2; H319: 5 % ≤ C < 10 %	
CAS: 68439-49-6	fatty alkohol ethoxylate	1-5%
	♦ Eye Irrit. 2, H319	

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

- GB



Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 21.04.2023

Trade name: PressurePro Active cleaner, neutral RM 55

(Contd. of page 2)

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· PNECs				
68891-38-3 sodium lauryl ether sulfate				
PNEC	10000 mg/l (STP) (Assessment factor: 1)			
PNEC sediment	0.917 mg/kg (freshwater) (sediment dw)			
	0.092 mg/kg (marine water) (sediment dw)			
PNEC soil	7.5 mg/kg (Assessment factor: 100)			
PNEC aqua	0.24 mg/l (freshwater) (Assessment factor: 5)			
	0.024 mg/l (marine water) (Assessment factor: 50)			

(Contd. on page 4)



Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 21.04.2023

Not applicable.

Trade name: PressurePro Active cleaner, neutral RM 55

(Contd. of page 3)

- 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- · Material of gloves Not required.
- · Penetration time of glove material Not required.
- · Eye/face protection Not required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical stateColour:Odour:Fruit-like

· Odour threshold: Not determined.

Melting point/freezing point:
 Boiling point or initial boiling point and boiling range
 100 °C

Flammability

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable
Auto-ignition temperature: not applicable

Decomposition temperature: Not determined.pH at 20 °C

pH-value 10 %: 9-10

· Viscosity:

Kinematic viscositydynamic at 20 °C:Not determined.1.6 mPas

· Solubility

Water: Fully miscible
 Partition coefficient n-octanol/water (log value) Not determined.
 Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Relative gas density
 Particle characteristics

1.007 g/cm³
Not determined.
Not determined.
Not applicable.

(Contd. on page 5)



Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 21.04.2023

Trade name: PressurePro Active cleaner, neutral RM 55

(Contd. of page 4)

			rma	

Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not selfigniting.

• **Explosive properties:** Product does not present an explosion hazard.

· Change in condition

• Evaporation rate Not determined.

· Information	with	renard t	to nh	veical	hazard	classos
IIIIOHIIIauon	WILLI	reuaru	וט טוו	vsicai	Hazaru	CIASSES

morning in the projection in a consecution	•
Explosives	Void
Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases	
in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known



Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 21.04.2023

Trade name: PressurePro Active cleaner, neutral RM 55

(Contd. of page 5)

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- * STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

Endocrine disrupting properties

118-58-1 benzyl salicylate

List II

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:				
68891-38-3 sodiı	68891-38-3 sodium lauryl ether sulfate			
LC50/96 h	7.1 mg/l (Brachydanio rerio) (OECD 203)			
EC50/48 h	7.4 mg/l (Daphnia magna) (OECD 202)			
EC50/72 h	27.7 mg/l (Algae) (OECD 201)			
EC50 (static)	>10000 mg/l (Pseudomonas putida)			
NOErC	0.95 mg/l (algae)			
NOEC (dynamic)	ic) 0.27 mg/l /(21 d) (Daphnia magna) (OECD 211)			
	0.14 mg/l /(28 d) (Oncorhynchus mykiss) (OECD 204)			

- · 12.2 Persistence and degradability No further relevant information available.
- Degree of elimination:

68891-38-3 sodium lauryl ether sulfate

OECD 301D |≥77 % (28 d)

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 7)



Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 21.04.2023

Trade name: PressurePro Active cleaner, neutral RM 55

(Contd. of page 6)

- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- · Additional ecological information:
- · COD-value: 124.000 mg/l
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organic complexing agents.

The product does not contain organically bounded halogens (AOX-free).

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

- Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA Void
- 14.2 UN proper shipping name
- · ADR, IMDG, IATA Void
- · 14.3 Transport hazard class(es)
- ADR, ADN, IMDG, IATA
- · Class Void

(Contd. on page 8)



Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 21.04.2023

Trade name: PressurePro Active cleaner, neutral RM 55

		(Contd. of page 7)		
· 14.4 Packing group				
· ADR, IMDG, IATA	Void			
· 14.5 Environmental hazards:	Not applicable.			
· 14.6 Special precautions for user	Not applicable.			
· 14.7 Maritime transport in bulk according to IMO				
instruments	Not applicable.			
UN "Model Regulation":	Void			

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

· Contact:

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No-Effect Concentration (UK REACH)

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 9)



Version number 8 (replaces version 7) Revision: 21.04.2023 Printing date 18.05.2024

Trade name: PressurePro Active cleaner, neutral RM 55

(Contd. of page 8)

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.

0.011-712.0

RM 55/17

2.652