KÄRCHER

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 5 (replaces version 4)

Revision: 18.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- Trade name: PressurePro Machine Protector Advance 2 RM 111
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** Restricted to professional users.
- Application of the substance / the mixture Scale inhibitor Anticorrosion additive
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd. Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0 productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

• Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void

(Contd. on page 2)

KÄRCHER

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 5 (replaces version 4)

Revision: 18.08.2021

Trade name: PressurePro Machine Protector Advance 2 RM 111

(Contd. of page 1)

· Hazard statements Void

· Additional information: test report available

- · 2.3 Other hazards
- The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with non-hazardous additions.

 Dangerous components: 			
CAS: 1312-76-1	potassium silicate	≥10-<20%	
EINECS: 215-199-1 Reg.nr.: 01-2119456888-17	Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; STOT SE 3, H335		
CAS: 15763-76-5	sodium p-cumenesulphonate	1-5%	
EINECS: 239-854-6	🚸 Eye Irrit. 2, H319		
Reg.nr.: 01-2119489411-37-xxxx			
CAS: 120313-48-6	Alcohols, C12-15-branched and linear, ethoxylated propoxylated	≥1-<2.5%	
	Aquatic Acute 1, H400; Skin Irrit. 2, H315; Aquatic Chronic 3, H412		
· Regulation (EC) No 648/2004 on detergents / Labelling for contents			
phosphates, phosphonates		≥5 - <15%	
non-ionic surfactants		<5%	

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact If skin irritation continues, consult a doctor.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

KÄRCHER

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 5 (replaces version 4)

Revision: 18.08.2021

(Contd. of page 2)

Trade name: PressurePro Machine Protector Advance 2 RM 111

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
- 6.4 Reference to other sections
 No dangerous substances are released.
 See Section 7 for information on safe handling
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 5 (replaces version 4)

Revision: 18.08.2021

(Contd. of page 3)

Trade name: PressurePro Machine Protector Advance 2 RM 111

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs				
15763-76-	15763-76-5 sodium p-cumenesulphonate			
Oral	DNEL	3.8 mg/kg*d (consumer)		
Dermal	DNEL	136.25 mg/kg*d (employee)		
		68.1 mg/kg*d (consumer)		
Inhalative	DNEL	26.9 mg/m3 (employee)		
		6.6 mg/m3 (consumer)		
· PNECs				
15763-76-	15763-76-5 sodium p-cumenesulphonate			
PNEC		0.23 mg/l (freshwater)		
		0.023 mg/l (marine water)		
		100 mg/l (STP)		
PNEC sed	iment	0.862 mg/kg (freshwater)		
		0.086 mg/kg (marine water)		
PNEC soil		0.037 mg/kg (soil)		

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not necessary if room is well-ventilated.
- \cdot Hand protection Not required.
- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material Not required.
- · Eye/face protection Goggles recommended during refilling.

(Contd. on page 5)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

KÄRCHER

Version number 5 (replaces version 4)

Revision: 18.08.2021

Trade name: PressurePro Machine Protector Advance 2 RM 111

(Contd. of page 4)

9.1 Information on basic physical and chemic	al properties
General Information	• P
Physical state	Fluid
Colour:	Yellow
Odour:	Odourless
Odour threshold:	Not determined.
Melting point/freezing point:	0 °C
Boiling point or initial boiling point and boiling	0.0
range	100 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Ignition temperature:	not applicable
Decomposition temperature:	Not determined.
pH at 20 °C	12.3
pH-value 1 %:	10-11
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	Not determined.
Water:	Fully miscible
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	Not determined.
Density at 20 °C:	1.215 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Relative gas density	Not determined.
Particle characteristics	Not applicable.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health	
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	· ·
Solids content:	29.6 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard	
classes	Main
Explosives	Void



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 5 (replaces version 4)

Revision: 18.08.2021

Trade name: PressurePro Machine Protector Advance 2 RM 111

		(Contd. of page
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	nable	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Reacts with strong acids
- · 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

\cdot LD/LC50 values relevant for classification:

15763-76-5 sodium p-cumenesulphonate

Oral LD50 >5000 mg/kg (Rat) (OECD 401)

Dermal LD50 >2000 mg/kg (Rabbit)

· Skin corrosion/irritation

No irritant effect (test report is available, OECD 404)

Based on available data, the classification criteria are not met.

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 5 (replaces version 4)

Revision: 18.08.2021

Trade name: PressurePro Machine Protector Advance 2 RM 111

(Contd. of page 6)

• Serious eye damage/irritation No irritant effect (Survey is available, OECD 405)

Based on available data, the classification criteria are not met.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

1			
15763-76-5 sodium p-cumenesulphonate			
LC50/96 h (static)	>100 mg/l (Oncorhynchus mykiss)		
EC50/48 h (static)	>100 mg/l (Daphnia magna)		
EC50/96 h (static)	>100 mg/l (Pseudokirchneriella subcapitata)		
120313-48-6 Alco	120313-48-6 Alcohols, C12-15-branched and linear, ethoxylated propoxylated		
LC50/96 h	>1-<10 mg/l (fish)		
EC50/48 h	≤1 mg/l (Daphnia magna)		
EC50/72 h	≤1 mg/l (Algae)		
EC10/72 h	>0.1-<1 mg/l (Algae)		

• **12.2 Persistence and degradability** No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · COD-value: 127.000 mg/l

(Contd. on page 8)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

KARCHER

Version number 5 (replaces version 4)

Revision: 18.08.2021

Trade name: PressurePro Machine Protector Advance 2 RM 111

(Contd. of page 7)

General notes:

The product does not contain organically bounded halogens (AOX-free).

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Hand over to hazardous waste disposers. Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

· Uncleaned packaging:

· Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information	1	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
 · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
		(Contd. on page 9)



according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 5 (replaces version 4)

Revision: 18.08.2021

Page 9/10

Trade name: PressurePro Machine Protector Advance 2 RM 111

		(Contd. of page
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accord	ing to	
IMO instruments	Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H412 Harmful to aquatic life with long lasting effects.

· Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

(Contd. on page 10)



according to 1907/2006/EC, Article 31

(Contd. of page 9)

GB

Printing date 04.03.2023

Version number 5 (replaces version 4)

Revision: 18.08.2021

Trade name: PressurePro Machine Protector Advance 2 RM 111

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent DD5: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 *** Data compared to the previous version altered.**

·	0.011-798.0	RM 111/3	1.889