

Printing date 19.01.2024

Version number 5 (replaces version 4) Revision: 09.12.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: SanitPro WC and deep cleaner CA 10 C eco!perform
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Sanitary cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House **Brookhill Way** Banbury Oxon OX16 3ED Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com

Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1 H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Printing date 19.01.2024 Version number 5 (replaces version 4) Revision: 09.12.2021

Trade name: SanitPro WC and deep cleaner CA 10 C eco!perform

(Contd. of page 1)

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

isotridecanolethoxylate + 8 EO

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description:

Cleaning agent

Mixture consisting of the following components.

Dangerous components:		
CAS: 5949-29-1 EINECS: 201-069-1	citric acid ·H□O ◆ Eye Irrit. 2, H319; STOT SE 3, H335	≥10-<209
Index number: 607-750-00-3 Reg.nr.: 01-2119457026-42-0000		
CAS: 69011-36-5	isotridecanolethoxylate + 8 EO Eye Dam. 1, H318; Acute Tox. 4, H302	≥3-≤5%
CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23-xxxx	Propylene glycol substance with a Community workplace exposure limit	1-5%

—— G



Printing date 19.01.2024 Version number 5 (replaces version 4) Revision: 09.12.2021

Trade name: SanitPro WC and deep cleaner CA 10 C eco!perform

(Contd. of page 2)

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information

Involve doctor immediately.

Immediately remove any clothing soiled by the product.

· After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

· After skin contact

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed Redness and irritation of the eyes
- · Hazards No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture Carbon monoxide (CO)
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 4)



Printing date 19.01.2024 Version number 5 (replaces version 4) Revision: 09.12.2021

Trade name: SanitPro WC and deep cleaner CA 10 C eco!perform

(Contd. of page 3)

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions:

Store under lock and key and with access restricted to technical experts or their assistants only.

Keep receptacle tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:	
E7 EE C Dramylana ghaad	
57-55-6 Propylene glycol	
WEL Long-term value: 474* 10** mg/m³, 150* ppm	
*total vapour and particulates **particulates	

·DNELs

57-55-6 Propylene alycol

		0,
Oral	DNEL	85 mg/kg×d (consumer)
Dermal	DNEL	213 mg/kg×d (consumer)
Inhalative	DNFI	168 mg/m3 (employee)

(Contd. on page 5)



Printing date 19.01.2024 Version number 5 (replaces version 4) Revision: 09.12.2021

Trade name: SanitPro WC and deep cleaner CA 10 C eco!perform

	(Contd. of page 50 mg/m3 (consumer)	<u>4)</u>
· PNEC	is a second of the second of t	ī
	-6 Propylene glycol	٦
PNEC	26 mg/l (marine water)	٦
	26 mg/l (marine water) 2000 mg/l (STP)	

- 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A/P2.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves.

- · Material of gloves Butyl rubber, BR
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- For the permanent contact gloves made of the following materials are suitable:
- * butyl rubber 0,7 mm, 480 min (EN 374)
- As protection from splashes gloves made of the following materials are suitable:
- * nitril rubber 0,4 mm, 30 min (EN 374)
- Not suitable are gloves made of the following materials:

Strong material gloves

Leather gloves

Eye/face protection



Tightly sealed goggles (EN 166)

· Body protection:

Apron Boots

(Contd. on page 6)



Printing date 19.01.2024 Version number 5 (replaces version 4) Revision: 09.12.2021

Trade name: SanitPro WC and deep cleaner CA 10 C eco!perform

(Contd. of page 5)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid
· Colour: Red
· Odour: fresh

· Odour threshold:
· Melting point/freezing point:

undetermined

undetermined

· Boiling point or initial boiling point and boiling range 100 °C

Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: Not applicable
 Auto-ignition temperature: not applicable
 Decomposition temperature: Not determined.

• pH at 20 °C 1.8 • pH-value 1 %: 3-4

· Viscosity:

· Kinematic viscosity
· dynamic at 20 °C:

Not determined.
96 mPas

· Solubility

Water: Fully miscible
 Partition coefficient n-octanol/water (log value) Not determined.
 Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Relative gas density
 Particle characteristics

1.055 g/cm³
Not determined.
Not determined.
Not applicable.

9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

Solvent content:

· Solids content: 16.0 %

· Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard classes

ExplosivesFlammable gasesAerosolsVoid

(Contd. on page 7)



Oxidising gases

· Flammable liquids

Flammable solids

· Pyrophoric liquids

· Pyrophoric solids

· Oxidising liquids

· Oxidising solids

· Organic peroxides

· Corrosive to metals

· Desensitised explosives

in contact with water

· Gases under pressure

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 5 (replaces version 4) Revision: 09.12.2021

Trade name: SanitPro WC and deep cleaner CA 10 C eco!perform

(Contd. of page 6) Void Void Void Void · Self-reactive substances and mixtures Void Void Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases Void Void

May be corrosive to metals.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Void

Void

Void

10.3 Possibility of hazardous reactions

Reacts with alkali (lyes)

Forms hydrogen in aqueous solution with metals

Reacts with light alloys to form hydrogen

- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials:

Not suitable for surfaces that are attacked by acids (limestone, marble, brick, aluminium, etc.).

- · 10.6 Hazardous decomposition products: No dangerous decomposition products known
- Additional information:

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: 5949-29-1 citric acid ·H □O Oral LD50 5400 mg/kg (mouse) (OECD 401) 69011-36-5 isotridecanolethoxylate + 8 EO Oral ATE 500 mg/kg (Rat)

(Contd. on page 8)



Printing date 19.01.2024 Version number 5 (replaces version 4) Revision: 09.12.2021

Trade name: SanitPro WC and deep cleaner CA 10 C eco!perform

(Contd. of page 7)

57-55-6 Propylene glycol

Oral LD50 22000 mg/kg (Rat)

- Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- * STOT-single exposure Based on available data, the classification criteria are not met.
- * STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

Endocrine disrupting properties

128-37-0 Butylated hydroxytoluene

List II

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	· Aquatic toxicity:	
5949-29-1 c	5949-29-1 citric acid ·H□O	
LC50/96 h	440-760 mg/l (Leuciscus idus) (OECD 203)	
LC50/24 h	1535 mg/l (Daphnia magna)	
LC50/168 h	425 mg/l (Scenedesmus quadricauda)	
LC50/16 h	>10000 mg/l (Pseudomonas putida)	
EC50/72 h	120 mg/l (Daphnia magna)	
69011-36-5	69011-36-5 isotridecanolethoxylate + 8 EO	
LC50/96 h	>1-10 mg/l (Leuciscus idus)	
EC50/48 h	>1-10 mg/l (Aquatic invertebrates)	
EC50/72 h	>1-10 mg/l (Aquatic plants)	
NOEC	>1 mg/l /(21 d)	
57-55-6 Pro	pylene glycol	
LC50/96 h	40613 mg/l (Oncorhynchus mykiss)	

· 12.2 Persistence and degradability No further relevant information available.

Degree of elimination:

69011-36-5 isotridecanolethoxylate + 8 EO

OECD 301B | >60 % (28 d)

OECD 301E ≥90 % (28 d)

· 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 9)



Printing date 19.01.2024 Version number 5 (replaces version 4) Revision: 09.12.2021

Trade name: SanitPro WC and deep cleaner CA 10 C eco!perform

(Contd. of page 8)

- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- Additional ecological information:
- · COD-value: 287000 mg/l
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue

20 01 29* detergents containing hazardous substances

- Uncleaned packaging:
- · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- ADR, IMDG, IATA

UN3264

(Contd. on page 10)



· Tunnel restriction code

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 5 (replaces version 4) Revision: 09.12.2021

Trade name: SanitPro WC and deep cleaner CA 10 C eco!perform

(Contd. of page 9) · 14.2 UN proper shipping name · ADR 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (citric acid) · IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (citric · 14.3 Transport hazard class(es) · ADR · Class 8 (C1) Corrosive substances. · Label · IMDG, IATA · Class 8 Corrosive substances. · Label · 14.4 Packing group ADR, IMDG, IATA Ш 14.5 Environmental hazards: Marine pollutant: No · 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B · Segregation groups (SGG1) Acids Stowage Category · Stowage Code SW2 Clear of living quarters. 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · ADR · Limited quantities (LQ) 5L · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Transport category 3

Ε

(Contd. on page 11)



Printing date 19.01.2024 Version number 5 (replaces version 4) Revision: 09.12.2021

Trade name: SanitPro WC and deep cleaner CA 10 C eco!perform

(Contd. of page 10)

·IMDG

· Limited quantities (LQ)

Excepted quantities (EQ)

5L Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(CITRIC ACID), 8, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed.

H318 Causes serious eve damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Contact:

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 12)



Version number 5 (replaces version 4) Revision: 09.12.2021 Printing date 19.01.2024

Trade name: SanitPro WC and deep cleaner CA 10 C eco!perform

(Contd. of page 11)

vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1: Skin corrosion/irritation – Category 1
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

0.011-316.0

CA 10 C/5

2.490