

Printing date 08.03.2024 Version number 5 (replaces version 4) Revision: 24.08.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: SanitPro Daily Cleaner CA 20 R eco!perform
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Sanitary cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Printing date 08.03.2024 Version number 5 (replaces version 4) Revision: 24.08.2023

Trade name: SanitPro Daily Cleaner CA 20 R eco!perform

(Contd. of page 1)

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

isotridecanolethoxylate + 8 EO methanesulphonic acid

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

· Description: Cleaning agent

Dangerous components:		
CAS: 5949-29-1 EINECS: 201-069-1 Index number: 607-750-00-3 Reg.nr.: 01-2119457026-42-0000	citric acid ·H□O	1-5%
CAS: 69011-36-5	isotridecanolethoxylate + 8 EO ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302	≥1-<3%
CAS: 75-75-2 EINECS: 200-898-6 Index number: 607-145-00-4 Reg.nr.: 01-2119491166-34	methanesulphonic acid Met. Corr.1, H290; Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; STOT SE 3, H335	_
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-xxxx	2-(2-butoxyethoxy)ethanol © Eye Irrit. 2, H319	0.1-1%

Contd. on page 3



Printing date 08.03.2024 Version number 5 (replaces version 4) Revision: 24.08.2023

Trade name: SanitPro Daily Cleaner CA 20 R eco!perform

(Contd. of page 2)

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Printing date 08.03.2024 Version number 5 (replaces version 4) Revision: 24.08.2023

Trade name: SanitPro Daily Cleaner CA 20 R eco!perform

See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Avoid contact with eyes and skin.
- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

- 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection



Protective gloves.

- · Material of gloves Butyl rubber, BR
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles (EN 166)

- GB



Printing date 08.03.2024 Version number 5 (replaces version 4) Revision: 24.08.2023

Trade name: SanitPro Daily Cleaner CA 20 R eco!perform

(Contd. of page 4)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid · Colour: Red · Odour: fresh

Odour threshold: Not determined.

· Melting point/freezing point: 0°C 100 °C Boiling point or initial boiling point and boiling range

· Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable **Auto-ignition temperature:** not applicable Decomposition temperature: Not determined.

pH at 20 °C 2.1

· Viscosity:

· Kinematic viscosity Not determined. · dvnamic: Not determined.

Solubility

· Water: Fully miscible Not determined. · Partition coefficient n-octanol/water (log value) · Vapour pressure: Not determined.

· Density and/or relative density

Density at 20 °C: 1.028 g/cm³ · Relative density Not determined. · Vapour density Not determined. Relative gas density Not determined. · Particle characteristics Not applicable.

9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard classes

· Explosives Void Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void

(Contd. on page 6)



Printing date 08.03.2024 Version number 5 (replaces version 4) Revision: 24.08.2023

Trade name: SanitPro Daily Cleaner CA 20 R eco!perform

		(Contd. of page 5)
· Flammable solids	Void	
Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammab	le gases	
in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values relevant for classification:		
5949-29	-1 citr	ic acid ·H□O	
Oral	LD50	5400 mg/kg (mouse) (OECD 401)	
69011-3	6-5 isc	otridecanolethoxylate + 8 EO	
Oral	ATE	500 mg/kg (Rat)	
75-75-2	metha	nesulphonic acid	
Oral	LD50	649 mg/kg (Rat)	
Dermal	LD50	>1000 mg/kg (Rat)	
112-34-	5 2-(2-	butoxyethoxy)ethanol	
Oral	LD50	2410 mg/kg (mouse) (OECD 401)	
Dermal	LD50	2764 mg/kg (Rabbit)	
		n 14 41 -	

· Skin corrosion/irritation Causes skin irritation.

(Contd. on page 7)



Printing date 08.03.2024 Version number 5 (replaces version 4) Revision: 24.08.2023

Trade name: SanitPro Daily Cleaner CA 20 R eco!perform

(Contd. of page 6)

- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

Endocrine disrupting properties

128-37-0 Butylated hydroxytoluene

List II

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:			
5949-29-1 c	5949-29-1 citric acid ·H□O		
LC50/96 h	LC50/96 h 440-760 mg/l (Leuciscus idus) (OECD 203)		
LC50/24 h	LC50/24 h 1535 mg/l (Daphnia magna)		
LC50/168 h	LC50/168 h 425 mg/l (Scenedesmus quadricauda)		
LC50/16 h	LC50/16 h >10000 mg/l (Pseudomonas putida)		
EC50/72 h	120 mg/l (Daphnia magna)		
69011-36-5	isotridecanolethoxylate + 8 EO		
LC50/96 h	>1-10 mg/l (Leuciscus idus)		
EC50/48 h	>1-10 mg/l (Aquatic invertebrates)		
EC50/72 h	>1-10 mg/l (Aquatic plants)		
NOEC	C >1 mg/l /(21 d)		
112-34-5 2-(2-butoxyethoxy)ethanol		
LC50/96 h	1300 mg/l (Lepomis macrochirus)		
EC10/16 h	1170 mg/l (Pseudomonas putida)		
EC50/24 h	2850 mg/l (Daphnia magna) (DIN 38412)		
NOEC	>100 mg/l (Desmodesmus subspicatus)		

· 12.2 Persistence and degradability No further relevant information available.

69011-36-5 isotridecanolethoxylate + 8 EO OECD 301B >60 % (28 d)
OECD 301B >60 % (28 d)
OECD 301E ≥90 % (28 d)
112-34-5 2-(2-butoxyethoxy)ethanol
OECD 301C 80-90 % (28 d)
OECD 301E >70 % (28 d)

(Contd. on page 8)



Printing date 08.03.2024 Version number 5 (replaces version 4) Revision: 24.08.2023

Trade name: SanitPro Daily Cleaner CA 20 R eco!perform

(Contd. of page 7)

OECD 302B | 100 % (28 d)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- Additional ecological information:
- · COD-value: 91.200 mg/l
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on ligid waste.

The product does not contain organically bounded halogens (AOX-free).

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue

20 01 29* detergents containing hazardous substances

- Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleansing agents: Water, if necessary together with cleaning agents.

(Contd. on page 9)



Printing date 08.03.2024 Version number 5 (replaces version 4) Revision: 24.08.2023

Trade name: SanitPro Daily Cleaner CA 20 R eco!perform

(Contd. of page 8)

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

(Contd. on page 10)



Printing date 08.03.2024 Version number 5 (replaces version 4) Revision: 24.08.2023

Trade name: SanitPro Daily Cleaner CA 20 R eco!perform

(Contd. of page 9)

H335 May cause respiratory irritation.

· Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

· 0.011-318.0 CA 20 R/5 2.694

GR -