

Printing date 15.03.2024 Version number 6 (replaces version 5) Revision: 12.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: Floor deep cleaner RM 533
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Floor cleaner
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House **Brookhill Way** Banbury Oxon OX16 3ED Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com

Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

(Contd. of page 1)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2024 Version number 6 (replaces version 5) Revision: 12.03.2024

Trade name: Floor deep cleaner RM 533

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

fatty alcohol ethoxylate

Hazard statements

H290 May be corrosive to metals. H318 Causes serious eye damage.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P234 Keep only in original packaging.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P390 Absorb spillage to prevent material damage.

P406 Store in a corrosion resistant container / container with a resistant inner liner.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Cleaning agent

Dangerous components:		
CAS: 112-34-5 EINECS: 203-961-6	2-(2-butoxyethoxy)ethanol © Eye Irrit. 2, H319	10-20%
Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-xxxx		
CAS: 61725-89-1	fatty alcohol ethoxylate Alternative CAS number: 120313-48-6	≥5-<10%
	Eye Dam. 1, H318; Aquatic Acute 1, H400; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37-xxxx	sodium p-cumenesulphonate © Eye Irrit. 2, H319	1-5%

· Additional information For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

— G



Printing date 15.03.2024 Version number 6 (replaces version 5) Revision: 12.03.2024

Trade name: Floor deep cleaner RM 533

(Contd. of page 2)

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- GB



Printing date 15.03.2024 Version number 6 (replaces version 5) Revision: 12.03.2024

Trade name: Floor deep cleaner RM 533

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility:

Do not store together with acids.

Keep away from food, beverages and feed.

- · Further information about storage conditions: Keep receptacle tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

· Ingredie	Ingredients with limit values that require monitoring at the workplace:		
112-34-5 2	112-34-5 2-(2-butoxyethoxy)ethanol		
WEL Sho Lon	WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm		
·DNELs	DNELs		
15763-76-	15763-76-5 sodium p-cumenesulphonate		
Oral	DNEL	3.8 mg/kg×d (consumer)	
Dermal	DNEL	136.25 mg/kg×d (employee)	
		68.1 mg/kg×d (consumer)	
Inhalative	DNEL	26.9 mg/m3 (employee)	
		6.6 mg/m3 (consumer)	
·PNECs	PNECs		
15763-76-	15763-76-5 sodium p-cumenesulphonate		
PNEC		0.23 mg/l (freshwater)	
		0.023 mg/l (marine water)	

8.2 Exposure controls

PNEC soil

Appropriate engineering controls No further data; see section 7.

0.086 mg/kg (marine water)

100 mg/I (STP)

0.037 mg/kg (soil)

PNEC sediment 0.862 mg/kg (freshwater)

(Contd. on page 5)



Printing date 15.03.2024 Version number 6 (replaces version 5) Revision: 12.03.2024

Not applicable.

Trade name: Floor deep cleaner RM 533

(Contd. of page 4)

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- · Material of gloves Not required.
- Penetration time of glove material Not required.
- · Eye/face protection



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid · Colour: Green · Odour: fresh

· Odour threshold: Not determined.

Melting point/freezing point: $0 \, ^{\circ}C$

Boiling point or initial boiling point and boiling range undetermined

· Flammability

· Lower and upper explosion limit

· Lower: Not determined.

· Upper: Not determined. · Flash point: Not applicable

· Auto-ignition temperature: not applicable Decomposition temperature: Not determined.

· pH at 20 °C 9.7 7-9

· pH-value 1 %: · Viscosity:

· Kinematic viscosity

Not determined. 5 mPas

· dynamic at 20 °C:

· Solubility · Water:

Fully miscible · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not determined.

Density and/or relative density

· Density at 20 °C: 1.032 g/cm³ · Relative density Not determined. · Vapour density Not determined.

Relative gas density Not determined.

(Contd. on page 6)



Printing date 15.03.2024 Version number 6 (replaces version 5) Revision: 12.03.2024

Trade name: Floor deep cleaner RM 533

	(Contd. of page
Particle characteristics	Not applicable.
9.2 Other information	
Appearance:	
· Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	· · · · · · · · · · · · · · · · · · ·
· Evaporation rate	Not determined.
Information with regard to physical hazard classes	3
Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases	W 11
in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void Void
· Organic peroxides · Corrosive to metals	
	May be corrosive to metals.
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions

Strong exothermic reaction with acids Reacts with light alloys to form hydrogen Corrodes aluminium

- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Not compatible with alkali-sensitive substances like Sn, Zn, Al and paintings.

(Contd. on page 7)



Printing date 15.03.2024 Version number 6 (replaces version 5) Revision: 12.03.2024

Trade name: Floor deep cleaner RM 533

(Contd. of page 6)

10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values relevant for classification:		
112-34-	112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	LD50	2410 mg/kg (mouse) (OECD 401)	
Dermal	Dermal LD50 2764 mg/kg (Rabbit)		
15763-7	15763-76-5 sodium p-cumenesulphonate		
Oral	LD50	>5000 mg/kg (Rat) (OECD 401)	
Dermal	LD50	>2000 mg/kg (Rabbit)	

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

· Aquatic toxicity:			
112-34-5 2-(2-butoxyethoxy)ethanol			
LC50/96 h	1300 mg/l (Lepomis macrochirus)		
EC10/16 h	16 h 1170 mg/l (Pseudomonas putida)		
EC50/24 h	2850 mg/l (Daphnia magna) (DIN 38412)		
NOEC	>100 mg/l (Desmodesmus subspicatus)		
61725-89-1 fat	61725-89-1 fatty alcohol ethoxylate		
LC50/96 h (sta	tic) >0.1-1 mg/l (Brachydanio rerio)		
EC50/48 h	>1-10 mg/l (Aquatic invertebrates)		
EC50/72 h	>0.1-1 mg/l (Aquatic plants)		
	(Contd. on page 8		

(Contd. on page 8)



Printing date 15.03.2024 Version number 6 (replaces version 5) Revision: 12.03.2024

Trade name: Floor deep cleaner RM 533

	(Contd. of page 7)		
EC10/72 h	>0.1-1 mg/l (Water plants)		
15763-76-5 sodiu	15763-76-5 sodium p-cumenesulphonate		
LC50/96 h (static)	>100 mg/l (Oncorhynchus mykiss)		
EC50/48 h (static) >100 mg/l (Daphnia magna)			
EC50/96 h (static)	>100 mg/l (Pseudokirchneriella subcapitata)		

· 12.2 Persistence and degradability No further relevant information available.

	Degree of elimination:		
112-34-5 2-(2	2-butoxyethoxy)ethanol		
OECD 301C	80-90 % (28 d)		
OECD 301E	>70 % (28 d)		
OECD 302B	100 % (28 d)		

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

Do not allow product to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)



Printing date 15.03.2024 Version number 6 (replaces version 5) Revision: 12.03.2024

Trade name: Floor deep cleaner RM 533

Must be specially treated adhering to official regulations.

(Contd. of page 8)

European waste catalogue

20 01 29* detergents containing hazardous substances

- Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

• Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information

· 14.1 UN	number	or ID	number
-----------	--------	-------	--------

· ADR, IMDG, IATA

UN3267

· 14.2 UN proper shipping name

· ADR

3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (methylglycine diacetic acid, trisodium salt, solution) CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (methylglycine diacetic acid, trisodium salt, solution)

· 14.3 Transport hazard class(es)

· ADR



· IMDG, IATA

· Class 8 (C7) Corrosive substances.

· Label

· IMDG, IATA



· Class 8 Corrosive substances.

· Label

· 14.4 Packing group

· ADR, IMDG, IATA Ш

14.5 Environmental hazards: Not applicable.

· 14.6 Special precautions for user

Warning: Corrosive substances.

Hazard identification number (Kemler code): · EMS Number:

F-A,S-B

· Segregation groups

(SGG18) Alkalis

Stowage Category

(Contd. on page 10)



Printing date 15.03.2024 Version number 6 (replaces version 5) Revision: 12.03.2024

Trade name: Floor deep cleaner RM 533

	(Contd. of pag
Stowage Code Segregation Code	SW2 Clear of living quarters. SG35 Stow "separated from" SGG1-acids
14.7 Maritime transport in bulk according	
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (METHYLGLYCINE DIACETIC ACID, TRISODIUM SALT, SOLUTION), 8, III
	** :

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.

(Contd. on page 11)



Printing date 15.03.2024 Version number 6 (replaces version 5) Revision: 12.03.2024

Trade name: Floor deep cleaner RM 533

(Contd. of page 10)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

· Contact:

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals – Category 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.

0·011-377·0 RM 533/4 2·735

GB ·