

Printing date 22.03.2024 Version number 5 (replaces version 4) Revision: 27.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: PressurePro Foam Cleaner RM 838 (direct)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Detergent
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Aguatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)



Printing date 22.03.2024 Version number 5 (replaces version 4) Revision: 27.09.2022

Trade name: PressurePro Foam Cleaner RM 838 (direct)

(Contd. of page 1)

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

dodecyldimethylamine oxide

2-aminoethanol

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection. P280

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non-hazardous additions.

Dangerous components:		
CAS: 308062-28-4 EC number: 931-292-6 Reg.nr.: 01-2119490061-47-XXXX	dodecyldimethylamine oxide Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315	≥1-<2.5%
Reg.nr.: 01-2119486455-28-xxxx	2-aminoethanol Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335; Aquatic Chronic 3, H412 Specific concentration limit: STOT SE 3; H335: C≥5 %	≥1-<2.5%

• Additional information For the wording of the listed hazard phrases refer to section 16.



Printing date 22.03.2024 Version number 5 (replaces version 4) Revision: 27.09.2022

Trade name: PressurePro Foam Cleaner RM 838 (direct)

(Contd. of page 2)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information Immediately remove any clothing soiled by the product.
- · After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

(Contd. on page 4)



Printing date 22.03.2024 Version number 5 (replaces version 4) Revision: 27.09.2022

Trade name: PressurePro Foam Cleaner RM 838 (direct)

(Contd. of page 3)

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility:

Do not store together with acids.

Keep away from food, beverages and feed.

- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.1 Cont	roı par	ameters	
· Ingredie	Ingredients with limit values that require monitoring at the workplace:		
141-43-5	2-amin	oethanol	
	WEL Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm Sk		
· DNELs			
308062-28	8-4 dod	lecyldimethylamine oxide	
Dermal	DNEL	11 mg/kg×d (employee)	
Inhalative	DNEL	15.5 mg/m3 (Employee)	
141-43-5	2-amin	oethanol	
Oral	DNEL	3.75 mg/kg×d (consumer)	
Dermal	DNEL	1 mg/kg×d (employee)	
Inhalative	DNEL	3.3 mg/m3 (employee)	
		2 mg/m3 (consumer)	

(Contd. on page 5)



Printing date 22.03.2024 Version number 5 (replaces version 4) Revision: 27.09.2022

Trade name: PressurePro Foam Cleaner RM 838 (direct)

	(Contd. of page 4	
·PNECs		
308062-28-4 do	decyldimethylamine oxide	
PNEC	24 mg/l (STP) (Assessment factor: 1)	
PNEC sediment	5.24 mg/kg (freshwater) (sediment dw)	
	0.524 mg/kg (marine water) (sediment dw)	
PNEC soil	1.02 mg/kg	
PNEC aqua	0.034 mg/l (freshwater) (Assessment factor: 2)	
	0.003 mg/l (marine water) (Assessment factor: 20)	
141-43-5 2-amin	141-43-5 2-aminoethanol	
PNEC	100 mg/l (STP) (Assessment factor: 10)	
PNEC sediment	0.357 mg/kg (freshwater) (sediment dw)	
	0.036 mg/kg (marine water) (sediment dw)	
PNEC soil	1.29 mg/kg (Assessment factor: 1000)	
PNEC aqua	0.07 mg/l (freshwater) (Assessment factor: 10)	
	0.007 mg/l (marine water) (Assessment factor: 100)	

- 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Filter A/P2.

· Hand protection



Protective gloves.

- · Material of gloves Butyl rubber, BR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles (EN 166)



Printing date 22.03.2024 Version number 5 (replaces version 4) Revision: 27.09.2022

>100 °C

9-10

Not applicable.

Trade name: PressurePro Foam Cleaner RM 838 (direct)

(Contd. of page 5)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid

Orange

citrus-like

Not determined

undetermined

· Boiling point or initial boiling point and boiling range

· Flammability

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: Not applicable
 Auto-ignition temperature: not applicable

Decomposition temperature: Not determined. pH at 20 °C 12.6

pH-value 1 %:

· Viscosity:

Kinematic viscositydynamic:Not determined.Not determined.

· Solubility

Water: Fully miscible
 Partition coefficient n-octanol/water (log value) Not determined.
 Vapour pressure: Not determined.

· Density and/or relative density

Density at 20 °C:
Relative density
Vapour density
Not determined.
Relative gas density
Not determined.
Not determined.

9.2 Other information

Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

• **Ignition temperature:** Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Solvent content:

· Solids content: 5.5 %

· Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard classes

ExplosivesFlammable gasesAerosolsVoid

· Oxidising gases Void

(Contd. on page 7)



Printing date 22.03.2024 Version number 5 (replaces version 4) Revision: 27.09.2022

Trade name: PressurePro Foam Cleaner RM 838 (direct)

	(Contd. of page 6)
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases	
in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	May be corrosive to metals.
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions

Strong exothermic reaction with acids
Reacts with light alloys to form hydrogen
Corrodes aluminium

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Not compatible with alkali-sensitive substances like Sn, Zn, Al and paintings.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values relevant for classification:		
308062-	308062-28-4 dodecyldimethylamine oxide		
Oral	LD50	1064 mg/kg (Rat)	
Dermal	LD50	>2000 mg/kg (Rat)	
141-43-	141-43-5 2-aminoethanol		
Oral	LD50	1089 mg/kg (Rat) (OECD 401)	

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.

(Contd. on page 8)



Printing date 22.03.2024 Version number 5 (replaces version 4) Revision: 27.09.2022

Trade name: PressurePro Foam Cleaner RM 838 (direct)

(Contd. of page 7)

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity	· Aquatic toxicity:	
308062-28-4 dodecyldimethylamine oxide		
LC50/96 h	2.67 mg/l (fish)	
EC50/48 h	3.1 mg/l (Daphnia magna)	
EC10/18 h	24 mg/l (Pseudomonas putida)	
ErC50/72h	0.143 mg/l (Pseudokirchneriella subcapitata)	
NOEC	0.42 mg/l (Pimephales promelas)	
	0.067 mg/l (Water plants)	
	0.7 mg/l (Daphnia magna)	
141-43-5 2-amino	141-43-5 2-aminoethanol	
LC50/96 h (static)	LC50/96 h (static) 170 mg/l (fish)	
	349 mg/l (Cyprinus carpio) (OECD 203)	
	329 mg/l (Lepomis macrochirus)	
EC50/48 h	65 mg/l (Daphnia magna)	
EC50/72 h	2.5 mg/l (Scenedesmus quadricauda) (OECD 201)	
EC10/30 min	≥1000 mg/l (activated sludge) (OECD 209)	
NOEC	0.85 mg/l (Daphnia magna)	
	1.2 mg/l (fish)	

· 12.2 Persistence and degradability No further relevant information available.

Degree of elimination:		
308062-28-4 dodecyldimethylamine oxide		
OECD 301B	90 % (28 d)	
141-43-5 2-aminoethanol		
OECD 301A	>90 % (28 d)	

• 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 9)



Printing date 22.03.2024 Version number 5 (replaces version 4) Revision: 27.09.2022

Trade name: PressurePro Foam Cleaner RM 838 (direct)

(Contd. of page 8)

- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- · COD-value: 122.000 mg/l
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organically bounded halogens (AOX-free).

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29* detergents containing hazardous substances

- Uncleaned packaging:
- · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

(Contd. on page 10)



Printing date 22.03.2024 Version number 5 (replaces version 4) Revision: 27.09.2022

Trade name: PressurePro Foam Cleaner RM 838 (direct)

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

(Contd. of page 9)

SECTION 14: Transport information	
14.1 UN number or ID number ADR, IMDG, IATA	UN1760
14.2 UN proper shipping name ADR	1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, ETHANOLAMINE)
IMDG, IATA	CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, ETHANOLAMINE)
14.3 Transport hazard class(es)	
ADR	
Class Label	8 (C9) Corrosive substances.
IMDG, IATA	
10 mm 1 m	
Class Label	8 Corrosive substances.
14.4 Packing group	0
ADR, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code): EMS Number:	80 F-A,S-B
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to	IMO
instruments	Not applicable.

(Contd. on page 11)



Printing date 22.03.2024 Version number 5 (replaces version 4) Revision: 27.09.2022

Trade name: PressurePro Foam Cleaner RM 838 (direct)

	(Contd. of page 10)
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
Tunnel restriction code	E
·IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
(3)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM
	HYDROXIDE, ETHANOLAMINE), 8, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 12)



Printing date 22.03.2024 Version number 5 (replaces version 4) Revision: 27.09.2022

Trade name: PressurePro Foam Cleaner RM 838 (direct)

(Contd. of page 11)

· Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.

· 0·011-000·0 RM838direct/2 2·403

CB.