

Printing date 22.03.2024 Version number 2 (replaces version 1) Revision: 21.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: Rim Cleaner Premium RM 667
- · UFI: SC80-80QM-0001-0Y09
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Exterior vehicle cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Karcher Ltd

Unit 3 Redcow Retail Centre Robinhood Road, Ballymount Dublin 22 D22 PY03

Tel.: +353 1 409 7777

Internet: www.karcher.com

Further information obtainable from:

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

1.4 Emergency telephone number:

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland.

Telephone Number: +353 (0)1 809 2166

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

(Contd. on page 2)



Printing date 22.03.2024 Version number 2 (replaces version 1) Revision: 21.11.2022

Trade name: Rim Cleaner Premium RM 667

(Contd. of page 1)

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Warning

· Hazard-determining components of labelling:

sodium thioglycolate

(R)-p-mentha-1,8-diene

Hazard statements

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P261 Avoid breathing spray. P280 Wear protective gloves.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- **Description:** Mixture of substances listed below with non-hazardous additions.

Dangerous components:		
	sodium thioglycolate Acute Tox. 3, H301; Acute Tox. 4, H312; Skin Sens. 1, H317	10-20%
	sodium lauryl ether sulfate Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 5 % ≤ C < 10 %	

(Contd. on page 3)



Printing date 22.03.2024 Version number 2 (replaces version 1) Revision: 21.11.2022

Trade name: Rim Cleaner Premium RM 667

			(Contd. of p	age 2)		
	CAS: 15763-76-5	sodium p-cumenesulphonate	0.1-1	%		
	EINECS: 239-854-6 Reg.nr.: 01-2119489411-37-xxxx					
-	CAS: 5989-27-5	(R)-p-mentha-1,8-diene	≥0.1-<0.	25%		
		Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412		2070		
	Regulation (EC) No 648/2004 on detergents / Labelling for contents					
	anionic surfactants, non-ionic surfactants			5%		
	perfumes (LIMONENE, TERPINOLENE, CITRAL)					
	Additional information For the wording of the listed hazard phrases refer to section 16.					

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Call for a doctor immediately.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 4)



Printing date 22.03.2024 Version number 2 (replaces version 1) Revision: 21.11.2022

Trade name: Rim Cleaner Premium RM 667

(Contd. of page 3)

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 5)



Printing date 22.03.2024 Version number 2 (replaces version 1) Revision: 21.11.2022

Trade name: Rim Cleaner Premium RM 667

		(Co.	ntd. of page 4
DNELs			
		ium p-cumenesulphonate	
		_ 3.8 mg/kg×d (consumer)	
Dermal	DNEL	L 136.25 mg/kg×d (employee)	
		68.1 mg/kg×d (consumer)	
Inhalative	DNEL	26.9 mg/m3 (employee)	
		6.6 mg/m3 (consumer)	
PNECs			
	3 sodi	ium lauryl ether sulfate	
PNEC		10000 mg/l (STP) (Assessment factor: 1)	
PNEC sedi	ment	0.917 mg/kg (freshwater) (sediment dw)	
		0.092 mg/kg (marine water) (sediment dw)	
PNEC soil		7.5 mg/kg (Assessment factor: 100)	
PNEC aqua		0.24 mg/l (freshwater) (Assessment factor: 5)	
		0.024 mg/l (marine water) (Assessment factor: 50)	
15763-76-5	5 sodi	ium p-cumenesulphonate	
PNEC		0.23 mg/l (freshwater)	
		0.023 mg/l (marine water)	
		100 mg/l (STP)	
PNEC sedi	ment	0.862 mg/kg (freshwater)	
		0.086 mg/kg (marine water)	
PNEC soil		0.037 mg/kg (soil)	
5989-27-5	(R)-p-	-mentha-1,8-diene	
PNEC		1.8 mg/l (STP) (Assessment factor: 10)	
PNEC sedi	ment	3.85 mg/kg (freshwater) (sediment dw)	
		0.385 mg/kg (marine water) (sediment dw)	
PNEC soil		0.763 mg/kg (soil dw)	
PNEC aqua	a	0.014 mg/l (freshwater) (Assessment factor: 10)	
·		0.0014 mg/l (marine water) (Assessment factor: 100)	

- 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Do not inhale gases / fumes / aerosols.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· Respiratory protection: Not necessary if room is well-ventilated.

(Contd. on page 6)



Printing date 22.03.2024 Version number 2 (replaces version 1) Revision: 21.11.2022

Trade name: Rim Cleaner Premium RM 667

· Hand protection

(Contd. of page 5)



Protective gloves.

- · Material of gloves Butyl rubber, BR
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state
Colour:
Odour:
Odour threshold:
Fluid
Colourless
citrus-like
Not determined.

Melting point/freezing point:
 Boiling point or initial boiling point and boiling range
 100 °C

Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: Not applicable
 Auto-ignition temperature: not applicable
 Decomposition temperature: Not determined.

Decomposition temperature:
pH at 20 °C
pH-value 1 %:
Not
7.4
6-8

· Viscosity:

Kinematic viscositydynamic at 20 °C:Not determined.7.62 mPas

· Solubility

Water: Fully miscible
 Partition coefficient n-octanol/water (log value)
 Vapour pressure: Fully miscible
 Not determined.

· Density and/or relative density

Density at 20 °C:

Relative density

Vapour density

Relative gas density

Particle characteristics

1.104 g/cm³

Not determined.

Not determined.

Not determined.

(Contd. on page 7)



Printing date 22.03.2024 Version number 2 (replaces version 1) Revision: 21.11.2022

Trade name: Rim Cleaner Premium RM 667

(Contd. of page 6)

		infor	

Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not selfigniting.

• **Explosive properties:** Product does not present an explosion hazard.

Solvent content:

· Solids content: 23.6 %

· Change in condition

• Evaporation rate Not determined.

Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability

· Corrosive to metals

Desensitised explosives

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Void

Void

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 8)



Printing date 22.03.2024 Version number 2 (replaces version 1) Revision: 21.11.2022

Trade name: Rim Cleaner Premium RM 667

(Contd. of page 7)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if swallowed.

· LD/LC5	· LD/LC50 values relevant for classification:		
367-51-	367-51-1 sodium thioglycolate		
Oral	LD50	161 mg/kg (Rat)	
Dermal	LD50	>1000 mg/kg (Rat)	
15763-7	15763-76-5 sodium p-cumenesulphonate		
Oral	LD50	>5000 mg/kg (Rat) (OECD 401)	
Dermal	LD50	>2000 mg/kg (Rabbit)	

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxic	· Aquatic toxicity:	
367-51-1 sodiu	367-51-1 sodium thioglycolate	
LC50/48 h	880 mg/l (Leuciscus idus)	
EC50/48 h	38 mg/l (Daphnia magna)	
68891-38-3 soc	68891-38-3 sodium lauryl ether sulfate	
LC50/96 h	7.1 mg/l (Brachydanio rerio) (OECD 203)	
EC50/48 h	7.4 mg/l (Daphnia magna) (OECD 202)	
EC50/72 h	27.7 mg/l (Algae) (OECD 201)	
EC50 (static)	>10000 mg/l (Pseudomonas putida)	
NOErC	0.95 mg/l (algae)	

(Contd. on page 9)



Printing date 22.03.2024 Version number 2 (replaces version 1) Revision: 21.11.2022

Trade name: Rim Cleaner Premium RM 667

		(Contd. of page 8)
NOEC (dynamic	c) 0.27 mg/l /(21 d) (Daphnia magna) (OECD 211)	
	0.14 mg/l /(28 d) (Oncorhynchus mykiss) (OECD 204)	
15763-76-5 sod	ium p-cumenesulphonate	
LC50/96 h (station	c) >100 mg/l (Oncorhynchus mykiss)	
EC50/48 h (static) >100 mg/l (Daphnia magna)		
EC50/96 h (static) >100 mg/l (Pseudokirchneriella subcapitata)		
5989-27-5 (R)-p-mentha-1,8-diene		
LC50/96 h	0.72 mg/l (Pimephales promelas)	
EC50/48 h	0.307 mg/l (Daphnia magna)	
	0.25 mg/l (Pseudokirchneriella subcapitata)	
EC50/72 h	0.32 mg/l (Pseudokirchneriella subcapitata)	
EC10/72 h	0.174 mg/l (Pseudokirchneriella subcapitata)	
EC10/21 d	0.153 mg/l (Daphnia magna)	
EC10/8 d	0.37-0.67 mg/l (Pimephales promelas)	
EC50/3h	209 mg/l (activated sludge) (OECD 209)	

· 12.2 Persistence and degradability No further relevant information available.

Degree of	elimination:
68891-38-3 s	sodium lauryl ether sulfate
OECD 301D	≥77 % (28 d)
5989-27-5 (R	r)-p-mentha-1,8-diene
OECD 301B	71.4 % (28 d)

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- · COD-value: 397000 mg/l
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

(Contd. on page 10)



Printing date 22.03.2024 Version number 2 (replaces version 1) Revision: 21.11.2022

Trade name: Rim Cleaner Premium RM 667

(Contd. of page 9)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue

20 01 29* detergents containing hazardous substances

- Uncleaned packaging:
- · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
· UN "Model Regulation":	Void	

(Contd. on page 11)



Printing date 22.03.2024 Version number 2 (replaces version 1) Revision: 21.11.2022

Trade name: Rim Cleaner Premium RM 667

(Contd. of page 10)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Acute toxicity - oral The classification of the mixture is generally based on the calculation method using substance data Skin sensitisation according to Regulation (EC) No 1272/2008.

· Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

· Version number of previous version: 1

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 12)



Printing date 22.03.2024 Version number 2 (replaces version 1) Revision: 21.11.2022

Trade name: Rim Cleaner Premium RM 667

(Contd. of page 11)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 3: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B
Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.

0.011-040.0

RM 667/2

2.389

ıF -