KARCHER

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.03.2024

Version number 6 (replaces version 5)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Revision: 21.03.2024

1.1 Product identifier Trade name: CarpetPro Cleaner, quick-drying RM 767 OA 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users. · Application of the substance / the mixture Spray extraction cleaner 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfred Kärcher SE & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0 Internet: www.karcher.com • Further information obtainable from: **Regulatory Affairs** Tel.: +49-7195-14-0 productsafety.management.de@karcher.com 1.4 Emergency telephone number: For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted) **SECTION 2: Hazards identification** 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. [•] 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms Void · Signal word Void · Hazard statements H412 Harmful to aquatic life with long lasting effects. · Precautionary statements P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 2) FU

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.03.2024

KÄRCHER

Version number 6 (replaces version 5)

Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 1)

List II

2.3 Other hazards Results of PBT and vPvB assessment

· PBT:

Not applicable.

541-02-6 decamethylcyclopentasiloxane

· vPvB:

Not applicable.

541-02-6 decamethylcyclopentasiloxane

Determination of endocrine-disrupting properties

Not applicable.

541-02-6 decamethylcyclopentasiloxane

SECTION 3: Composition/information on ingredients

[•] 3.2 Mixtures

· Description: Cleaning agent

CAS: 541-02-6	decamethylcyclopentasiloxane	≥0.1-≤1%
EINECS: 208-764-9	Non-classified vPvB substance.	
Reg.nr.: 01-2119511367-43-0000	Non-classified PBT substance.	
	Substance identified as having endocrine disrupting properties (II).	
CAS: 68424-85-1	Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-	≥0.25-<1%
EINECS: 270-325-2	(C16))	
Reg.nr.: 01-2119965180-41	♦ Skin Corr. 1B, H314; Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ♦ Acute Tox. 4, H302	
CAS: 134737-05-6	Diquarternary polydimethylsiloxane	≥0.25-<1%
	log Aquatic Acute 1, H400; Aquatic Chronic 2, H411	
SVHC		
541-02-6 decamethylcyclopentasi	loxane	

[•] Regulation (EC) No 648/2004 on detergents / Labelling for contents

cationic surfactants

perfumes

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

[•] 4.1 Description of first aid measures

- After inhalation Supply fresh air; consult doctor in case of complaints.
- After skin contact Generally the product does not irritate the skin.
- After eye contact Rinse opened eye for several minutes under running water.

[•] After swallowing

Rinse out mouth and then drink plenty of water.

(Contd. on page 3)

<5%

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.03.2024

Version number 6 (replaces version 5)

Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 2)

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

If symptoms persist consult doctor.

SECTION 5: Firefighting measures

- [•] 5.1 Extinguishing media
- [·] Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

• 5.3 Advice for firefighters

- · Protective equipment: No special measures required.
- Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.

• 6.4 Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

[•] Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

[·] Storage

• Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 4)



KÄRCHER

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.03.2024

Version number 6 (replaces version 5)

Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 3)

- Information about storage in one common storage facility: Keep away from food, beverages and feed. • Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Г

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

57-55-6 Propyle		85 mg/kg×d (consumer)	
		213 mg/kg×d (consumer)	
Inhalative	DNEL	168 mg/m3 (employee)	
	1/0/0	50 mg/m3 (consumer)	
•	•	-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))	
		5.7 mg/kg×d (employee)	
Inhalative	DNEL	3.96 mg/m3 (employee)	
		1.64 mg/m3 (consumer)	
Irritation of skin	DNEL	3.4 mg/cm2 (consumer)	
PNECs			
57-55-6 Propyle	ne gly	col	
PNEC	26 mg	y/I (marine water)	
	2000	mg/I (STP)	
541-02-6 decam	ethylc	yclopentasiloxane	
PNEC	10 mg	// (STP) (Assessment factor: 100)	
PNEC sediment	11 mg	/kg (freshwater) (Assessment factor: 10)	
	1.1 m	g/kg (marine water) (Assessment factor: 100)	
PNEC soil	2.54 r	ng/kg (Assessment factor: 50)	
PNEC aqua	0.001	2 mg/l (freshwater) (Assessment factor: 10)	
	0.000	12 mg/l (marine water) (Assessment factor: 100)	
68424-85-1 Alky	vI (C12	-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))	
PNEC	0.001	mg/l (freshwater)	
	0.001	mg/l (marine water)	
	0.4 m	g/l (STP)	
PNEC sediment		mg/kg (freshwater)	
		mg/kg (marine water)	
PNEC soil		kg (soil)	
	J		(Contd. on pa

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.03.2024

KARCHER

Version number 6 (replaces version 5)

Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 4)

- [•] 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures Wash hands before breaks and at the end of work.
- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- Material of gloves Not required.
- · Penetration time of glove material Not required.
- · Eye/face protection Not required.

SECTION 9: Physical and chemical properties	
9.1 Information on basic physical and chemical p	roperties
General Information	•
[•] Physical state	Fluid
· Colour:	Light yellow
· Odour:	fresh
Odour threshold:	Not determined.
Melting point/freezing point:	0° 0
Boiling point or initial boiling point and boiling range	100 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Auto-ignition temperature:	not applicable
Decomposition temperature:	Not determined.
pH at 20 °C	6-8
pH-value 1 %:	6-8
Viscosity:	
Kinematic viscosity	Not determined.
dynamic at 20 °C:	3 mPas
Solubility	
Water:	Fully miscible
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.023 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Relative gas density	Not determined.
Particle characteristics	Not applicable.

(Contd. on page 6)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.03.2024

KÄRCHER

Version number 6 (replaces version 5)

Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

		(Contd. of page 5
9.2 Other information		
Appearance:		
· Form:	Fluid	
Important information on protection of health and		
environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard	
Change in condition	· · · · · · · · · · · · · · · · · · ·	
Evaporation rate	Not determined.	
Information with regard to physical hazard classes	3	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable gases		
in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

• 10.1 Reactivity corresponds to 10.3

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- * 10.3 Possibility of hazardous reactions No dangerous reactions known
- * 10.4 Conditions to avoid No further relevant information available.
- * 10.5 Incompatible materials: No further relevant information available.
- * **10.6 Hazardous decomposition products:** No dangerous decomposition products known

(Contd. on page 7)

FU

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.03.2024

KARCHER

Version number 6 (replaces version 5)

Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 6)

	mation on hazard classes as defined in Regulation (EC) No 1272/2008 dicity Based on available data, the classification criteria are not met.	
	alues relevant for classification:	
57-55-6 Pr	opylene glycol	
	LD50 22000 mg/kg (Rat)	
	ecamethylcyclopentasiloxane	
	LD50 >15000 mg/kg (Rat)	
Inhalative	LC50 >5000 mg/kg (Rat)	
68424-85-1	I Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))	
Oral	LD50 344 mg/kg (Rat)	
Dermal	LD50 3340 mg/kg (Rabbit)	
	-6 Diquarternary polydimethylsiloxane	
Oral	LD50 >5000 mg/kg (Rat)	
	osion/irritation Based on available data, the classification criteria are not met. Bye damage/irritation Based on available data, the classification criteria are not met.	
	bry or skin sensitisation Based on available data, the classification criteria are not met.	
	I mutagenicity Based on available data, the classification criteria are not met.	
	enicity Based on available data, the classification criteria are not met.	
	ctive toxicity Based on available data, the classification criteria are not met.	
	gle exposure Based on available data, the classification criteria are not met.	
· STOT-rep	peated exposure Based on available data, the classification criteria are not met.	
	n hazard Based on available data, the classification criteria are not met.	
[•] 11.2 Infor	mation on other hazards	
· Endocrin	e disrupting properties	
541-02-6	decamethylcyclopentasiloxane	List
540-07-6	Dodecamethylcyclohexasiloxane	List
	Jourounionality of the state of	

SECTION 12: Ecological information

[·] 12.1 Toxicity

· Aquatic toxicity:			
57-55-6 Propylene glycol			
LC50/96 h	40613 mg/l (Oncorhynchus mykiss)		
68424-85-1 Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))			
LC50/96 h	0.28 mg/l (Pimephales promelas) (US-EPA)		
	0.515 mg/l (Lepomis macrochirus)		
IC50/72 h	0.03 mg/l (Algae)		
	(Contd. on page 8)		

KÄRCHER

Printing date 29.03.2024

FC50/48 h

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 6 (replaces version 5)

Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

0.016 mg/l (Daphnia magna)

(Contd. of page 7)

	LC30/4011		
	EC50/30 min	11 mg/l (activated sludge) (OECD 209)	
	ErC50/96h	0.049 mg/l (Pseudokirchneriella subcapitata)	
	NOEC	0.032 mg/l (Pimephales promelas)	
		0.0042 mg/l (Daphnia magna)	
		0.456 mg/l (Lepomis macrochirus)	
134737-05-6 Diquarternary polydimethylsiloxane			
	LC50/96 h	30.8 mg/l (Danio rerio) (OECD 203)	
	EC50/48 h	>200 mg/l (Daphnia magna) (OECD 202)	
	ErC50/72h	0.49 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	
	NOEC (dynamic)	0.313 mg/l /(72 h) (Pseudokirchneriella subcapitata) (OECD 201)	

• **12.2 Persistence and degradability** No further relevant information available.

[•] Degree of elimination:

541-02-6 decamethylcyclopentasiloxane

OECD 310 0.14 % (28 d)

68424-85-1 Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))

OECD 301D 63 % (28 d)

• **12.3 Bioaccumulative potential** No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

· PBT:

541-02-6 decamethylcyclopentasiloxane

· vPvB:

541-02-6 decamethylcyclopentasiloxane

• **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

[•] Additional ecological information:

· General notes:

The product does not contain organically bounded halogens (AOX-free).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organic complexing agents.

Do not allow product to reach ground water, water course or sewage system.

- EU

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.03.2024

KÄRCHER

Version number 6 (replaces version 5)

Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 8)

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

[•] 13.1 Waste treatment methods

[·] Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

[·] European waste catalogue

20 01 29* detergents containing hazardous substances

[·] Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information		
[·] 14.1 UN number or ID number [·] ADR, IMDG, IATA	Void	
[·] 14.2 UN proper shipping name [·] ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
[·] 14.4 Packing group [·] ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
[•] 14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
UN "Model Regulation":	Void	

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.03.2024

KARCHER

Version number 6 (replaces version 5)

Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 9)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

[·] Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

* REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

- [•] National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

541-02-6 decamethylcyclopentasiloxane

* 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008

Hazardous to the aquatic environment - long-term (chronic)	The classification of the mixture is generally based on the
aquatic hazard	calculation method using substance data according to
	Regulation (EC) No 1272/2008.

Contact:

Regulatory Affairs Tel.: +49-7195-14-0 productsafety.management.de@karcher.com

Version number of previous version: 5

[•] Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH)

(Contd. on page 11)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.03.2024

Version number 6 (replaces version 5)

Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 10)

EU

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
SVHC: Substances of Very High Concern	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
* Data compared to the previous version altered.	
• •	

0.011-960.0 RM 767/5 2.701



.