

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 05.12.2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** FloorPro Escalator Cleaner, neutral RM 758**UFI:**

USC0-H0AG-700U-FM9V

This mixture contains nanoforms

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Restricted to professional users.



Keep away from children.

**Application of the substance / the mixture** Detergent**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:****Alfred Kärcher SE & Co. KG**

Alfred-Kärcher-Str. 28-40

D - 71364 Winnenden

Tel.: +49-7195-14-0

Internet: [www.karcher.com](http://www.karcher.com)**Further information obtainable from:**

Regulatory Affairs

Tel.: +49-7195-14-0

[productsafety.management.de@karcher.com](mailto:productsafety.management.de@karcher.com)**1.4 Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

EU

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 05.12.2022

**Trade name: FloorPro Escalator Cleaner, neutral RM 758**

(Contd. of page 1)

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· **Precautionary statements**

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable

· **vPvB:** Not applicable

· **Determination of endocrine-disrupting properties** Not applicable

### SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of substances listed below with non-hazardous additions.

· **Dangerous components:**

CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	1-5%
CAS: 121617-08-1 EC number: 939-464-2 Reg.nr.: 01-2119971970-28-0001	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives, compounds with triethanolamine ⚠ Skin Corr. 1C, H314; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Chronic 3, H412 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 50 % Skin Irrit. 2; H315: 1 % ≤ C < 50 %	≥1-<2.5%

· **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

anionic surfactants	<5%
preservation agents (BENZISOTHIAZOLINONE, METHYLCHLOROISOTHIAZOLINONE/ METHYLISOTHIAZOLINONE (3:1))	

(Contd. on page 3)

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 05.12.2022

**Trade name: FloorPro Escalator Cleaner, neutral RM 758***(Contd. of page 2)*

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

- **4.1 Description of first aid measures**
  - **After inhalation** Supply fresh air; consult doctor in case of complaints.
  - **After skin contact** Generally the product does not irritate the skin.
  - **After eye contact** Rinse opened eye for several minutes under running water.
  - **After swallowing**  
Rinse out mouth and then drink plenty of water.  
If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required
- **6.2 Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.  
Do not allow to penetrate the ground/soil.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.

*(Contd. on page 4)*

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 05.12.2022

**Trade name: FloorPro Escalator Cleaner, neutral RM 758**

See Section 13 for disposal information.

*(Contd. of page 3)*

### SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

· **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Keep away from food, beverages and feed.

· **Further information about storage conditions:** None.

· **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

**67-63-0 propan-2-ol**

Oral	DNEL	26 mg/kg×d (consumer)
Dermal	DNEL	888 mg/kg×d (employee)
		319 mg/kg×d (consumer)
Inhalative	DNEL	500 mg/m <sup>3</sup> (employee)
		89 mg/m <sup>3</sup> (consumer)

· **PNECs**

**67-63-0 propan-2-ol**

PNEC	140.9 mg/l (freshwater)
	140.9 mg/l (marine water)
	140.9 mg/l (STP)
	2251 mg/l (STP)
PNEC sediment	552 mg/kg (freshwater)
	552 mg/kg (marine water)
PNEC soil	28 mg/kg (soil)

**121617-08-1 Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives, compounds with triethanolamine**

PNEC	0.268 mg/l (freshwater)
	0.0268 mg/l (marine water)

*(Contd. on page 5)*

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 05.12.2022

**Trade name: FloorPro Escalator Cleaner, neutral RM 758**

(Contd. of page 4)

7 mg/l (STP)

- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures** Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not necessary if room is well-ventilated.
- **Hand protection**



Protective gloves.

- **Material of gloves** Butyl rubber, BR
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection**



Tightly sealed goggles (EN 166)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

- |   |  |
|---|--|
| · <b>Physical state</b>   | Liquid   |
| · <b>Colour:</b>  | Green  |
| · <b>Odour:</b>   | Product specific   |
| · <b>Odour threshold:</b>   | Not determined   |
| · <b>Melting point/freezing point:</b>                            | 0 °C   |
| · <b>Boiling point or initial boiling point and boiling range</b> | 100 °C   |
| · <b>Flammability</b>   | Not applicable   |
| · <b>Lower and upper explosion limit</b>                          |  |
| · <b>Lower:</b>   | Not determined   |
| · <b>Upper:</b>   | Not determined   |
| · <b>Flash point:</b>   | 56 °C (Closed Cup)<br>Does not support combustion (No. 32.5.2 UN MTC, Method L.2). |
| · <b>Auto-ignition temperature:</b>                               | not applicable   |
| · <b>Decomposition temperature:</b>                               | Not determined   |
| · <b>pH at 20 °C</b>  | 6.7  |
| · <b>pH-value 1 %:</b>  | 6-8  |
| · <b>Viscosity:</b>   |  |
| · <b>Kinematic viscosity</b>                                      | Not determined   |
| · <b>dynamic at 20 °C:</b>  | 3.5 mPas   |

(Contd. on page 6)

## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 05.12.2022

**Trade name: FloorPro Escalator Cleaner, neutral RM 758**

*(Contd. of page 5)*

· Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not determined
· Vapour pressure:	Not determined
· Density and/or relative density	
· Density at 20 °C:	0.998 g/cm <sup>3</sup>
· Relative density	Not determined
· Vapour density	Not determined
· Relative gas density	Not determined
· Particle characteristics	Not applicable

· **9.2 Other information**

· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined

· **Information with regard to physical hazard classes**

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

### SECTION 10: Stability and reactivity

· **10.1 Reactivity** corresponds to 10.3

· **10.2 Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

*(Contd. on page 7)*

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 05.12.2022

**Trade name: FloorPro Escalator Cleaner, neutral RM 758**

(Contd. of page 6)

- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

**67-63-0 propan-2-ol**

Oral	LD50	5840 mg/kg (Rat) (OECD 401)
Dermal	LD50	13900 mg/kg (Rabbit) (OECD 402)

**121617-08-1 Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives, compounds with triethanolamine**

Oral	LD50	2925 mg/kg (Rat) (OECD 401)
------	------	-----------------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

541-02-6	decamethylcyclotetrasiloxane	List II
556-67-2	octamethylcyclotetrasiloxane	List II, III

### SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

**67-63-0 propan-2-ol**

LC50/96 h	9640 mg/l (Pimephales promelas)
EC50/48 h	13299 mg/l (Daphnia magna)
EC50/72 h	>1000 mg/l (Desmodesmus subspicatus)

(Contd. on page 8)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 05.12.2022

**Trade name: FloorPro Escalator Cleaner, neutral RM 758**

*(Contd. of page 7)*

EC10/18 h	>1000 mg/l (Pseudomonas putida) (DIN 38412)
<b>121617-08-1 Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives, compounds with triethanolamine</b>	
LC50/96 h	>1-10 mg/l (Brachydanio rerio) (OECD 203)
EC50/48 h (static)	>10-100 mg/l (Daphnia magna) (OECD 202)
EC50/72 h (static)	>10-100 mg/l (Desmodesmus subspicatus) (OECD 201)
EC10/18 h	50 mg/l (Pseudomonas putida)
NOEC	2.8 mg/l (Daphnia magna) (OECD TG 202, Zeil 2)
	1 mg/l (Lepomis macrochirus)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **COD-value:** 138.000 mg/l
- **General notes:**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
Must be specially treated adhering to official regulations.
- **European waste catalogue**

20 01 29*	detergents containing hazardous substances
-----------	--

*(Contd. on page 9)*

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 05.12.2022

**Trade name: FloorPro Escalator Cleaner, neutral RM 758**

*(Contd. of page 8)*

- **Uncleaned packaging:**
- **Recommendation:**  
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

### SECTION 14: Transport information

- |   |                |
|---|----------------|
| · <b>14.1 UN number or ID number</b>                                  |                |
| · <b>ADR, IMDG, IATA</b>  | Void           |
| · <b>14.2 UN proper shipping name</b>                                 |                |
| · <b>ADR, IMDG, IATA</b>  | Void           |
| · <b>14.3 Transport hazard class(es)</b>                              |                |
| · <b>ADR, ADN, IMDG, IATA</b>   |                |
| · <b>Class</b>  | Void           |
| · <b>14.4 Packing group</b>   |                |
| · <b>ADR, IMDG, IATA</b>  | Void           |
| · <b>14.5 Environmental hazards:</b>                                  | Not applicable |
| · <b>14.6 Special precautions for user</b>                            | Not applicable |
| · <b>14.7 Maritime transport in bulk according to IMO instruments</b> | Not applicable |
| · <b>UN "Model Regulation":</b>                                       | Void           |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **National regulations**
- **Information about limitation of use:** Employment restrictions concerning juveniles must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

*(Contd. on page 10)*

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 05.12.2022

**Trade name: FloorPro Escalator Cleaner, neutral RM 758**

A product information sheet can be provided if requested.

*(Contd. of page 9)***· Relevant phrases**

H225 Highly flammable liquid and vapour.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H412 Harmful to aquatic life with long lasting effects.

**· Classification according to Regulation (EC) No 1272/2008**

Skin corrosion/irritation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
Serious eye damage/irritation	

**· Contact:**

Regulatory Affairs  
Tel.: +49-7195-14-0  
productsafety.management.de@karcher.com

**· Version number of previous version: 6****· Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 2: Flammable liquids – Category 2  
Skin Corr. 1C: Skin corrosion/irritation – Category 1C  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**· \* Data compared to the previous version altered.**

· 0-011-675-0 RM 758/12 2-631