

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.11.2025

Version number 6 (replaces version 5)

Revision: 03.11.2025

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****· 1.1 Product identifier****· Trade name:** FloorPro Intensive Deep Cleaner Extra RM 752**· UFI:** VG40-G0NR-600S-7KSD**· 1.2 Relevant identified uses of the substance or mixture and uses advised against**  
Restricted to professional users.

Keep away from children.

**· Application of the substance / the mixture**

Floor cleaner

Basic cleaner

**· 1.3 Details of the supplier of the safety data sheet****· Manufacturer/Supplier:****Alfred Kärcher SE & Co. KG**

Alfred-Kärcher-Str. 28-40

D - 71364 Winnenden

Tel.: +49-7195-14-0

Internet: [www.karcher.com](http://www.karcher.com)**· Further information obtainable from:**

Regulatory Affairs

Tel.: +49-7195-14-0

[productsafety.management.de@karcher.com](mailto:productsafety.management.de@karcher.com)**· 1.4 Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

**SECTION 2: Hazards identification****· 2.1 Classification of the substance or mixture****· Classification according to Regulation (EC) No 1272/2008**

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

**· 2.2 Label elements****· Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

EU

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.11.2025

Version number 6 (replaces version 5)

Revision: 03.11.2025

## Trade name: FloorPro Intensive Deep Cleaner Extra RM 752

(Contd. of page 1)

### · Hazard pictograms



GHS05

### · Signal word Danger

### · Hazard-determining components of labelling:

sodium hydroxide

### · Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

### · Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### · Additional information:

Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

### · 2.3 Other hazards

### · Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· Determination of endocrine-disrupting properties Not applicable.

## SECTION 3: Composition/information on ingredients

### · 3.2 Mixtures

· Description: Cleaning agent

### · Dangerous components:

CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6 Reg.nr.: 01-2119457892-27-xxxx	sodium hydroxide  Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	≥3-<5%
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37-xxxx	sodium p-cumenesulphonate  Eye Irrit. 2, H319	1-5%
CAS: 160875-66-1	2-propylheptanol ethoxylate  Eye Dam. 1, H318 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 1 % ≤ C < 10 %	1-5%

(Contd. on page 3)

EU

## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.11.2025

Version number 6 (replaces version 5)

Revision: 03.11.2025

### Trade name: FloorPro Intensive Deep Cleaner Extra RM 752

		(Contd. of page 2)
CAS: 5989-27-5 EINECS: 227-813-5 Index number: 601-096-00-2 Reg.nr.: 01-2119529223-47	(R)-p-mentha-1,8-diene  Flam. Liq. 3, H226;  Asp. Tox. 1, H304;  Aquatic Acute 1, H400;  Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	$\geq 0.1 < 0.25\%$

#### · Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants, cationic surfactants	$< 5\%$
perfumes (LIMONENE, TERPINEOL)	

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

· **General information** Immediately remove any clothing soiled by the product.

#### · After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

· **After skin contact** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

#### · After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## SECTION 5: Firefighting measures

#### · 5.1 Extinguishing media

#### · Suitable extinguishing agents

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

#### · 5.3 Advice for firefighters

· **Protective equipment:** No special measures required.

· **Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

EU

(Contd. on page 4)

## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.11.2025

Version number 6 (replaces version 5)

Revision: 03.11.2025

**Trade name: FloorPro Intensive Deep Cleaner Extra RM 752**

(Contd. of page 3)

### **SECTION 6: Accidental release measures**

#### **· 6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

#### **· 6.2 Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

#### **· 6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

#### **· 6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

#### **· 7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

#### **· Information about fire - and explosion protection:** No special measures required.

#### **· 7.2 Conditions for safe storage, including any incompatibilities**

##### **· Storage**

##### **· Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.

##### **· Information about storage in one common storage facility:**

Do not store together with acids.

Keep away from food, beverages and feed.

##### **· Further information about storage conditions:** Keep receptacle tightly sealed.

#### **· 7.3 Specific end use(s)** No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

#### **· 8.1 Control parameters**

#### **· Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 5)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.11.2025

Version number 6 (replaces version 5)

Revision: 03.11.2025

**Trade name: FloorPro Intensive Deep Cleaner Extra RM 752**

(Contd. of page 4)

· DNELs		
<b>1310-73-2 sodium hydroxide</b>		
Inhalative	DNEL	1 mg/m <sup>3</sup> (employee) 1 mg/m <sup>3</sup> (consumer)
<b>15763-76-5 sodium p-cumenesulphonate</b>		
Oral	DNEL	3.8 mg/kg×d (consumer)
Dermal	DNEL	136.25 mg/kg×d (employee) 68.1 mg/kg×d (consumer)
Inhalative	DNEL	26.9 mg/m <sup>3</sup> (employee) 6.6 mg/m <sup>3</sup> (consumer)
· PNECs		
<b>15763-76-5 sodium p-cumenesulphonate</b>		
PNEC		0.23 mg/l (freshwater) 0.023 mg/l (marine water) 100 mg/l (STP)
PNEC sediment		0.862 mg/kg (freshwater) 0.086 mg/kg (marine water)
PNEC soil		0.037 mg/kg (soil)
<b>5989-27-5 (R)-p-mentha-1,8-diene</b>		
PNEC		1.8 mg/l (STP) (Assessment factor: 10)
PNEC sediment		3.85 mg/kg (freshwater) (sediment dw) 0.385 mg/kg (marine water) (sediment dw)
PNEC soil		0.763 mg/kg (soil dw)
PNEC aqua		0.014 mg/l (freshwater) (Assessment factor: 10) 0.0014 mg/l (marine water) (Assessment factor: 100)

**· 8.2 Exposure controls****· Appropriate engineering controls** No further data; see section 7.**· Individual protection measures, such as personal protective equipment****· General protective and hygienic measures**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

**· Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A/P2.

**· Hand protection**

Protective gloves.

**· Material of gloves** Butyl rubber, BR

(Contd. on page 6)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.11.2025

Version number 6 (replaces version 5)

Revision: 03.11.2025

**Trade name: FloorPro Intensive Deep Cleaner Extra RM 752**

(Contd. of page 5)

**· Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· Eye/face protection**

Tightly sealed goggles (EN 166)

**SECTION 9: Physical and chemical properties****· 9.1 Information on basic physical and chemical properties****· General Information****· Physical state**

Liquid

**· Colour:**

Green

**· Odour:**

citrus-like

**· Odour threshold:**

Not determined.

**· Melting point/freezing point:**

-10 °C

**· Boiling point or initial boiling point and boiling range**

undetermined

**· Flammability**

Not applicable.

**· Lower and upper explosion limit****· Lower:**

Not determined.

**· Upper:**

Not determined.

**· Flash point:**

Not applicable

**· Auto-ignition temperature:**

not applicable

**· Decomposition temperature:**

Not determined.

**· pH at 20 °C**

13.3

**· pH-value 1 %:**

11-12

**· Viscosity:**

Not determined.

**· Kinematic viscosity**

3.3 mPas

**· dynamic at 20 °C:****· Solubility**

Fully miscible

**· Water:**

Not determined.

**· Partition coefficient n-octanol/water (log value)**

Not determined.

**· Vapour pressure:**

Not determined.

**· Density and/or relative density**

1.119 g/cm³

**· Density at 20 °C:**

Not determined.

**· Relative density**

Not determined.

**· Vapour density**

Not determined.

**· Relative gas density**

Not determined.

**· Particle characteristics**

Not applicable.

**· 9.2 Other information****· Appearance:**

Fluid

**· Form:****· Important information on protection of health and environment, and on safety.**

Product is not selfigniting.

**· Ignition temperature:**

(Contd. on page 7)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.11.2025

Version number 6 (replaces version 5)

Revision: 03.11.2025

**Trade name: FloorPro Intensive Deep Cleaner Extra RM 752**

(Contd. of page 6)

· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not determined.
<b>· Information with regard to physical hazard classes</b>	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	May be corrosive to metals.
· Desensitised explosives	Void

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** corresponds to 10.3
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**  
Strong exothermic reaction with acids  
Reacts with light alloys to form hydrogen  
Corrodes aluminium
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Not compatible with alkali-sensitive substances like Sn, Zn, Al and paintings.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

**SECTION 11: Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 8)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.11.2025

Version number 6 (replaces version 5)

Revision: 03.11.2025

**Trade name: FloorPro Intensive Deep Cleaner Extra RM 752**

(Contd. of page 7)

## · LD/LC50 values relevant for classification:

**15763-76-5 sodium p-cumenesulphonate**

Oral	LD50	>5000 mg/kg (Rat) (OECD 401)
Dermal	LD50	>2000 mg/kg (Rabbit)

## · Primary irritant effect:

- Skin corrosion/irritation Causes severe skin burns and eye damage.
- Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

## · 11.2 Information on other hazards

## · Endocrine disrupting properties

None of the ingredients is listed.

**SECTION 12: Ecological information**

## · 12.1 Toxicity

## · Aquatic toxicity:

**1310-73-2 sodium hydroxide**

LC50/96 h	125 mg/l (Gambusia affinis)
EC50/48 h	76 mg/l (Daphnia magna)
EC50/15 min	40.4 mg/l (Ceriodaphnia dubia)

22 mg/l (Photobacterium phosphoreum)

**15763-76-5 sodium p-cumenesulphonate**

LC50/96 h (static)	>100 mg/l (Oncorhynchus mykiss)
EC50/48 h (static)	>100 mg/l (Daphnia magna)
EC50/96 h (static)	>100 mg/l (Pseudokirchneriella subcapitata)

**160875-66-1 2-propylheptanol ethoxylate**

LC50/96 h	>10-100 mg/l (Oncorhynchus mykiss)
EC50/48 h	>1-10 mg/l (Daphnia magna)

**5989-27-5 (R)-p-mentha-1,8-diene**

LC50/96 h	0.72 mg/l (Pimephales promelas)
EC50/48 h	0.307 mg/l (Daphnia magna)
	0.25 mg/l (Pseudokirchneriella subcapitata)
EC50/72 h	0.32 mg/l (Pseudokirchneriella subcapitata)
EC10/72 h	0.174 mg/l (Pseudokirchneriella subcapitata)
EC10/21 d	0.153 mg/l (Daphnia magna)

(Contd. on page 9)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.11.2025

Version number 6 (replaces version 5)

Revision: 03.11.2025

**Trade name: FloorPro Intensive Deep Cleaner Extra RM 752**

(Contd. of page 8)

EC10/8 d	0.37-0.67 mg/l (Pimephales promelas)
EC50/3h	209 mg/l (activated sludge) (OECD 209)

- **12.2 Persistence and degradability** No further relevant information available.

- **Degree of elimination:**

<b>5989-27-5 (R)-p-mentha-1,8-diene</b>	
OECD 301B	71.4 % (28 d)

- **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

- **12.7 Other adverse effects**

- **Additional ecological information:**

- **COD-value:** 113000 mg/l

- **General notes:**

The product does not contain organically bounded halogens (AOX-free).

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liquid waste.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

### **SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

(Contd. on page 10)

EU

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.11.2025

Version number 6 (replaces version 5)

Revision: 03.11.2025

### Trade name: FloorPro Intensive Deep Cleaner Extra RM 752

(Contd. of page 9)

#### · European waste catalogue

20 01 29*	detergents containing hazardous substances
-----------	--

#### · Uncleaned packaging:

#### · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

#### · Recommended cleansing agents:

Water, if necessary together with cleaning agents.

## SECTION 14: Transport information

#### · 14.1 UN number or ID number

· ADR, IMDG, IATA	UN1719
-------------------	--------

#### · 14.2 UN proper shipping name

· ADR	1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE)
-------	---

· IMDG, IATA	CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE)
--------------	--

#### · 14.3 Transport hazard class(es)

#### · ADR



· Class	8 (C5) Corrosive substances.
· Label	8

#### · IMDG, IATA



· Class	8 Corrosive substances.
· Label	8

#### · 14.4 Packing group

· ADR, IMDG, IATA	III
-------------------	-----

#### · 14.5 Environmental hazards:

Not applicable.
-----------------

#### · 14.6 Special precautions for user

Warning: Corrosive substances.
--------------------------------

#### · Hazard identification number (Kemler code):

80
----

#### · EMS Number:

F-A,S-B
---------

#### · Segregation groups

(SGG18) Alkalies
------------------

#### · Stowage Category

A
---

(Contd. on page 11)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.11.2025

Version number 6 (replaces version 5)

Revision: 03.11.2025

**Trade name: FloorPro Intensive Deep Cleaner Extra RM 752**

(Contd. of page 10)

· <b>Segregation Code</b>	SG22 Stow "away from" ammonium salts SG35 Stow "separated from" SGG1-acids
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>· Transport/Additional information:</b>	
· <b>ADR</b>	5L
· <b>Limited quantities (LQ)</b>	Code: E1
· <b>Excepted quantities (EQ)</b>	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	E
· <b>IMDG</b>	5L
· <b>Limited quantities (LQ)</b>	Code: E1
· <b>Excepted quantities (EQ)</b>	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE), 8, III

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **National regulations**
- **Information about limitation of use:** Employment restrictions concerning juveniles must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.  
A product information sheet can be provided if requested.

- **Relevant phrases**  
H226 Flammable liquid and vapour.  
H290 May be corrosive to metals.  
H304 May be fatal if swallowed and enters airways.  
H314 Causes severe skin burns and eye damage.

(Contd. on page 12)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.11.2025

Version number 6 (replaces version 5)

Revision: 03.11.2025

**Trade name: FloorPro Intensive Deep Cleaner Extra RM 752**

(Contd. of page 11)

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H400 Very toxic to aquatic life.  
H412 Harmful to aquatic life with long lasting effects.

**Classification according to Regulation (EC) No 1272/2008**

Corrosive to metals	On basis of test data
Skin corrosion/irritation Serious eye damage/irritation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

**Contact:**

Regulatory Affairs  
Tel.: +49-7195-14-0  
productsafety.management.de@karcher.com

**Version number of previous version: 5****Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1B: Skin sensitisation – Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**\* Data compared to the previous version altered.**

0·011-311·0 RM 752/18 2·874

EU