

Printing date 16.05.2025 Version number 6 (replaces version 5) Revision: 02.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA
- · UFI: GRM0-K0HD-Q00V-YCGV
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Spray extraction cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Internet: www.karcher.com

Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

· Signal word Warning

(Contd. on page 2)



Printing date 16.05.2025 Version number 6 (replaces version 5) Revision: 02.10.2024

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

(Contd. of page 1)

· Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling. P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- **Description:** Mixture of substances listed below with non-hazardous additions.

| CAS: 497-19-8 | sodium carbonate | 20-30% |
|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------|
| EINECS: 207-838-8 Index number: 011-005-00-2 Reg.nr.: 01-2119485498-19-xxxx | ◆ Eye Irrit. 2, H319 | |
| CAS: 5949-29-1 EINECS: 201-069-1 Index number: 607-750-00-3 Reg.nr.: 01-2119457026-42-xxxx | citric acid ·H□O ❖ Eye Irrit. 2, H319; STOT SE 3, H335 | ≥10-<20% |
| CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37-xxxx | sodium p-cumenesulphonate © Eye Irrit. 2, H319 | 1-5% |
| CAS: 6153-56-6 EINECS: 205-634-3 Index number: 607-006-00-8 Reg.nr.: 01-2119534576-33-xxxx | oxalic acid dihydrate Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312 | ≥1-<3% |
| CAS: 68439-46-3 | C9-11 alcohol ethoxylate | 1-5% |
| CAS: 68439-49-6 | fatty alkohol ethoxylate © Eye Irrit. 2, H319 | 1-5% |
| CAS: 68551-12-2 NLP: 500-212-8 | Alcohols C12-16 ethoxylated ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; Aquatic Chronic 3, H412 | ≥0.25-<1% |

| Regulation (EC) No 648/2004 on detergents / Labelling for contents | |
|--------------------------------------------------------------------|-----|
| polycarboxylates, non-ionic surfactants, anionic surfactants | <5% |
| perfumes (LINALYL ACETATE, DIMETHYL PHENETHYL ACETATE, TERPINEOL) | |

(Contd. on page 3)



Printing date 16.05.2025 Version number 6 (replaces version 5) Revision: 02.10.2024

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

(Contd. of page 2)

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



Printing date 16.05.2025 Version number 6 (replaces version 5) Revision: 02.10.2024

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Protect from humidity. Store dry and locked up.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

| · DNELs | · DNELs | | |
|------------|---------------------------|---------------------------|--|
| 497-19-8 | 497-19-8 sodium carbonate | | |
| Inhalative | DNEL | 10 mg/m3 (employee) | |
| 15763-76- | 5 sodi | um p-cumenesulphonate | |
| Oral | DNEL | 3.8 mg/kg×d (consumer) | |
| Dermal | DNEL | 136.25 mg/kg×d (employee) | |
| | | 68.1 mg/kg×d (consumer) | |
| Inhalative | DNEL | 26.9 mg/m3 (employee) | |
| | | 6.6 mg/m3 (consumer) | |
| · PNECs | • | · | |

15763-76-5 sodium n-cumenesulphonate

| 15/63-76-5 Sodium p-cumenesuipnonate | | | | |
|--------------------------------------|----------------------------|--|--|--|
| PNEC | 0.23 mg/l (freshwater) | | | |
| | 0.023 mg/l (marine water) | | | |
| | 100 mg/l (STP) | | | |
| | 0.862 mg/kg (freshwater) | | | |
| | 0.086 mg/kg (marine water) | | | |
| PNEC soil | 0.037 mg/kg (soil) | | | |

- 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)



Printing date 16.05.2025 Version number 6 (replaces version 5) Revision: 02.10.2024

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

(Contd. of page 4)

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- · Material of gloves Not required.
- Penetration time of glove material Not required.
- · Eye/face protection



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

· Physical state Solid. · Colour: Colourless · Odour: green tea · Odour threshold: Not determined.

· Melting point/freezing point: undetermined Boiling point or initial boiling point and boiling range undetermined

· Flammability Not determined.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable **Auto-ignition temperature:** not applicable

Not determined. · Decomposition temperature: pH at 20 °C 8-10 (10%) · pH-value 1 %: 8-10

· Viscosity:

Kinematic viscosity Not applicable. · dynamic: Not applicable.

· Solubility

Soluble · Water:

· Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not applicable.

· Density and/or relative density

· Relative density Not determined. · Bulk density: 850 kg/m³ · Vapour density Not applicable. · Relative gas density Not applicable. Particle characteristics See section 3.

(Contd. on page 6)



Printing date 16.05.2025 Version number 6 (replaces version 5) Revision: 02.10.2024

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

(Contd. of page 5)

| | \mathbf{n} | \sim 11 | | : E | | L: |
|---|--------------|-----------|-----|-------|----|-------|
| • | u / | L ITE | 10r | infor | ma | rian. |
| | J.Z | Vи | 161 | | ma | LIVII |

· Appearance:

· Form: Powder

· Important information on protection of health and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

Change in condition

· Evaporation rate Not applicable.

| • | Into | orn | nation | with | regard | to | pnys | ıcaı | nazard | ciasses |
|---|------|-----|--------|------|--------|----|------|------|--------|---------|
| | | | | | | | | | | |

| · · · · · · · · · · · · · · · · · · · | |
|-------------------------------------------------------|------|
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| · Oxidising gases | Void |
| · Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| · Self-reactive substances and mixtures | Void |
| · Pyrophoric liquids | Void |
| · Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| · Substances and mixtures, which emit flammable gases | |
| in contact with water | Void |
| · Oxidising liquids | Void |
| · Oxidising solids | Void |
| · Organic peroxides | Void |
| · Corrosive to metals | Void |
| Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known



Printing date 16.05.2025 Version number 6 (replaces version 5) Revision: 02.10.2024

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

(Contd. of page 6)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC5 | · LD/LC50 values relevant for classification: | | |
|----------|-----------------------------------------------|--|--|
| 497-19- | 8 sodium carbonate | | |
| Oral | LD50 2800 mg/kg (Rat) | | |
| Dermal | LD50 >2000 mg/kg (rabbit) | | |
| 5949-29 | -1 citric acid ·H □O | | |
| Oral | LD50 5400 mg/kg (mouse) (OECD 401) | | |
| 15763-7 | 6-5 sodium p-cumenesulphonate | | |
| Oral | LD50 >5000 mg/kg (Rat) (OECD 401) | | |
| Dermal | LD50 >2000 mg/kg (Rabbit) | | |
| | 6153-56-6 oxalic acid dihydrate | | |
| Dermal | LD50 20000 mg/kg (Rabbit) | | |
| 68439-4 | 6-3 C9-11 alcohol ethoxylate | | |
| Oral | LD50 >5000 mg/kg (Rat) | | |

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

| oonate | |
|----------------------------------------|--|
|) 227 mg/l (Coriodophnia dubia) | |
| 0-227 mg/l (Ceriodaphnia dubia) | |
| 300 mg/l (Lepomis macrochirus) | |
| H _□ O | |
| 0-760 mg/l (Leuciscus idus) (OECD 203) | |
| 35 mg/l (Daphnia magna) | |
|) I H)- | |

(Contd. on page 8)



Printing date 16.05.2025 Version number 6 (replaces version 5) Revision: 02.10.2024

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

| | (Contd. of page 7) |
|--------------------|---------------------------------------------|
| LC50/168 h | 425 mg/l (Scenedesmus quadricauda) |
| LC50/16 h | >10000 mg/l (Pseudomonas putida) |
| EC50/72 h | 120 mg/l (Daphnia magna) |
| 15763-76-5 sodiui | m p-cumenesulphonate |
| LC50/96 h (static) | >100 mg/l (Oncorhynchus mykiss) |
| EC50/48 h (static) | >100 mg/l (Daphnia magna) |
| EC50/96 h (static) | >100 mg/l (Pseudokirchneriella subcapitata) |
| 6153-56-6 oxalic a | acid dihydrate |
| LC50/48 h | 160 mg/l (Leuciscus idus) |
| EC50/48 h | 162.2 mg/l (Daphnia magna) |
| 68439-46-3 C9-11 | alcohol ethoxylate |
| LC50/96 h | 1-10 mg/l (Oncorhynchus mykiss) |
| EC50/48 h | 1-10 mg/l (Daphnia magna) |
| EC50/72 h | 1-10 mg/l (Algae) |

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.



Printing date 16.05.2025 Version number 6 (replaces version 5) Revision: 02.10.2024

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

(Contd. of page 8)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29* detergents containing hazardous substances

- *Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

| SECTION 14: Transport information | |
|---------------------------------------------------------|---------------------------|
| · 14.1 UN number or ID number · ADR, IMDG, IATA | Void |
| · 14.2 UN proper shipping name · ADR, IMDG, IATA | Void |
| 14.3 Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA · Class | Void |
| · 14.4 Packing group · ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards: | Not applicable. |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Maritime transport in bulk according instruments | g to IMO Not applicable. |
| UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 10)



Printing date 16.05.2025 Version number 6 (replaces version 5) Revision: 02.10.2024

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

(Contd. of page 9)

- National regulations
- Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

· Version number of previous version: 5

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Data compared to the previous version altered.

0.011-331.0 RM760PF/9 2.760