

# **KARCHER** Window cleaner concentrate RM 503

### Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200 Issue date: 3/1/2024 Revision date: 3/1/2024 Supersedes: 2/18/2022 Version: 6.00

1.1. Identification	
Trade name	: Window cleaner concentrate RM 503
1.2. Recommended use and restriction	is on use
Use of the substance/mixture Recommended use	<ul> <li>: Intended for general public</li> <li>: Consumer uses: Private households (= general public = consumers), Detergent</li> </ul>
1.3. Supplier	
Manufacturer Alfred Kärcher SE & Co. KG Alfred-Kärcher-Str. 28-40 P.O. Box 160 Winnenden, 71364 GERMANY T +49-7195-14-0 www.karcher.com Importer Kärcher North America, Inc 6398 N Kärcher Way Aurora, CO 80019 USA Corporate Main Phone 303-738-2400	Email competent person sds@kft.de
1.4. Emergency telephone number	
Emergency number	: For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)
SECTION 2: Hazard(s) identifica	tion
2.1. Classification of the substance or	mixture
<b>GHS US classification</b> Not classified	
2.2. GHS Label elements, including p	recautionary statements
<b>GHS US labeling</b> No labeling applicable	
2.3. Other hazards which do not result	t in classification
No additional information available	
2.4. Unknown acute toxicity (GHS US	

## Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

SECTION 3: Composition/Information on ingredients			
3.1. Substances			
lot applicable			
3.2. Mixtures			
Name	Product identifier	%	GHS US classification
1-methoxy-2-propanol	CAS-No.: 107-98-2	$\geq 10 - < 20$	Flam. Liq. 3, H226
			STOT SE 3, H336
propan-2-ol	CAS-No.: 67-63-0	≥ 5 - < 10	Flam. Liq. 2, H225
· ·			Eye Irrit. 2, H319
			STOT SE 3, H336

Full text of hazard classes and H-statements : see section 16

4.1. Description of first aid measures		
First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact	: Wash skin with plenty of water.	
First-aid measures after eye contact	: Rinse eyes with water as a precaution.	
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.	

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

### SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing mo	edia
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Strong water jet.
5.2. Specific hazards arising from the chemical	!
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide.
5.3. Special protective equipment and precaution	ons for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Do not allow run-off from fire fighting to enter drains or water courses. Disposal must be done according to official regulations.

### Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

6.1. Personal precautions, protective equipment and emergency procedures	
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
*	sewers and public waters. Notify authorities if product enters sewers or public waters.

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal.
Other information	: Disposal must be done according to official regulations.

Information for safe handling. See section 7. Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

SECTION 7: Handling and storage 7.1. Precautions for safe handling		
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any Storage conditions	incompatibilities : Store in a well-ventilated place. Keep cool.	
Maximum storage period	$\therefore 3 year(s)$	
Storage temperature	: $4 - 30 \ ^{\circ}C$	
Information about storage in one common storage facility	: Keep away from food, drink and animal feeding stuffs.	

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Window cleaner concentrate RM 503	
No additional information available	
1-methoxy-2-propanol (107-98-2)	
USA - ACGIH - Occupational Exposure La	inits and the second
Local name	1-Methoxy-2-propanol
ACGIH OEL TWA [ppm]	50 ppm
ACGIH OEL STEL [ppm]	100 ppm
Remark (ACGIH)	TLV® Basis: Eye & URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2024
propan-2-ol (67-63-0)	
USA - ACGIH - Occupational Exposure La	inits and the second
Local name	2-Propanol
ACGIH OEL TWA [ppm]	200 ppm

### Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

ACGIH OEL STEL [ppm]	400 ppm
Remark (ACGIH)	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen);
	BEI
Regulatory reference	ACGIH 2024
USA - ACGIH - Biological Exposure Indices	
Local name	2-Propanol
BEI	40 mg/l Parameter: Acetone - Medium: urine - Sampling time: End of shift at end of workweek -
	Notations: B, Ns
Regulatory reference	ACGIH 2024
USA - OSHA - Occupational Exposure Limits	
Local name	Isopropyl alcohol
OSHA PEL TWA [1]	980 mg/m <sup>3</sup>
OSHA PEL TWA [2]	400 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

#### 8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls *Ensure good ventilation of the work station. Avoid release to the environment.*

#### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

In case of repeated or prolonged contact wear gloves. Chemically resistant protective gloves. Nitrile rubber. ISO 374-1. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

Eye protection:

Wear closed safety glasses. ISO 16321-1

#### Skin and body protection:

Wear suitable protective clothing. EN ISO 13688. EN 13034

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment. Short term exposure. breathing apparatus with filter. A-P2. Breathing equipment is only to be used in order to handle the residual risk of short term jobs if all other risk minimizing measures have been carried out e.g. retention and/or local exhaust. EN 143

#### SECTION 9: Physical and chemical properties

ysical state	: Liquid
pearance	: clear.
lor	: Yellow
or	: lemon odor
or threshold	: No data available
	: 5.8 (5.4 - 6.2)
solution	: 6-8(1%)
lting point	: Not applicable
eezing point	: -5 °C
ling point	: 100 °C
sh point	: 37 °C (DIN 51755/51758; (Not sustained combustibility); (Closed cup))
ative evaporation rate (butyl acetate=1)	: No data available
mmability (solid, gas)	: Not applicable
por pressure	: No data available
ative vapor density at 20°C	: No data available
ative density	: No data available
isity	: $0.986 (0.981 - 0.991) g/cm^3$
ubility	: Water: Miscible
rtition coefficient n-octanol/water (Log Pow)	: No data available

3/1/2024 (Revision date)

### Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: 3.043 mm <sup>2</sup> /s
Viscosity, dynamic	: 3 mPa·s (20 °C)
Explosion limits	: No data available
Explosive properties	: Product is not explosive.
Oxidizing properties	: Non oxidizing material.
9.2. Other information	
VOC content	: 19.9 %
Percent Solids	: 2.1 %
Refractive index	: 1.355

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

11.1. Information on toxicological effect	cts
Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) $pH: 5.8 (5.4 - 6.2)$
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) $pH: 5.8 (5.4-6.2)$
Respiratory or skin sensitization	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
propan-2-ol (67-63-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)

## Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

1-methoxy-2-propanol (107-98-2)	
STOT-single exposure	May cause drowsiness or dizziness.
propan-2-ol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified
	(Based on available data, the classification criteria are not met)
Viscosity, kinematic	: 3.043 mm <sup>2</sup> /s
1-methoxy-2-propanol (107-98-2)	
Viscosity, kinematic	1.848 mm <sup>2</sup> /s
propan-2-ol (67-63-0)	
Viscosity, kinematic	Not determined

### SECTION 12: Ecological information

### 12.1. Toxicity

1-methoxy-2-propanol (107-98-2)		
LC50 - Fish [1]	6812 mg/l (96 h; Leuciscus idus; DIN 38 412, L15)	
EC50 - Crustacea [1]	21100 – 25900 mg/l (48 h; Daphnia magna)	
ErC50 algae	> 1000 mg/l (7 d; Pseudokirchneriella subcapitata; ET-11-1987-1)	
propan-2-ol (67-63-0)		
LC50 - Fish [1]	9640 mg/l (96 h; Pimephales promelas; (OECD 203 method))	
EC50 - Crustacea [1]	> 10000 mg/l (24 h; Daphnia magna;(OECD 202 method))	
ErC50 algae	1800 mg/l (7 d; Scenedesmus quadricauda)	
NOEC chronic algae	1800 mg/l (7d; Scenedesmus quadricauda)	

### 12.2. Persistence and degradability

Window cleaner concentrate RM 503		
Persistence and degradability	Contained surfactants are biodegradable.	
1-methoxy-2-propanol (107-98-2)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	96 % (28 d; (OECD 301E method))	
propan-2-ol (67-63-0)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	53 % (5 d ; Test method EU C.5)	

### 12.3. Bioaccumulative potential

1-methoxy-2-propanol (107-98-2)		
Partition coefficient n-octanol/water (Log Pow)	< 1 (20 °C; pH 6,8; (OECD 117 method))	
Bioaccumulative potential	Bioaccumulation unlikely.	
propan-2-ol (67-63-0)		
Partition officient a optimul/unter (Loo Dow)	0.05 (25 °C)	
Partition coefficient n-octanol/water (Log Pow)	0.05(25 C)	

### 12.4. Mobility in soil

1-methoxy-2-propanol (107-98-2)		
Surface tension	70.7 mN/m (20 °C; 1 g/L; (OECD 115 method))	
propan-2-ol (67-63-0)		
Ecology - soil	Expected to be highly mobile in soil.	

#### 12.5. Other adverse effects

Other adverse effects

: No additional information available.

3/1/2024 (Revision date)

### Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Waste treatment methods	: Disposal must be done according to official regulations. Do not dispose of with domestic waste. Do not discharge into drains or the environment.
Product/Packaging disposal recommendations	: Recycle or dispose of in compliance with current legislation.

### SECTION 14: Transport information

DOT	IMDG	IATA
14.1. UN number		
Not applicable	Not applicable	Not applicable
14.2. Proper Shipping Name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		·
Not applicable	Not applicable	Not applicable
14.4. Packing group		·
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		·
Not applicable	Not applicable	Not applicable

#### 14.6. Special precautions for user

DOT

Not applicable

IMDG Not applicable

### IATA

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR		
Part 372.		
propan-2-ol	CAS-No. 67-63-0	$\geq$ 5 - < 10%

#### 15.2. International regulations

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

## Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

Component	State or local regulations
1-methoxy-2-propanol(107-98-2)	U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List
propan-2-ol(67-63-0)	U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List

### SECTION 16: Other information

according to US OSHA Hazard Communication Stan	ndard (HCS 2012); 29 CFR Part 1910.1200
Revision date	: 3/1/2024
Data sources	: European Chemicals Agency, http://echa.europa.eu/. Information provided by the manufacturer.
Department issuing data specification sheet:	: KFT Chemieservice GmbH
	Im Leuschnerpark 3
	D-64347 Griesheim
	Phone: +49 6155-8981-400
	Fax: +49 6155 8981-500
	SDS Service: +49 6155 8981-522

: Dr. Christian Rank

Contact person

Full text of H-phrases	
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

Abbreviations	and acronyms
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant

### Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

TLM	Median Tolerance Limit		
vPvB	Very Persistent and Very Bioaccumulative		
Indication of	changes:		
General revisi	ion.		
Section	Changed item	Change	Comments
2.1	GHS US classification	Removed	No additional information available
2.2	Labeling	Removed	No additional information available

Added

No additional information available

KFT SDS US 09 - Version 23.1

Flash point

9

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.