# **KARCHER** FLEET DEGREASER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 7/15/2021 Version: 1.0

SECTION 1: Identification		
1.1. Identification		
Product form Product code	: Mixture : 1928KNA	
1.2. Recommended use and restrictions on	use	
Use of the substance/mixture	: Cleansing product	
1.3. Supplier		
KARCHER NORTH AMERICA 6398 N Karcher Way Aurora, 80019 United States T 303-738-2400 info@karcherna.com		
1.4. Emergency telephone number		
Emergency number	: 800-535-5053 For Chemical Emergency Call INFOTRAC 24hr/day 7days/week Within USA and Canada: 1-800-535-5053 Outside USA and Canada: 1-352-323-3500 (collect calls accepted)	
SECTION 2: Hazard(s) identification		
2.1. Classification of the substance or mixtu	ire	
GHS US classification Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 1 Hazardous to the aquatic environment - Acute Hazar Full text of H statements : see section 16	H315 Causes skin irritation H318 Causes serious eye damage d Category 3 H402 Harmful to aquatic life	
2.2. GHS Label elements, including precaut	ionary statements	
GHS US labeling		
Hazard pictograms (GHS US)		
Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US)	<ul> <li>Danger</li> <li>H315 - Causes skin irritation</li> <li>H318 - Causes serious eye damage</li> <li>H402 - Harmful to aquatic life</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P302+P352 - If on skin: Wash with plenty of water</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> <li>P310 - Immediately call a poison center/doctor</li> </ul>	

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local regulations

#### 2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : None under normal conditions.

2.4. Unknown acute toxicity (GHS US)

Not applicable

#### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%
SODIUM XYLENE SULFONATE	CAS-No.: 1300-72-7	1 – 5
SODIUM HYDROXIDE	CAS-No.: 1310-73-2	1 – 5
TRIDECETH-8	CAS-No.: 78330-21-9	1 – 5
C9-C11 ALCOHOLS, ETHOXYLATED	CAS-No.: 68439-46-3	1 – 5

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effects (acute and delayed)	
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measur	es	
5.1. Suitable (and unsuitable) exting	uishing media	
Suitable extinguishing media	: Water spray, Dry powder, Foam, Carbon dioxide,	

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Specific hazards arising from the chemical	
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>No fire hazard.</li> <li>No direct explosion hazard.</li> <li>Toxic fumes may be released.</li> </ul>
5.3. Special protective equipment and precautions for fire-fighters	
Firefighting instructions Protection during firefighting	<ul> <li>Do not enter fire area without proper protective equipment, including respiratory protection.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>

SECTION 6: Accidental release measures		
6.1. Personal precautions, protec	tive equipment and emergency procedures	
General measures	: Do not handle until all safety precautions have been read and understood.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	

Avoid release to the environment.		
6.3. Methods and material for co	ontainment and cleaning up	
For containment Methods for cleaning up Other information	<ul> <li>Collect spillage.</li> <li>Take up liquid spill into absorbent material.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>	
6.4. Reference to other sections		

For further information refer to section 13.

6.2. Environmental precautions

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed Precautions for safe handling	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> <li>Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.</li> </ul>	
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, includ	ing any incompatibilities	
Technical measures Storage conditions	<ul><li>Comply with applicable regulations.</li><li>Store in a well-ventilated place. Keep cool.</li></ul>	

### SECTION 8: Exposure controls/personal protection

8.1. Control parameters

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

FLEET DEGREASER		
No additional information available		
SODIUM HYDROXIDE (1310-73-2)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL Ceiling 2 mg/m <sup>3</sup>		
SODIUM XYLENE SULFONATE (1300-72-7)		
No additional information available		
C9-C11 ALCOHOLS, ETHOXYLATED (68439-4	6-3)	
No additional information available		
TRIDECETH-8 (78330-21-9)		
No additional information available		
8.2. Appropriate engineering controls		
	Ensure good ventilation of the work station. Avoid release to the environment.	
8.3. Individual protection measures/Personal p	protective equipment	
Hand protection:		
Protective gloves		
Eye protection:		
Safety glasses		
Skin and body protection:		
Wear suitable protective clothing		
Respiratory protection:		
In case of insufficient ventilation, wear suitable respiratory equipment		

#### Personal protective equipment symbol(s):



### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Liquid.	
Color	: red Orange	
Odor	: mild	
Odor threshold	: No data available	
рН	: 13.5	
Melting point	: Not applicable	
Freezing point	: No data available	

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point Flash point Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) Vapor pressure Relative vapor density at 20 °C Relative density Solubility Partition coefficient n-octanol/water (Log Pow) Auto-ignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic Explosion limits Explosive properties	<ul> <li>No data available</li> </ul>
Explosive properties	
Oxidizing properties	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### **10.2. Chemical stability**

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

**10.5. Incompatible materials** 

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1. Information on toxicologica	l effects
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>
SODIUM XYLENE SULFONATE (1300-72-7)	
LD50 oral rat	> 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s))

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SODIUM XYLENE SULFONATE (1300-72-7)		
LD50 dermal rabbit	> 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Read-across, Dermal, 14 day(s))	
C9-C11 ALCOHOLS, ETHOXYLATED (68439	-46-3)	
LD50 oral rat	> 1000 mg/kg (Rat, Oral)	
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LC50 inhalation rat (mg/l)	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	
ATE US (oral)	500 mg/kg body weight	
TRIDECETH-8 (78330-21-9)		
LD50 oral rat	> 8000 mg/kg (Rat, Oral)	
Skin corrosion/irritation	Causes skin irritation. pH: 13.5	
Serious eye damage/irritation	Causes serious eye damage. pH: 13.5	
Respiratory or skin sensitization	Not classified	
Germ cell mutagenicity	Not classified	
Carcinogenicity	Not classified	
Reproductive toxicity	Not classified	
STOT-single exposure	Not classified	
STOT-repeated exposure	Not classified	
C9-C11 ALCOHOLS, ETHOXYLATED (68439-46-3)		
NOAEL (oral,rat,90 days)	≥ 500 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)	
Aspiration hazard	Not classified	
Viscosity, kinematic	No data available	
Symptoms/effects after skin contact	Irritation.	
Symptoms/effects after eye contact	Serious damage to eyes.	

## SECTION 12: Ecological information

12.1. Toxicity		
Ecology - general :	Harmful to aquatic life.	
SODIUM HYDROXIDE (1310-73-2)		
LC50 - Fish [1]	45.4 mg/l (96 h, Salmo gairdneri, Static system, Fresh water, Experimental value, Solution >=50%)	
EC50 - Daphnia [1]	40.4 mg/l (48 h, Ceriodaphnia sp., Experimental value, Nominal concentration)	
SODIUM XYLENE SULFONATE (1300-72-7)		
LC50 - Fish [1]	> 1000 mg/l (EPA OTS 797.1400, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value)	
EC50 - Daphnia [1]	> 1000 mg/l (EPA OTS 797.1300, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

C9-C11 ALCOHOLS, ETHOXYLATED (68439-46-3)		
LC50 - Fish [1]	5 – 7 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Daphnia [1]	2.5 mg/l Test organisms (species): Daphnia magna	
12.2. Persistence and degradability		
SODIUM HYDROXIDE (1310-73-2)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
SODIUM XYLENE SULFONATE (1300-72-7)		
Persistence and degradability	Readily biodegradable in water.	
C9-C11 ALCOHOLS, ETHOXYLATED (68439-4	6-3)	
Persistence and degradability	Biodegradability in water: no data available.	
TRIDECETH-8 (78330-21-9)		
Persistence and degradability	Readily biodegradable in water.	
12.3. Bioaccumulative potential		
SODIUM HYDROXIDE (1310-73-2)		
Bioaccumulative potential	Not bioaccumulative.	
SODIUM XYLENE SULFONATE (1300-72-7)		
Partition coefficient n-octanol/water (Log Pow)	-3.12 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)	
Bioaccumulative potential	Not bioaccumulative.	
C9-C11 ALCOHOLS, ETHOXYLATED (68439-46-3)		
Bioaccumulative potential	No bioaccumulation data available.	
TRIDECETH-8 (78330-21-9)		
Bioaccumulative potential	No bioaccumulation data available.	
12.4. Mobility in soil		
SODIUM HYDROXIDE (1310-73-2)		
Ecology - soil	No (test)data on mobility of the substance available.	
SODIUM XYLENE SULFONATE (1300-72-7)		
Surface tension	71 mN/m (20 °C, 90 %, EU Method A.5: Surface tension)	
Ecology - soil	No (test)data on mobility of the substance available.	
12.5. Other adverse effects		

No additional information available

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considera	ations
13.1. Disposal methods	
Regional legislation (waste) Waste treatment methods	<ul><li>Disposal must be done according to official regulations.</li><li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li></ul>

SECTION 14: Transport information		
14.1. UN number		
DOT NA No	: UN1760	
14.2. UN proper shipping name		
Proper Shipping Name (DOT)	: Corrosive liquids, n.o.s. (SODIUM HYDROXIDE), 8, II	
14.3. Transport hazard class(es)		
<b>DOT</b> Transport hazard class(es) (DOT) Hazard labels (DOT)	: 8 : 8 CORROSTVE 8	
14.4. Packing group		
Packing group (DOT)	: 11	
14.5. Environmental hazards		
Other information	: No supplementary information available.	
14.6. Special precautions for user		
DOT UN-No.(DOT)	: UN1760	
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		
Not applicable		

SECTION 15: Regulatory information		
15.1. US Federal regulations		
All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act		
(TSCA) inventory		

SODIUM HYDROXIDE (1310-73-2)	
CERCLA RQ	1000 lb
15.2. International regulations	

No additional information available

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 15.3. US State regulations

This product can expose you to ETHYLENE OXIDE, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases			
H315	Causes skin irritation		
H318	Causes serious eye damage		
H402	Harmful to aquatic life		
NFPA health hazar	d	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.	
NFPA fire hazard		: 1 - Materials that must be preheated before ignition can occur.	
NFPA reactivity		: 0 - Material that in themselves are normally stable, even under fire conditions.	
Hazard Rating			
Health		: 2 Moderate Hazard - Temporary or minor injury may occur	
Flammability		: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)	
•		: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	
Personal protection		: X - Special handling directions	

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.