


makes a difference



COMPACT YET UNBELIEVABLY POWERFUL.

Uninterrupted and efficient use.

NT 22/1 Ap L



Entry-level, low weight unit.

Small, powerful, reliable, extremely versatile and light as a feather: Our NT 22/1 Ap wet and dry vacuum cleaner delivers impressive results during light and moderate cleaning work in a number of commercial applications. Thanks to the semi-automatic filter cleaning system and moisture-resistant PES cartridge filter, it can deal with dust, coarse dirt and liquids effortlessly. The suction hose connection attached directly on the device head enables maximum utilisation of the container capacity. Its very compact dimensions and low weight enable the device, which is also easy to operate, to be transported conveniently and easily.





Moisture-resistant PES cartridge filter.

- It is possible to change from wet to dry vacuum cleaning easily without having to dry PES cartridge filter first.
- Washable PES filter.



Lightweight with compact dimensions.

The machine is easy and convenient to transport and store



3 Semi-automatic filter cleaning.

Semi-automatic filter cleaning effectively ensures constantly high suction power.



Suction hose connection in the machine head

Enables the entire container volume to be utilised.

Save time by not having to empty the container as often.

Technical data and equipment

NT 22/1 Ap L

- = Efficient semi-automatic filter cleaning.
- = Suction hose port in the head of the machine.
- = Moisture-resistant PES cartridge filter.

Technical data		
Air flow rate	I/s	71
Vacuum	mbar/kPa	255/25.5
Container capacity	I	22
Max. rated input power	W	1300
Standard nominal width		ID 35
Cable length	m	6
Sound pressure level	dB(A)	72
Container material		Plastic
Number of motors		1
Weight	kg	5.7
Dimensions (LxWxH)	mm	380x370x480

Equipment		
Product	Order No.	Description
NT 22/1 Ap L	1.378-605.0	NT 22/1 Ap L, 22 liter gallon capacity, all-purpose wet/dry vacuum

Accessori	ies	
Order	No.	Description
■ 2.889	-219.0	Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified.
■ 2.889	-217.0	Fleece filter bag, tear-resistant. Dust class-L-certified.
■ 2.889	-199.0	Plastic elbow, grey, with C-35 clip system.
■ 2.889	-263.0	Wet/Dry floor nozzle, NW 35, 300 millimetre wide, grey. Incl. brush strips and squeegees. Easy-to-change inserts.
■ 2.889	-159.0	Crevice nozzle ID 35.
■ 2.889	-218.0	Plastic suction tube set, NW 35, grey, 2-part, each 0.5 metres
□ 2.889	-148.0	Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.
□ 2.889	-168.0	Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.
□ 2.889	-170.0	Ergonomic bend for the new clip system.
□ 2.889	-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.
□ 6.906	5-108.0	Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.
□ 2.889	-175.0	Stainless steel suction tube set, NW 35, 2-part, each 0.55 millimetres.
□ 6.902	2-074.0	Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres.
□ 2.889	-134.0	2.5 m suction hose with new bayonet and clip fastener.
□ 2.889	-136.0	Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m
□ 2.679	0.000-	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.

■ Included □ Optional

Please contact us for more information:

Karcher Canada Inc.

275 Pendant Drive Mississauga, ON L5T 2W9

Phone 905-364-5006 Fax 800-465-6013

www.karcher.ca sales_kci@karcherna.com