


KÄRCHER

makes a difference



Cleaning Technology for Professionals

Teknologi Kebersihan untuk Para Profesional

Cleaning Solutions for Over 85 Years



Since its beginning in 1935 the value-oriented family business Kärcher has developed into a worldwide brand offering its customers three strong attributes: top performance, innovation and quality. Kärcher products have won more than 100 national and international prizes for exemplary design. In addition, more than 1,300 patents and utility models are evidence of the company's inventive spirit and passion for innovation. Today, Kärcher is the leading global provider of efficient, resource-saving cleaning systems, characterized by reliable, user-friendly products, and strong service.

Sejak dimulai di tahun 1935, Kärcher, bisnis keluarga berorientasi pada nilai-nilai telah berkembang menjadi merek internasional yang menawarkan 3 atribut penting kepada pelanggannya: kinerja terbaik, inovasi dan kualitas. Produk-produk Kärcher telah memenangkan lebih dari 100 penghargaan nasional dan internasional untuk desain produk. Di samping itu, lebih dari 1.300 paten dan model utilitas merupakan bukti semangat inventif dan inovatif kami. Saat ini, Kärcher merupakan penyedia global terkemuka akan sistem pembersihan yang efisien dan hemat sumber daya, memiliki karakteristik mudah digunakan dan pelayanan yang baik.



As for our commitment to the environment, we have been cleaning historical monuments & buildings for more than 30 years as part of our cultural sponsorship programme. From Christ the Redeemer statue in Brazil, Colonnades in Rome, Mount Rushmore in United States, Monumen Nasional in Indonesia, to Merlion Statue in Singapore and many others, we are happy to take on any challenge. We have made cleaning our business and at the same time, make our contribution towards preserving values for people. Worldwide.



Atas komitmen kami terhadap lingkungan, kami telah membersihkan berbagai monumen dan bangunan bersejarah selama lebih dari 30 tahun sebagai bagian dari program sponsor kebudayaan kami. dari patung Christ the Redeemer di Brasil, Colonnades di Roma, Colossi of Memnon di Mesir, Mount Rushmore di Amerika Serikat, Monumen Nasional di Indonesia, dan banyak lainnya, kami senang menghadapi tiap tantangan. Membersihkan telah menjadi bisnis kami dan disaat bersamaan, kami memberi kontribusi bagi kebudayaan nilai bagi orang-orang. Secara global.

Kärcher makes a difference

Kärcher Industry Solutions

Finding the best solution for cleaning tasks is of growing importance for businesses of all kinds. This is why we have tailored our extensive range of products precisely to your requirements, reducing time, costs and resource consumption without compromising performance. We understand the demands of your business, whatever market sector you operate in.

Menemukan solusi terbaik untuk pekerjaan membersihkan adalah kebutuhan yang makin penting bagi segala jenis bisnis. Karena inilah kami merancang jajaran produk yang ekstensif secara tepat untuk kebutuhan Anda, mengurangi konsumsi waktu, biaya dan sumber daya tanpa mengurangi kinerja. kami memahami tuntutan bisnis Anda pada sektor pasar manapun Anda beroperasi.




Table of Contents | Daftar Isi

Cold Water High Pressure Cleaners <i>Pembersih Bertekanan Tinggi Air Dingin</i>	4	Polisher & Scrubber Driers <i>Pengkilap & Penyikat Lantai</i>	12
Hot Water High Pressure Cleaners <i>Pembersih Bertekanan Tinggi Air Panas</i>	6	Electric Broom <i>Penyapu-lantai listrik</i>	14
Wet & Dry Vacuum Cleaners <i>Pengisap kotoran basah & kering</i>	7	Steam Cleaner & Steam Vacuum Cleaner <i>Pembersih Uap dan Pengisap-pembersih Uap</i>	14
Dry Vacuum Cleaners <i>Pengisap kotoran kering</i>	8	Industrial Vacuum Cleaners <i>Pengisap Kotoran untuk Industri</i>	15
Carpet Vacuum Cleaners <i>Pengisap kotoran untuk karpet</i>	9	Air Cleaner <i>Pembersih Udara</i>	16
Carpet & Upholstery Cleaners <i>Pembersih karpet dan sofa</i>	9	Parts Cleaner <i>Pembersih Suku Cadang</i>	16
Carpet Cleaners & Carpet Extractors <i>Pembersih karpet dan ekstraktor karpet</i>	10	Optional Accessories <i>Perlengkapan Tambahan</i>	17
Air Blower <i>Pengering karpet dan lantai</i>	10	Kärcher Service <i>Servis Kärcher</i>	19
Sweepers <i>Penyapu</i>	11		

60 Hz machines are available upon demand for most products
Mesin 60 Hz tersedia berdasarkan permintaan untuk sebagian besar produk

Cold Water High-Pressure Cleaners



Product (order n.)		HD 5/11 Cage (1.520-204.0)	HD 5/12 C (1.520-900.0)	HD 5/15 C Plus (1.520-931.0)
Technical Data				
Benefits		Durable axial pump, high mobility & durability, robust tubular steel frame for tough jobs	Compact & portable, versatile operation, horizontal and vertical operations	Compact & portable, horizontal & vertical operations, dirt blaster included
Class		Classic	Compact	Compact
Current type	Ph/V/Hz	1 / 230 / 50	1 / 230 / 50	1 / 230 / 50
Opr. pressure	bar	110 / 11	120	150
Flow rate	l/h	500	500	500
Max. inlet temp.	°C	60	60	60
Power rating	kW	2.2	2.5	2.8
Dim. (LxWxH)	mm	475 × 335 × 340	380 × 360 × 930	380 × 360 × 930
Weight	kg	21.3	24.4	25.7



Product (order n.)		HD 6/16-4 M Plus (1.524-933.0)	HD 7/11-4 Classic (1.367-305.0)	HD 7/10 CXF (1.151-906.0)
Technical Data				
Benefits		4-pole motor for longer usage, EASY!Force gun and EASY!Lock Connection	Durable crankshaft pump with ceramic-coated piston, adjustable flow rate, robust metal frame chassis	Specialized for sanitary/hygiene/food industries, water inlet up to 80°C, grey non marking wheels
Class		Middle	Classic	Super
Current type	Ph/V/Hz	1 / 230 / 50	1 / 220-240 / 50	3 / 400 / 50
Opr. pressure	bar	160	70-110	10-100
Flow rate	l/h	600	520 - 700	250 - 700
Max. inlet temp.	°C	60	60	80
Power rating	kW	3.3	2.9	4.5
Dim. (LxWxH)	mm	400 × 455 × 700	709 × 469 × 1000	360 × 400 × 935
Weight	kg	37	49.1	36.5



Product (order n.) Technical Data		HD 9/20-4 M Plus (1.524-926.0)	HD 10/25-4 S Plus (1.286-913.0)	HD 9/18-4 Cage (1.367-315.0)
Benefits		Two way dosing for easy change between chemicals, robust air/water cooled motor	Upright-space-saving design, integrated detergent tank	High flow rate, mountable on wall
Class		Middle	Super	Classic
Current type	Ph/V/Hz	3/400/50	3 / 400 / 50	3 / 400 / 50
Opr. pressure	bar	40-200	30-250	70-180
Flow rate	l/h	460-900	500 -1000	450 - 900
Max. inlet temp.	°C	60	60	60
Power rating	kW	7	9.2	5.9
Dim. (LxWxH)	mm	1000 x 425 x 552	560 x 500 x 1090	625 x 500 x 360
Weight	kg	41.4	68.6	55



Product (order n.) Technical Data		HD 9/100-4 Cage Classic (1.812-000.0)	HD 9/50-4 (1.367-156.0)	HD 9/23 De (1.187-907.0)
Benefits		Ultra high-pressure class, particularly ideal for construction, industrial & transport sectors	Very powerful against stubborn dirt, robust cage for safe crane-loading	Economical diesel engine with electro start, automatic speed reduction with servo control
Class		Classic	Industrial	Combustion Engine
Current type	Ph/V/Hz	3 / 380 - 400 / 50	3 / 400 / 50	-
Opr. pressure	bar	1000	150-500	40-230
Flow rate	l/h	980	500 - 900	400 - 930
Max. inlet temp.	°C	60	60	60
Power rating	kW	30	15	6.8 kW 9.3 hp
Dim. (LxWxH)	mm	1395 x 789 x 1088	930 x 800 x 920	870 x 725 x 1170
Weight	kg	392	190	108



Product (order n.) Technical Data		HD 10/16-4 Cage Ex (1.353-904.0)	HD 13/35-4 Cage (1.367-154.0)
Benefits		Explosion protection II 2 G c T3, 4-pole air-cooled electric motor	Maximum performance with Kärcher crankshaft pump, robust Industrial gun
Class		Special	Industrial
Current type	Ph/V/Hz	3 / 400 / 50	3 / 400 / 50
Opr. pressure	bar	160	100 - 350
Flow rate	l/h	1000	500 - 1300
Max. inlet temp.	°C	50	60
Power rating	kW	5.5	15
Dim. (LxWxH)	mm	980 x 720 x 1100	930 x 800 x 920
Weight	kg	122.6	190

Hot Water High-Pressure Cleaners



Product (order n.)		HDS 6/14 C (1.169-900.0)	HDS 8/18-4 C (1.174-900.0)
Technical Data			
Benefits		Ecoefficiency mode with intuitive single button selector switch	4-pole water cooled electric motor with economical Ecoefficiency mode
Class		Compact	Compact
Current type	Ph/V/Hz	1 / 230 / 50	3 / 400 / 50
Opr. pressure	bar	30-140	30-180
Flow rate	l/h	240 - 560	300 - 800
Temperature	°C	80	80 - 155
Power rating	kW	3.6	6
Dim. (LxWxH)	mm	1060 × 650 × 920	1060 × 650 × 920
Weight	kg	100	119.4



Product (order n.)		HDS 10/20-4 M Classic (1.071-905.0)	HDS 12/18-4 S (1.071-914.0)
Technical Data			
Benefits		Dual-lance operation capability with optional accessories, two detergent tanks, ecoefficiency mode	Dual-lance operation capability with optional accessories, two detergent tanks, ecoefficiency mode
Class		Middle	Super
Current type	Ph/V/Hz	3 / 400 / 50	3 / 400 / 50
Opr. pressure	bar	30-200	30 - 180
Flow rate	l/h	500 - 1000	600 - 1200
Temperature	°C	80 - 155	80 - 155
Power rating	kW	7.8	8.4
Dim. (LxWxH)	mm	1330 × 750 × 1060	1330 × 750 × 1060
Weight	kg	171	175.1



Product (order n.)		HDS-E 8/16 -4 M 24 kW (1.030-904.0)	HDS 1000 De (1.811-943.0)
Technical Data			
Benefits		Eco-environment friendly, without exhaust gases	Long service life even with tough and continuous use
Class		Middle	Combustion Engine
Current type	Ph/V/Hz	3 / 400 / 50	-
Opr. pressure	bar	30 - 160	40-200
Flow rate	l/h	300 - 760	450 - 900
Temperature	°C	45 / 85	80
Power rating	kW	29.5	6.8 kW 9.3 hp
Dim. (LxWxH)	mm	1330 × 750 × 1060	1100 × 750 × 785
Weight	kg	112	188.3

Wet & Dry Vacuum Cleaners



Product (order n.) Technical Data		NT 20/1Me Classic (1.428-540.0)	NT 27/1 (1.428-500.0)	NT 30/1 Me Classic (1.428-569.0)
Benefits		Easy maintenance and strong suction power	Compact with accessory storage & cable hook	Easy maintenance and strong suction power
Class		Classic	Standard	Classic
Air flow rate	l/s	59	67	59
Vacuum	mbar/kPa	227 / 22.7	200 / 20	227 / 22.7
Container	l	20	27	28
Max. power	W	1500	1380	1500
Sound level	dB(A)	78	72	78
Dim. (LxWxH)	mm	375 × 360 × 520	420 × 420 × 525	380 × 365 × 640
Weight	kg	7.4	7.5	8




Product (order n.) Technical Data		NT 38/1 Me Classic (1.428-530.0)	NT 40/1 Ap L (1.148-321.0)	NT 48/1 (1.428-620.0)
Benefits		Easy maintenance and strong suction power	Semi-automatic filter cleaning, flat pleated filter for longer durability	All purpose brush, equipped with drain hose cartridge filter with enlarged filter area
Class		Classic	Ap	Standard
Air flow rate	l/s	59	74	67
Vacuum	mbar/kPa	227 / 22.7	254 / 25.4	200 / 20
Container	l	38	40	48
Max. power	W	1500	1380	1380
Sound level	dB(A)	78	70	72
Dim. (LxWxH)	mm	375 × 360 × 735	525 × 370 × 630	490 × 390 × 780
Weight	kg	8.6	12.4	10.5



Product (order n.) Technical Data		NT 70/2 Me Classic NT 70/2 (1.667-224.0 1.667-269.0)	NT 75/1 Me Ec H Z22 (1.667-239.0)	NT 90/2 Me (1.667-701.0)
Benefits		Very powerful 2-motors, for demanding applications. With stainless steel or durable plastic container	TÜV tested for safety, powerful single motor for explosive dust (Zone 22), continuous antistatic	Designed for industry, with larger capacity and powerful 2-motors vacuum power
Class		Classic Standard	Special	Classic
Air flow rate	l/s	2 × 56	61	53
Vacuum	mbar/kPa	208 / 20.8	220 / 22	225 / 22.5
Container	l	70	75	90
Max. power	W	2300 2400	1000	2300
Sound level	dB(A)	76 75	76	76
Dim. (LxWxH)	mm	560 × 502 × 832 720 × 510 × 975	640 × 540 × 925	560 × 502 × 977
Weight	kg	18 24.9	27.8	19

Dry Vacuum Cleaners




Product (order n.)		T 12/1 (1.355-135.0)	T 15/1 HEPA (1.355-235.0)
Technical Data			
Benefits		Low noise & energy-use, perfect for noise-sensitive areas such as hotels & hospitals	With HEPA filter for hygienically pure, particle-free exhaust air in hotels, hospitals and nurseries
Category		Dry Vacuum Cleaner	Dry Vacuum Cleaner
Air flow rate	l/s	46	61
Vacuum	mbar/kPa	185/18.5	244/24.4
Container	l	12	15
Max. power	W	500	1300
Sound level	dB(A)	60	63
Dim. (LxWxH)	mm	410 × 315 × 340	406 × 320 × 434
Weight	kg	6.4	8





Product (order n.)		BV 5/1 (1.394-200.0)	BV 5/1 Bp (1.394-219.0)
Technical Data			
Benefits		Comfortable backpack vacuum, suitable for hard-to-reach places	Cordless backpack vacuum, suitable for cinemas, meeting halls, auditoriums which demand greater flexibility & mobility
Category		Backpack Dry Vacuum Cleaner	Backpack Dry Vacuum Cleaner
Air flow rate	l/s	61	46
Vacuum	mbar/kPa	244/24.4	207
Container	l	5	5
Power rating	W	1300	650 (nominal)
Sound level	dB(A)	64	57
Dim. (LxWxH)	mm	400 × 320 × 540	400 × 320 × 636
Weight	kg	5.3	8.7

Carpet Vacuum Cleaners




Product (order n.)		CV 38/2 Adv (1.033-336.0)	CV 66/2 (1.012-585.0)
Technical Data			
Benefits		Daily carpet vacuum with extremely durable, anti-twist yellow highflex cable	For thorough and economical maintenance cleaning of medium-sized carpets
Category		Upright Brush Vacuum Cleaner	Upright Brush Vacuum Cleaner
Air flow rate	l/s	48	52
Vacuum	mbar/kPa	250/25	143 / 14,3
Working width	mm	380	660
Container	l	5.5	35
Max. power	W	1050	1650
Sound level	dB(A)	67	73
Dim. (LxWxH)	mm	351 × 391 × 1215	1270 × 770 × 1120
Weight	kg	9.5	72

Carpet and Upholstery Cleaners



Product (order n.)		Puzzi 8/1 C (with hand nozzle) (1.100-225.0)	Puzzi 10/1 + Hand (1.100-138.0)	Puzzi 30/4 (1.101-120.0)
Technical Data				
Benefits		Powerful entry-level for spot cleaning on carpets	wide range of accessories for versatile applications, suitable for everyday use	The quietest in its class 66 dB(A), for larger carpets
Category		Spray extraction machine	Spray extraction machine	Spray extraction machine
Area perform.	m²/h	12 - 18 (max.)	20 - 25 (max.)	60 - 75 (max.)
Power rating	W	1200 (turbine) 40 (pump)	1250 (turbine) 80 (pump)	1200 (turbine) 70 (pump)
Air flow rate	l/s	61	54	74
Vacuum	mbar/kPa	236 / 23.6	220 / 22	254 / 25.4
Wtr. tank (f d)	l	8 7	10 9	30 15
Dim. (LxWxH)	mm	530 × 330 × 440	705 × 320 × 435	580 × 460 × 930
Weight	kg	9.8	10.7	26

Carpet Cleaners & Carpet Extractors



Product (order n.)		BRS 43/500 C (1.006-671.0)	BRC 30/15 C (230 V) (1.008-057.0)	BRC 45/45 C (230 V) (1.008-056.0)
Technical Data				
Benefits		Easy to use, sufficiently dry in 20 minutes with encapsulation technology	Compact carpet cleaner for fast & economical spray extraction; also ideal for spot & interim cleaning	Can be use forward or backward, floating brush head with contra-rotating roller brushes
Category		Intermediate carpet cleaner	Deep carpet cleaner	
Cleaning area performance	m²/h	300 (interim iCapsol)	150 (deep cleaning)	350 1000 (deep cleaning interim iCapsol)
Power rating	W	370 (brush motor)	1130 (turbine) 80 (brush motor)	1100 (turbine) 600 (brush motor)
Air flow rate	l/s	–	20	45
Vacuum	mbar/kPa	–	300 / 30	300 / 30
Wtr. tank (f d)	l	7.5 –	15 17	45 38
Spray pressure	bar	3.4	3.5	7
Spray rate	l/min	0.38	1	3.2
Dim. (LxWxH)	mm	400 × 460 × 1160	920 × 360 × 750	770 × 545 × 1250
Weight	kg	25	36	48

Air Blower



Product (order n.)		AB 45 (1.004-060.0)
Technical Data		
Benefits		High-performance blower enables quick drying after water damage
Category		Air blower
Air flow rate (level 1 2 3)	m³/min.	57 88 133
Blower speed (level 1 2 3)	rpm.	950 1150 1350
Power rating	W	700
Cord length	m	6.1
Dim. (LxWxH)	mm	405 x 475 x 475
Weight	kg	11.87

Sweepers



Product (order n.)		KM 70/20 C (1.517-106.0)	KM 70/30 C Bp Adv (1.517-212.0)	KM 75/40 W G (1.049-205.0)
Technical Data				
Benefits		Best value, efficient	3-steps adjustable main brush for all sweeping needs of indoors and outdoors	Gasoline powered engine, perfect for sweeping outdoors and warehouse areas
Category		Walk-behind sweeper/vacuum sweeper	Walk-behind sweeper	Walk-behind vacuum sweeper
Drive Power		Manual	Manual 195/150	4-stroke petrol 3.3 kW
Max. area perf. w/ side brushes	m²/h	2800 (1) -	2800	3375
Working width w/ side brushes	mm	480 (0) 700 (1) -	480 (0) 700 (1)	550 (0) 750 (1)
Waste Container	l	42	42	40
Dim. (LxWxH)	mm	1300 × 765 × 1035	1240 × 710 × 1150	1430 × 780 × 1180
Weight	kg	23	35	84
Area usage		indoor / outdoor	indoor / outdoor	outdoor



Product (order n.)		KM 85/50 R Bp (1.351-126.0)	KM 100/100 R Bp (1.280-103.0)	KM 100/100 R D (1.280-115.0)
Technical Data				
Benefits		Ideal for carpet and outdoor area	Easy operation for large areas. Available in battery or diesel powered versions	
Category		Ride-on vacuum sweeper	Ride-on vacuum sweeper	
Drive Power		DC motor 1000 W	DC motor 2050 W	4-stroke diesel engine / Yanmar 4.4 kW
Max. area perf. w/ side brushes	m²/h	5100 (1) 6300 (2)	6000 (1) 7800 (2)	8000 (1) 10400 (2)
Working width w/ side brushes	mm	615 (0) 850 (1) 1050 (2)	700 (0) 1000 (1) 1300 (2)	
Waste Container	l	50	100	
Dim. (LxWxH)	mm	1270 × 870 × 1170	2006 × 1005 × 1343	
Weight	kg	252	320	340
Area usage		indoor / outdoor	outdoor	

Polisher & Scrubber Driers



Product (order n.)		BD 17/5 C (1.737-105.0)	BDS 43/150 C Classic (1.291-244.0)	BDP 50/1500 C (1.291-141.0)
Technical Data				
Benefits		Compact single-disc surface cleaner for small areas	All purpose machine for hard floor cleaning, carpet shampooing, crystallization & sanding	With Ultra-high speed, polishes 30% faster than conventional machine
Category		Staircase cleaners	Single-disc machines	Polishing machine
Working width	mm	170-200 -	430 -	508 (pad) 560
Brush Vacuum				
Area perform.	m²/h	-	-	900 (theoretical)
Brush speed	rpm	470	150	1500
Power rating	W	150	1100	1100
Dim. (LxWxH)	mm	360 × 180 × 330	590 × 430 × 1180	760 × 550 × 1250
Weight	kg	5	43	34,5



Product (order n.)		BR 30/4 C Adv (1.783-213.0)	BR 40/10 C Adv (1.783-316.0)	BR 35/12 C Bp Pack (1.783-450.0)
Technical Data				
Benefits		Ideal for shops, restaurants, supermarkets & sanitary area	Bi-directional brushing & low noise cleaning	180° rotative brush head fast rechargeable high performance li-ion battery
Category		Compact scrubber drier	Compact scrubber drier	Compact scrubber drier
Working width	mm	300 300	400 400	350 450
Brush Vacuum				
Area perform.	m²/h	200 (max.)	400 (max.)	1400 (max.)
Brush speed	rpm	1450	1100	700-1500
Power rating	W	820	2710	500
Wtr. tank (f d)	l	4 4	10 10	12 12
Dim. (LxWxH)	mm	390 × 335 × 1180	520 × 470 × 380	1000 × 450 × 1300
Weight	kg	12.4	30	35



Product (order n.)		BD 50/60 C Ep Classic (1.127-002.0)	BD 50/50 C Bp Classic (1.127-007.0)	BD 90/160 R Classic Bp (1.246-041.0)
Technical Data				
Benefits		Entry level scrubber with hi-cleaning performance	Entry level battery-powered scrubber	
Category		Compact scrubber drier	Compact scrubber drier	Ride-on scrubber drier
Working width	mm	510 840	510 850	900 1200
Brush Vacuum				
Area perform.	m ² /h	2040 (max.)	2000 (max.)	5400 (max. theoretical)
Brush speed	rpm	180		180
Power rating	W	max. 1100		2800 (engine)
Wtr. tank (f d)	l	60 60	50 50	160 160
Dim. (LxWxH)	mm	1185 × 540 × 1000		1740 x 970 x 1440
Weight	kg	57	63	360 (empty)



Product (order n.)		B 90 R Classic Bp with D 75 + Squeegee (1.161-306.0 0.300-395.0)
Technical Data		
Benefits		Equipped with V squeegee
Category		Ride-on scrubber drier
Working width	mm	750 940
Brush Vacuum		
Area perform.	m ² /h	4500 (theoretical)
Wtr. tank (f d)	l	90 90
Power rating	W	2200
Dim. (LxWxH)	mm	1450 × 800 × 1200
Weight	kg	149

Electric Broom




Product (order n.)		EB 30/1 Li-Ion (1.545-126.0)
Technical Data		
Benefits		Quiet electric broom, suitable for cleaning hard floors and carpets during business hours
Working width	mm	300
Waste Container	l	1
Opr. time textile/hard surface	min.	41 52
Charging time	min.	5
Sound level	dB(A)	56
Dim. (LxWxH)	mm	250 × 300 × 1340
Weight	kg	2.8

Steam Cleaner & Steam Vacuum Cleaner

Our professional steam cleaner & steam vacuum cleaner clean reliably without the use of chemicals. These efficient machines are used in wet and hygiene areas, on all hard floors, glass and tiled surfaces, as well as fittings and, with the right accessories, textile surfaces.

Steam cleaner & steam vacuum cleaner profesional kami membersihkan dengan handal tanpa penggunaan zat kimia. Mesin-mesin yang efisien ini digunakan pada area basah dan berkebutuhan higienis, semua jenis lantai, kaca, permukaan berpola, berfurnitur dan dengan aksesoris yang tepat, pada permukaan tekstil.



Product (order n.)		SG 4/4 (1.092-104.0)	SGV 8/5 (1.092-010.0)
Technical Data			
Benefit		Continuous steaming with volume control and VapoHydro function for perfect cleaning result without chemicals	Removing excess water immediately during steaming. Extra cleaning programmes & accessory integration.
Category		Steam cleaner	Steam vacuum cleaner
Power rating	W	2300	3000
Tank capacity	l	4	5
Steam pressure	bar/MPa	4	8
Voltage	V	220-240	220-240
Weight	kg	8	40
Cable length	m	7.5	7.5
Dim. (LxWxH)	mm	475 × 320 × 275	640 × 495 × 965

Industrial Vacuum Cleaners

With wide options in power and container size, you will find the right machine for every industrial application in the Kärcher range of industrial vacuums. These powerful and reliable vacuum cleaners are ideal for non-stop operation. The machines are also available with dust explosion protection and hazardous dust class.

Dengan berbagai pilihan daya dan ukuran kontainer, kebutuhan akan mesin untuk aplikasi industri dapat terpenuhi oleh Kärcher. Pengisap kotoran yang kuat dan terpercaya ini cocok untuk operasional tanpa henti. Tersedia juga mesin untuk klasifikasi **dust explosion protection** dan klasifikasi **hazardous dust**.



Product (order n.)		IVC 60/24-2 Ap (1.576-104.0)	IVC 60/12-1 Ec H Z22 (1.576-103.0)
Technical Data			
Benefits		Entry-level, with semi automatic filter cleaning, ideal for production areas & machines cleaning	Suitable for continuous use in production & hygiene-sensitive areas (fine dust class H, ATEX zone 22)
Class		Compact	Ex vacuum
Current type	Ph/V/Hz	1 / 220-240 / 50-60	1 / 220-240 / 50-60
Power rating	kW	2.4	1.2
Air flow rate	l/s m³/h	2 × 74	62.5 225
Vacuum	mbar/kPa	254 / 25.4	244 / 24.4
Filter area	m²	0.95	0.95
Container	l	60	60
Dim. (LxWxH)	mm	970 × 690 × 995	970 × 690 × 995
Weight	kg	60	59

Air Cleaner

AF 100 needs only a couple of minutes to produce fresh, clean air in rooms up to 100 m². Customisable with five special filters – from antibacterial action, filtering hazardous smoke, to eliminating volatile organic compounds. A highly precise sensor monitors the air quality, shows this on the display and regulates the machine automatically.

AF 100 hanya membutuhkan beberapa menit untuk menghasilkan udara bersih dalam ruangan 100 m². Dapat disesuaikan dengan 5 filter khusus - dari anti-bakteri, menyaring asap berbahaya hingga menyingkirkan berbagai komponen organik di udara. Sensor yang sangat akurat memonitor kualitas udara, menunjukkannya pada display dan meregulasi secara otomatis.




Product (order n.)		AF 100 (1.024-810.0)
Technical Data		
Benefits		For optimum air quality in rooms up to 100 m², 3 fan speed levels
Sound level	dB(A)	30 - 48
CADR PM 2,5	m³/h	>750
CADR formaldehyde	m³/h	>350
CCM PM 2.5		P4
CCM formaldehyde		P4
Dim. (LxWxH)	mm	380 x 380 x 713
Weight	kg	11.3

Parts Cleaner

Thorough and eco-friendly: biological parts cleaners made from impact-resistant plastic are suitable for cleaning tools, motor components, and other parts contaminated with oil or grease up to a weight of 100 kg.

Pembersih tuntas & ramah lingkungan: pembersih suku cadang biologis terbuat dari plastik tahan benturan yang cocok untuk membersihkan peralatan & komponen dari kotoran minyak & lemak.



Optional Accessories

Cold & Hot Water High Pressure Cleaner Accessories		Order Number	Description	
1		1. FRV 30 (for cold water only)	2.642-999.0	Integrated, automatic dirty water suction, featuring non-marking steering rollers and double ceramic bearing. Machine-specific nozzle kit must be ordered separately. Max. 250 bar / 1300 l/h / 60 °C.
	2		2. FRV 30 ME (for hot water only)	2.642-911.0
3		3. ABS Barrel Cleaner	2.641-740.0	Spray unit for efficient interior cleaning of containers and barrels, with capacity between 225 and 600 litres.
	4		4. Wet blasting attachment with flow control (no nozzle)	4.762-010.0
5		5. iSolar TL 7 H (without hose)	4.110-004.0	Telescopic lance made from a carbon-fibreglass mixture (hybrid), ensures electrical insulation. Reach distance of up to 7.2 m.
	6		6. Hose solar	6.392-978.0
7		7. Brush iSolar 400	6.368-456.0	Water-driven disc brush features working width of 400 mm suitable for cleaning small to medium-sized photovoltaic systems.
	8		8. Brush iSolar 800	6.368-455.0
9		9. Y distributor	4.405-048.0	Offers the option to connect two spray units per machine by installing on the high pressure outlet.
	10		10. Jet pipe flexible	6.394-654.0
11		11. Telescopic spray lance	6.394-690.0	Extendable from 1.8 to 5.4 m to clean hard-to-reach places. With integrated HP trigger gun, M 22 × 1.5 connector and rotary coupling. Connector for nozzles M 18 × 1.5.
	12		12. Adapter M 22 Swivel	4.424-004.0
13		13. Restrain belt for telescopic jet pipe	6.373-987.0	Strap for telescopic spray pipe.
	14		14. PressurePro Machine Protector RM 110, 1 L	6.295-312.0
15		15. PressurePro Machine Protector RM 110, 10 L	6.295-303.0	
	16		16. PressurePro Machine Protector RM 110, 20 L	6.295-488.0


Dry and Carpet Vacuum Cleaner Accessories		Order Number	Description	
1		1. Upholstery nozzle TURBO	2.860-113.0	Upholstery nozzle, plastic, with reduction bushing ID 35/32.
	2		2. Floor tool TURBO DN 35/32	2.860-114.0
3		3. Fleece filter bags, three-ply	6.904-305.0	Fleece filter bag, tear-resistant, dust class M, for CV 38/2 10 pcs.
	4		4. Fleece filter bags, three-ply	6.904-315.0
5		5. Fleece filter bags, three-ply	6.904-335.0	Fleece filter bag, tear-resistant, dust class M, for BV 5/1 10 pcs.
	6		6. Fleece filter bags, three-ply	6.907-017.0
7		7. Paper filter bags, two-ply	8.621-509.0	Two-ply, for low-dust disposal, for CV 66/2

Wet & Dry Vacuum Cleaner Accessories		Order Number	Description
1  2  3 	1. Drilling dust tool	2.679-000.0	Drill dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.
	2. Wide nozzle NT 55/1 Tact	4.130-401.0	Metal, height-adjustable, with brush strip set 6.906-751.0 and rubber strip set 6.906-750.0 for NT 55/1 Tact and NT 611 Eco.
	3. Baking oven kit ID 35	2.640-341.0	Special tools for bakeries, can be combined with NT 35/1 Ap or NT 55/1 Tact.

Carpet Cleaner & Spray Extraction Cleaner Accessories		Order Number	Description
   	1. Upholstery tool	4.130-001.0	Upholstery nozzle, 110 mm.
	2. Hand nozzle DN 38	4.130-163.0	Stainless steel with transparent nozzle, ID 38. For cleaning upholstery or small surfaces that cannot be reached with the floor nozzle.
	3. Spray extraction hose ID 38, 4m	4.440-644.0	Complete, metal coupling. Floor tool
	4. I Capsol RM 768 OA / 10L	6.295-634.0	Powerful dry foam CarpetPro Cleaner with odour eliminator and encapsulation technology.

Scrubber & Polisher Accessories		Order Number	Description
      	1. Microfiber pad	6.905-526.0	Excellent cleaning power. Also effectively cleans fine stoneware tiles.
	2. Disk brush 430 mm, Red	6.369-895.0	Medium hardness scrubbing brush.
	3. Disk brush 430 mm, blue-white	6.369-896.0	Medium-soft hardness shampooing brush.
	4. Disk brush 430 mm, black	6.369-898.0	Hard scrubbing brush, GRIT
	5. Pad drive board 430 mm	6.369-899.0	For low speed pad.
	6. FloorPro High Gloss Crystallising Agent, powder RM 775, 5 kg	6.295-117.0	Treating and hardening marble & terrazzo floors. After crystallisation, the floor has an attractive high gloss & is harder and more resistant to wear.
	7. FloorPro Intensive Deep Cleaner Extra RM 752, 10 L	6.295-813.0	Extra powerful deep cleaning agent for removal of stubborn dirt and coatings of alkali-resistant floors. Removes even the most stubborn oil, grease & mineral stains.


Ice Blaster Accessories		Order Number	Description
  	1. Scrambler	4.574-026.0	Kärcher patented innovative Scrambler, mounted between the trigger gun and spray nozzle, breaks up the 3 mm dry ice pellets (3 force levels) into fine particles. This makes it possible to clean very sensitive surfaces. 90° and 105° angled spray lance can be combined with all available nozzles. Requires the use of intermediate piece 4.130-425.0.
	2. Angle nozzle complete 90	4.574-035.0	
	3. Angle nozzle complete 105	4.574-036.0	

Industrial Vacuum Cleaner Accessories		Order Number	Description
     	1. Vacuum kit DN 42 for dry, fine dust	2.869-106.0	For textile and Insulating material, food & pharmaceutical industry, apparatus engineering & warehouse cleaning.
	2. Vacuum kit DN 51 (3) DN 61 for lighter-duty application	2.641-177.0 2.641-175.0	
	4. Vacuum kit DN 52 for dry, coarse particles	2.869-109.0	chemical industry (suction of liquids, bases and depleted acids)
	5. Vacuum kit DN 42 for liquids, with particles	2.869-107.0	cleaning in steel works and smelter
	6. Vacuum kit DN 52 for coarse particles, with less liquids	2.896-108.0	For cutting industry (cleaning of machine tools - metal splinters and KSS) cleaning in steel works and smelter, cement works, foundries & glass factories
	7. Vacuum kit DN 51 (8) DIN 61 for demanding application	2.641-178.0 2.641-176.0	cleaning in steel works and smelter, cement works, foundries & chemical industry (suction of liquids, bases and depleted acids).
	8. Vacuum kit DN 51 (8) DIN 61 for demanding application		

Kärcher Service

Our skilled service team provide personalised support over the entire service life of your Kärcher machine. Wherever you need us, we or one of our service partners will be there to assist you on-site.

Tim ahli kami menghadirkan dukungan secara personal selama masa penggunaan mesin Kärcher Anda. Dimana Anda membutuhkan, kami atau rekan servis kami akan hadir untuk membantu Anda.



Service Training

Thanks to our comprehensive training system, our service engineers and those of our service partners are trained using the latest teaching methods. Specialist knowledge is acquired through technical as well as electronic training. A wide range of practical exercises ensure that the service engineers are ideally prepared for working in the field.

Dengan sistem pelatihan kami yang komprehensif, teknisi kami dan rekan servis kami terlatih menggunakan metode pembelajaran terkini. Pengetahuan spesialis diperoleh melalui pelatihan teknis maupun elektronik. Banyaknya jenis latihan terapan memastikan para teknisi secara ideal siap bekerja di lapangan.

Service Contract Packages

The Kärcher Service Contract packages combine accumulated technical expertise and in-depth application knowledge to yield optimal solutions. Each service package is precisely tailored to a defined need. The scope of services ranges from inspection as part of mandatory safety testing, to maintenance at date due, to the flat-rate Full Service. In addition to the service packages, add-on services such as battery, maintenance or the delivery of consumables are possible.

Paket-paket kontrak servis Kärcher menggabungkan keahlian teknis dan pengetahuan aplikasi yang mendalam untuk menghasilkan solusi optimal. Tiap paket servis dirancang untuk kebutuhan tertentu. Cakupan servis meliputi pengecekan sebagai bagian dari kelaikan unit, perawatan berkala, hingga Full Service dengan flat-rate, Layanan tambahan seperti baterai, perawatan atau pengiriman perlengkapan dapat dilakukan sebagai opsional.

Kärcher Service Package	Kärcher Full Service	Kärcher Maintain	Kärcher Inspect
Safety inspection including certificate & inspection plate	■	■	■
inspection	■	■	■
Travel expenses*	■	■	■
Labor costs*	■	■	■
Adjustment of the operating hours within runtime is possible	■	■	■
Preventive replacement of defined wear parts in accordance with the manufacturer's maintenance plan	■	■	
Spare parts & wear parts included (except batteries & consumables such as brushes, roller brushes, suction lips, cleaning agents, etc.)	■		
Functional guarantee - continuous preservation of function*	■		
Consumables included (brushes, roller brushes, suction lips, cleaning agents, etc.)	□	□	□
Battery (maintenance, replacement, repair)	□	□	□

* Does not apply in case of customer fault, improper use, use of force, force majeure, erroneous operation, etc.



Please contact us for more information:

KÄRCHER CENTER INDONESIA

Foresta Business Loft 3 Unit 8 & 9
Jl. Boulevard Raya, Lengkong Kulon
Pagedangan, Tangerang 15850

☎ +62 21 8065 7600

✉ info@id.kaercher.com

www.Kaercher.com/id

☎ 0800 188 7788

✉ info@id.kaercher.com

f Kaercher Indonesia

📷 Kaercher.id

Dealer info: