

KÄRCHER

makes a difference



**“DELIVERING INNOVATIVE SOLUTIONS
TO LIFE’S EVERYDAY NEEDS”**

HOME & GARDEN | Product Range 2020



High Pressure Washers

K1 Entry (Horizontal)



Technical Details

Pressure (bar)	max. 100
Flow rate (l/h)	max. 300
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.2
Gross Weight (kg)	4.1
Dimensions (LxWxH) (mm)	280 x 165 x 385
High-pressure gun	Standard Quick Connect
Vario power jet	No
One-jet spray lance	Yes
Dirt blaster	No
Integrated water filter	Yes
A3/4" garden hose connector adaptor	Yes
Order no	1.599-101.0

K2.350* KAP



Technical Details

Pressure (bar)	110
Flow rate (l/h)	360
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Weight without accessories (kg)	5.7
Dimensions (LxWxH) (mm)	328 x 258 x 661
Detergent application via	Suction
One-Jet Spray lance	Yes
Integrated Water filter	Yes
High-pressure hose (m)	4
Dirt Blaster	Yes
A3/4" garden hose connector adaptor	Yes
Order no	1.601-685.0

K 2.420 Air Con* KAP



Technical Details

Pressure (bar)	20 - max. 100
Flow rate (l/h)	360
Max. inlet temperature (°C)	40
Voltage (V)	220 - 240
Connection load (kW)	1.4
Weight without accessories (kg)	7.9
Dimensions (LxWxH) (mm)	374 x 201 x 296
Vario Power Jet Short 360°	Yes
High-pressure gun, Standard Quick Connect	Yes
High-pressure hose	7.5m
Integrated water filter	Yes
Order no.	1.601-110.0

***Induction Motor**

K2 Full Control* EU



Technical Details

Pressure (bar)	20 - max. 110
Flow rate (l/h)	360
Max. inlet temperature (°C)	40
Voltage (V)	220 - 240
Connection load (kW)	1.4
Weight without accessories (kg)	4.3
Dimensions (LxWxH) (mm)	246 x 280 x 586
Vario Power Jet	Yes
High-pressure gun, Standard Quick Connect	Yes
High-pressure hose	4 m
Integrated water filter	Yes
A3/4" garden hose connector adaptor	Yes
Order no.	1.673-400.0

K3* EU



Technical Details

Pressure (bar)	120
Flow rate (l/h)	380
Max. inlet temperature (°C)	max. 40
Connection Load (kW)	1.6
Voltage (V)	220 - 240
Weight without accessories (kg)	6.5
Dimensions (LxWxH) (mm)	275 x 279 x 803
Vario Power Jet	Yes
Dirt Blaster	Yes
Pressure hose (m)	6
Detergent application via	Tank
Integrated water filter	Yes
A3/4" garden hose connector adaptor	Yes
Order no	1.601-812.0

K3.450* KAP



Technical Details

Pressure (bar)	120
Flow rate (l/h)	380
Max. inlet temperature (°C)	max. 40
Connection Load (kW)	1.6
Voltage (V)	220 - 240
Weight without accessories (kg)	12.2
Dimensions (LxWxH) (mm)	313 x 321 x 855
Vario Power Jet	Yes
Dirt Blaster	Yes
Pressure hose (m)	6
Detergent application via	Tank
Integrated water filter	Yes
A3/4" garden hose connector adaptor	Yes
Order no	1.601-756.0

***Induction Motor**

K4 Compact* EU



Technical Details

Pressure (bar)	max. 130
Flow rate (l/h)	max. 420
Max. inlet temperature (°C)	max. 40
Voltage (V)	230
Connection load (kW)	1.8
Area performance (m ² /h)	30
Weight without accessories (kg)	11
Dimensions (LxWxH) (mm)	348 x 308 x 520
High pressure gun	Standard Quick Connect
Vario Power jet	Yes
Dirt blaster	Yes
High-pressure hose	6 m
Integrated water filter	Yes
Water-cooled motor	Yes
A3/4" garden hose connector adaptor	Yes
Order no	1.637-500.0

K5 * EU



Technical Details

Pressure (bar)	max. 145
Flow rate (l/h)	max. 500
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	2.1
Area performance (m ² /h)	40
Weight without accessories (kg)	12.8
Dimensions (LxWxH) (mm)	344 x 396 x 875
Car shampoo	Yes
Standard Quick Connect	Yes
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	8 m
Integrated water filter	Yes
Vario power jet	Yes
Hose Reel	Yes
Order no	1.180-633.0



High Pressure Washers

K 7* EU



Technical Details

Pressure (bar)	max. 160
Flow rate (l/h)	max. 600
Max. inlet temperature (°C)	max. 60
Voltage (V)	220 - 240
Connection load (kW)	3
Area performance (m ² /h)	60
Weight without accessories (kg)	18.88
Dimensions (LxWxH) (mm)	404 x 461 x 968
Car shampoo	Yes
Standard Quick Connect	Yes
Dirt Blaster	Yes
Integrated water filter	Yes
Vario power jet	Yes
Hose Length	10m
Order no	1.168-502.0

Additional Accessories

High Pressure Washer



Vario Nozzle
(2.643-254.0)



**Universal
Hose Connector**
(2.645-191.0)



**PS 40
Power Scrubber**
(2.643-245.0)



Splash Guard
(2.642-706.0)



**PC 7.5
Pipe Cleaning Kit**
(2.637-729.0)



**PC 15
Pipe Cleaning Kit**
(2.637-767.0)



**Telescopic
Lance**
(2.642-347.0)



**HK 12
High Pressure
Hose Kit**
(2.643-909.0)



**HK 7.5
High Pressure
Hose Kit**
(2.643-910.0)



**HK 4
High Pressure
Hose Kit**
(2.643-912.0)



Water Filter
(4.730-059.0)



Car Cleaning Kit
(2.643-033.0)



Steam Cleaner & Steam Vac

SC 5 EasyFix (yellow) Iron Plug *EU



Technical overview

Heating output(W)		2200
Tank Capacity(l)	0.5 + 1.5(removable kit)	
Max. steam pressure(bar)		4.2
Weight without accessories(kg)		6.0
Dimensions (L x W x H)(mm)	439 x 301 x 305	
Heating Time (min)		3
Childproof safety lock		Yes
Safety valve		Yes
Floor cleaning kit		Yes
Steam flow control	On the device (4 Levels)	
Hand nozzle, detail nozzle, round brush		Yes
Order no		1.512-530.0

SC 5 EasyFix Premium Iron (white) *EU



Technical overview

Heating output(W)		2200
Tank Capacity(l)	0.5 + 1.5(removable kit)	
Max. steam pressure(bar)		4.2
Weight without accessories(Kg)		6
Dimensions (L x W x H)(mm)	439 x 301 x 305	
Heating Time (min)		3
Childproof safety lock		Yes
Safety valve		Yes
Floor cleaning kit		Yes
Steam flow control	On the Device (4 Levels)	
Hand nozzle, detail nozzle, round brush		Yes
Order no		1.512-552.0

SC 4 Easy Fix (yellow)* EU



Technical overview

Heating output(W)		2000
Tank Capacity(l)	0.5 + 0.8 (removable kit)	
Max. steam pressure(bar)		3.5
Weight without accessories(kg)		4.0
Dimensions (L x W x H)(mm)	380 x 251 x 273	
Heating Time (min)		4
Childproof safety lock		Yes
Safety valve		Yes
Floor cleaning kit		Yes
Steam flow control	On the handle	
Hand nozzle, detail nozzle, round brush		Yes
Order no		1.512-450.0

SC 3 Upright Easy Fix



Technical overview

Heating output(W)		1600
Tank Capacity(l)		0.5
Area Efficiency (m ²)		60
Weight without accessories(Kg)		3.0
Dimensions (L x W x H)(mm)	314 x 207 x 1185	
Heating Time (min)		0.5
Childproof safety lock		Yes
Safety valve		Yes
Floor cleaning kit		Yes
Steam flow control	On the Handle	
Order no		1.513-300.0



SC 2 Easy Fix



Technical overview

Heating output(W)		1500
Tank Capacity(l)		1
Max. steam pressure(bar)		3.2
Weight without accessories(kg)		2.9
Dimensions (L x W x H)(mm)	380 x 254 x 260	
Heating Time (min)		6.5
Childproof safety lock		Yes
Safety valve		Yes
Floor cleaning kit		Yes
Steam flow control	On the handle	
Hand nozzle, detail nozzle, round brush		Yes
Order no		1.512-050.0

Floor Polisher - FP 303* EU

Technical overview



Voltage (V)		220 - 240
Frequency (Hz)		50 - 60
Working width (mm)		290
Power rating (W)		600
Speed (rpm)		1000
Filter bag capacity (l)		4
Cable length (m)		7
Weight (kg)		7
Dimensions (L x W x H) (mm)	385 X 340 X 1155	
Equipment		
Polish Pad		3 Piece
Filter bag		Paper
Cable storage		Yes
Order No.		1.056-820.0

Sweepers

S 4 Twin



Technical data

Working width with side brush	(mm)	680
Max. area performance	(m ² /h)	2400
Housing / frame		Plastic/Plastic
Weight, ready to operate	(kg)	10.2
Waste container	(l)	20
Dimensions (L x W x H) (mm)	760 X 668 X 940	
Order No.		1.766-360.0

S 6 Twin Manually operated



Technical data

Working width with side brush	(mm)	860
Max. area performance	(m ² /h)	3000
Housing / frame		Plastic/Plastic
Weight, ready to operate	(kg)	14.8
Waste container	(l)	38
Dimensions (L x W x H) (mm)	926 X 872 X 1032	
Order No.		1.766-460.0



Vacuum Cleaners

WD 1 Home* SEA



Technical Details

Actual suction power*(Air watts)	160
Energy use (W)	1000
Container capacity (l)	15
Container material	Plastic
Power cable (m)	4
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	3.7
Dimensions (L x W x H) (mm)	331 x 352 x 461
Blower Function	Yes
Filter Bag	Paper
Suction Hose length / diameter	1.8m / 35mm
Order no	1.098-310.0

* Measured at the suction tubes according to the IEC 60312 standard.

WD 3* KAP



Technical Details

Actual suction power*(Air watts)	200
Energy use (W)	1000
Container capacity (l)	17
Container material	Plastic
Power cable (m)	4
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	5.5
Dimensions (L x W x H) (mm)	388 x 340 x 503
Blower Function	Yes
Cartridge Filter	Standard
Filter Bag	Paper
Suction Hose length / diameter	2m / 35mm
Order no	1.629-816.0

* Measured at the suction tubes according to the IEC 60312 standard.

WD 4* EU-I



2014



Technical Details

Actual suction power*(Air Watts)	220
Energy use (W)	1000
Container capacity (l)	20
Container material	Plastic
Power cable (m)	5
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	7.1
Dimensions (L x W x H) (mm)	384 x 365 x 526
Blower Function	No
Filter Bag	Fleece
Suction Hose length / diameter	2.2m / 35mm
Order no	1.348-110.0

* Measured at the suction tubes according to the IEC 60312 standard.

WD 5* EU-I



2014



Technical Details

Actual suction power* (Air Watts)	240
Energy use (W)	1100
Container capacity (l)	25
Container material	Plastic
Power cable (m)	5
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	8.2
Dimensions (L x W x H) (mm)	418 x 382 x 652
Blower Function	Yes
Filter Bag	Fleece
Suction Hose length / diameter	2.2m / 35mm
Order no	1.348-190.0

* Measured at the suction tubes according to the IEC 60312 standard.

WD 6 P Premium* EU-I



2014



Technical Details

Actual suction power*(Airwatts)	260
Energy use (W)	1300
Container capacity (l)	30
Container material	Stainless Steel
Power cable (m)	6
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	9.5
Dimensions (L x W x H) (mm)	418 x 382 x 694
Blower Function	Yes
Filter Bag	Fleece
Drain Screw	Yes
Power Tool	Yes
Suction Hose length / diameter	2.2 m / 35mm
Adaptor for connecting power tools	Yes
Order no	1.348-270.0

* Measured at the suction tubes according to the IEC 60312 standard.


Steam Vacuum

SV 7* EU



Technical overview

Heating output (W)	2200
Boiler Capacity (l)	0.45 + .50
Max. steam pressure(bar)	4
Water Filter (l)	1.2
Dimensions (L x W x H)(mm)	515 x 336 x 340
Vacuum (mbar)	210
Cable Length (m)	6
Childproof safety lock	Yes
HEPA filter	Yes
Floor cleaning kit	Yes
Crevice nozzle	Yes
Upholstery nozzle	Yes
Hand nozzle, detail nozzle, round brush	Yes
Foamstop defoamer	Yes
Order No.	1.439-410.0



Water Filter Vacuum Cleaner - DS 6* EU



Technical Details

Rated input power (W)	650
Water filter (l)	2
Power cable (m)	6.5
Operating radius (m)	10.2
Sound pressure level (dB(A))	66
Voltage (V)	220 - 240
Frequency (Hz)	50 - 60
Weight without accessories (kg)	7.4
Dimensions (L x W x H) (mm)	535 x 289 x 345
Suction hose	2.1 m
Crevice nozzle	Yes
HEPA 12 filter	Yes
Telescopic suction tube	Yes
Switchable dry floor nozzle	Yes
Order no	1.195-220.0

Carpet Cleaner - SE 4001* EU



Technical Details

Vacuum (mbar)	210 / 21
Air flow (l/s)	70
Fresh/ dirty water tank (l)	4 / 4
Input power turbine/pump (W)	1400 / 40
Spray rate (l/min)	1
Spray pressure (bar)	1
Power cable (m)	7.5
Working width (mm)	230
Voltage (V)	220 - 240
Frequency (Hz)	50 - 60
Weight without accessories (kg)	7.8
Dimensions (L x W x H) (mm)	441 x 386 x 480
Filter Bag	Paper
Crevice nozzle	Yes
Spray extraction tubes, 2 piece(s),	0.5 m, 35 mm
Wet and dry floor nozzle, Clips	Yes
Foam filter	Yes
Carpet Cleaner	RM 519 (100 ml)
Order no	1.081-130.0



Additional Accessories

Wet & Dry Vacuum cleaner



Car interior kit
(2.862-128.0)



Suction hose extension
(2.863-001.0)



Suction brush
(2.863-146.0)



Mattress Nozzle
(6.906-755.0)



Paper filter bag
(6.904-322.0)



Fleece filter bag
(2.863-006.0)



Filter kit
(6.904-143.0)



Cartridge filter
(6.414-552.0)



Flat pleated filter
(2.863-005.0 / 6.414-498.0)



Upholstery Nozzle
(6.906-622.0)

Steam cleaner



Round brush set
(2.863-058.0)



Textile care nozzle
(4.130-390.0)



Round brush with
brass bristles
(2.863-061.0)



Multipurpose
accessory kit
(2.863-215.0)



Big round brush
(2.863-022.0)



Descaling powder
(6.295-987.0)

Air Purifier - KA 5* KAP



Technical data

Current type (V/Hz)	220 - 240 / 50 - 60
Connected load, max. (W)	56
Sound power level (dB(A))	62
Filter area (m ²)	72
CADR PM 2,5 (m ³ /h)	593
CADR formaldehyde (m ³ /h)	260
CCM PM 2.5	P4
CCM Formaldehyde	F4
Weight without accessories (kg)	11.2
Dimensions (L x W x H) (mm)	380 x 380 x 713
Filter change indicator	
Automatic mode, yes	
Manual mode, yes	
Night operation, yes	
Remote control, Wifi	
360° air circulation technology	
Dual filter system	
App control within home Wifi	
with 3 power levels	
Air quality LED display	
Operation of the device with touch function	
Multi-purpose filter	
Order no.	1.198-502.0

Window Cleaner - WV 1 Plus



Technical data

Dirty water tank(ml)	100
Battery duration(min)	20
Time required to charge battery(min)	120
Area cleaned per battery charge	Approx. 55 m ² = 18 windows
Working width of vacuum nozzle (mm)	250
Weight incl. battery(kg)	0.5
Dimensions (mm)	130 x 250 x 275

Equipment

Battery charger	Yes
Lithium ion battery	Yes
Spray bottle with micro fibre wiper	Yes
Window Cleaner Concentrate	Yes
Hip bag	No
Order No.	1.633-014.0



Electric Broom - KB 5* EU



Technical data

Area cleaned per battery charge	m ²	60-100
Battery running time	min.	30
Working width	mm	210 (per hair brush)
Container capacity	ml	370
Battery voltage	V	3.7
Weight incl. battery	kg	1.2
Dimensions (L x W x H)	mm	260 x 300 x 96

Equipment

Battery charger	Yes
Long life rechargeable battery	Yes
Universal brush	Yes

Order No. 1.258-000.0

Hard Floor Cleaner - FC5

WATER SAVINGS
UP TO 90%

WIPE AND VAC
2-in-1



reddot award 2017 winner

Technical data

Roller speed (rpm)	500
Power (W)	max. 460
Current type (Ph)	1 / 220 - 240 / 50 - 60
Tank capacity fresh water (ml)	400
Tank capacity dirt water (ml)	200
Cleaning station volume (ml)	200
Cleaning performance per tank (m ²)	60
Drying time of cleaned floor (min.)	2
Roller working width (mm)	300
Weight (kg)	5
Dimensions (L x W x H) (mm)	320 x 270 x 1220

Order No 1.055-400.0

Hard Floor Cleaner - FC5 Cordless* EU

WATER SAVINGS
UP TO 90%

WIPE AND VAC
2-in-1



Technical data

Roller speed (rpm)	500
Power (W)	max. 460
Current type (Ph)	1 / 220 - 240 / 50 - 60
Tank capacity fresh water (ml)	400
Tank capacity dirt water (ml)	200
Cleaning station volume (ml)	200
Cleaning performance per tank (m ²)	60
Drying time of cleaned floor (min.)	2
Roller working width (mm)	300
Weight (kg)	4.4
Dimensions (L x W x H) (mm)	320 x 270 x 1220

Order No. 1.055-601.0

Robo Cleaner - RC3* EU-II

INTELLIGENT NAVIGATION

DUAL BRUSH SYSTEM



SMART APP CONTROL

Technical data

Running time per charge (min)	90-120
Battery charging time (min)	240
On-board dust container (L)	0.35
Sound power level (dBA)	71
Current type (V/Hz)	100-240/50-60
Weight, RoboCleaner (kg)	3.6
Weight, base station (kg)	0.2
Dimensions, RoboCleaner (D x H) (mm)	340 x 96
Dimensions, charging station (L x W x H) mm	130 x 183 x 127
Dual Brush system	Yes
Camera-laser navigation system	Yes
Charging Station	Yes
Timer program	Yes
Cleaning mode	Automatic & Spot
2 x fine filter, cleaning brush, side brush, screwdriver	Yes

Order No. 1.198-203.0

Additional Accessories

Hard Floor Cleaner - FC5 & FC 5 Cordless



Micro-fiber roller set (yellow)
(2.055-006.0)



Micro-fiber roller set (gray)
(2.055-007.0)



Stone roller set
(2.055-021.0)



Surface Cleaning Chemical
(6.296-046.0)

Contact us for our products & services across India

Help line No: 1800 1234 180 (9:30 AM- 5 PM, Mon- Fri)

www.kaercher.com/in

e-mail: info@in.kaercher.com | service@in.kaercher.com

Noida (Head Office)

D-120, Sec-63,
Noida - 201 307,
Uttar Pradesh
Ph. : +91 120 7111800
Fax : +91 120 7111900

CIN : U29142DL2011PTC214243

Dealer stamp here:

